



Hand & Body Protection

Industrial Safety Equipment




Rubber Gloves

Rubber Glove: Nature rubber, good chemical, cut and abrasion resistance - anti acid, alkaline, acetone, etc. Good for chemical, mining, construction, waste, sandblasting, fishing, glass, steel, machining industry, food processing, household, etc.



SEI420 RUBBER GLOVE

Natural rubber fully dipped, smooth finish, rolled cuff, extra heavy duty.
Size: 10, 11
Length: 14", 18", 24"
Color: Black
Compliance:  EN388



SEI440 RUBBER GLOVE

Natural rubber fully dipped, palm with diamond grip, rolled cuff, heavy duty.
Size: 9, 9-1/2, 10, 10-1/2, 11
Length: 13"
Color : Black




SEI450 RUBBER GLOVE

Natural rubber fully dipped, palm with diamond grip, rolled cuff.
Size: 9, 9-1/2, 10, 11
Length: 12"
Color : Black




SEI430 RUBBER GLOVE

Natural rubber fully dipped, palm and back rough finish, rolled cuff, extra heavy duty.
Size: 10, 11
Length: 14", 18", 24"
Color: Black
Compliance:  EN388



SEI480 RUBBER COATED GLOVE

Rubber coated, rough finish, wing thumb, cotton knitted lining, elastic band on back, rubberized cuff.
Size: 9, 10, 11
Color: Natural
Compliance:  EN388



SE1490 RUBBER COATED GLOVE

Rubber coated, rough finish, wing thumb, cotton knitted lining, knitted wrist.

Size: 9, 10, 11

Color: Natural

Compliance: EN388



SE2471 RUBBER GLOVE

Natural rubber fully dipped, rough finish, fluted and rolled cuff, unlined.

Good for food processing.

Size: 7, 7-1/2, 8, 8-1/2, 9, 9-1/2, 10, 11

Length: 12-1/2", 18"

Color: Red, Natural

Compliance: EN1186-7,
 EN1186-14, EN388



SE2430 RUBBER COATED GLOVE

Rubber fully coated, rough finish, wing thumb, cotton knitted lining, knitted wrist.

Size: 9, 10, 11

Color: Natural

Compliance: EN388



SE2481 LATEX GLOVE

Natural latex, high-strength tear resistance, comfortable and tactile sensitivity.

Good for food processing, assembly, maintenance, inspections, laboratory research and clean room.



SE2465A RUBBER GLOVE

Natural rubber fully dipped, embossed grip, rolled cuff, for household and light industrial.

Size: 7, 7-1/2, 8, 8-1/2

Length: 13"

Color: Orange, Blue, Yellow



SE2482 VINYL GLOVE

High-strength, flexible and tactile sensitivity.

Good for food processing, assembly, maintenance, inspections, laboratory research and clean room.



SE2470 RUBBER GLOVE

Natural rubber fully dipped, rough finish, fluted and rolled cuff, unlined. Good for food processing.

Size: 7, 7-1/2, 8, 8-1/2, 9, 9-1/2, 10, 11

Length: 12-1/2", 18"

Color: Natural, Red.

Compliance: EN1186-7,
 EN1186-14, EN388



SE2483 DISPOSABLE NITRILE GLOVES

Superior chemical splash protection. Soft, durable nitrile material for added comfort. Textured fingertips provide secure grip. Complies with food handling requirements.

Rubber Gloves/ Cotton Gloves/ Kevlar Gloves



SE2466 RUBBER GLOVE

Natural rubber latex with cotton flocklined provides long-lasting tensile strength and sensitivity, embossed diamond pattern on palm and fingers offers non-slip protection either wet or dry. Good for household, cleaning, food industries, etc.

Compliance:

☞ EN374-1, EN374-2, EN374-3, EN388, EN420

Size	Thickness	Length	Color
7, 8, 9, 10	28mil (0.71mm)	13" (330mm)	Orange, Black



SE2515 RUBBER COATED KEVLAR GLOVE

Rubber coated with dots on palm and back, heat resistance. Kevlar fiber.

Provides better protection against heat, slashes, scrapes, cuts and abrasion.

Firm and non-slip grip suits in wet or dry conditions.



SE6136 NITRILE GLOVE

Flock-lined, tough and strength, high resistance to chemical, petroleum, solvents, cuts, punctures abrasions, etc. Embossed diamond pattern on palm and fingers offer non-slip protection either wet or dry. Good for chemical industries, food processing, agriculture, etc. Unflocked type available.

Compliance: ☞ EN374-2, EN374-3, EN388, EN420

Size	Thickness	Length	Grip Pattern	Remark
Flock-lined Series				
7, 8, 9, 10, 11	15mil (0.38mm)	13" (330mm)	Recessed Diamond	Medium Duty
7, 8, 9, 10, 11	18mil (0.45mm)	13" (330mm)	Recessed Diamond	Heavy Duty
7, 8, 9, 10, 11	18mil (0.45mm)	15" (381mm)	Recessed Diamond	Heavy Duty
7, 8, 9, 10, 11	22mil (0.56mm)	15" (381mm)	Recessed Diamond	Extra Heavy Duty
Unlined Series				
7, 8, 9, 10, 11	11mil (0.28mm)	13" (330mm)	Recessed Diamond	Light Duty
7, 8, 9, 10, 11	15mil (0.45mm)	13" (330mm)	Recessed Diamond	Medium Duty
7, 8, 9, 10, 11	18mil (0.45mm)	13" (330mm)	Recessed Diamond	Heavy Duty
7, 8, 9, 10, 11	22mil (0.56mm)	18" (457mm)	Diamond Embossed	Extra Heavy Duty



SE6139 NEOPRENE GLOVE

High grade of polychloroprene latex provides excellent protection against harsh chemical, abrasion, cuts, punctures, tear, etc. With cotton flock lining absorbs perspiration that offers flexibility and durability for comfortable wear, chemically toughened to offer protection against wide range of concentrated acids and alkalis. Good for chemical industries, automotive assembly, painting, plant maintenance, food processing, etc.

Compliance: FDA CFR 21 parts 177, 2600

☞ EN374-1, EN374-2, EN374-3, EN388

Size	Thickness	Length	Color	Remark
7, 8, 9, 10	21mil (0.53mm)	13" (330mm)	Blue over Yellow	Medium Duty
7, 8, 9, 10	28mil (0.71mm)	13" (330mm)	Blue over Yellow	Heavy Duty

Cotton Glove: Lightweight, reusable and washable, knit construction for excellent fit, good for circulation to keep hands dry and comfortable.



**SE1460
COTTON GLOVE**

Knit construction for general use.



**SE1461
RUBBER COATED
COTTON GLOVE**

General use, palm with rubber coating, anti-slip, cut and abrasion resistance.



**SE1465
CUT-RESISTANT
GLOVE**

Combines stainless steel with durable fibers, for cut, slash and scrapes protection.



**SE1470
PVC DOTTED
COTTON GLOVE**

General use, with PVC dotted on one side for good grip.



**SE1470
SE1471**

**SE1471
PVC DOTTED
COTTON GLOVE**

General use, with PVC dotted on both sides for good grip, reversible for economy



**SE2440
PVC CRISS-CROSS
COATED POLYESTER
GLOVE**

Knit wrist, high visibility orange color with PVC criss-cross coated on both sides for a firm, nonslip grip in wet or dry conditions.



**SE2441
POLYESTER GLOVE**

General use, knit wrist, high visibility orange color



**SE2510
KEVLAR GLOVE**

With heat-resistance kevlar fiber, provides better protection against heat, slashes, scrapes, cuts and abrasion.



**SE2511
KEVLAR ANTI-SLIP
GLOVE**

With heat-resistance kevlar fiber, provides better protection against heat, slashes, scrapes, cuts and abrasion.
Rubber dotted on palm and back for a firm, nonslip grip in wet or dry conditions.



**SE2514
KEVLAR GLOVE**

With heat-resistance kevlar and polyester mixed fiber, provides better protection against heat, slashes, scrapes, cuts and abrasion.

Kevlar Sleeves/ Apron/ Hood/ Aluminized Gloves/ Boots



SE2518 KEVLAR SLEEVE

Knit construction, flexible, comfortable and cut resistance, good for knuckles and forearms protection, against sharp edges and high temperature, suitable for welding, engineering, mechanical and automotive industries.

Size: 10"



SE2519 KEVLAR SLEEVE

Knit construction, flexible, comfortable and cut resistance, good for knuckles and forearms protection against sharp edges and high temperature, suitable for welding, engineering, mechanical and automotive industries.

Size: 14"



SE 2576 KEVLAR APRON

Knit construction with neck and waist drawing, flexible, comfortable, heat and cut resistance, good for full upper and lower body protection against sharp edges and radiant heat.

Chest width: 27"

Length: 36"



SE2591 FLAME RESISTANT HOOD

Conex interlock knitted fabric, double layers construction, pull over type with elastic face opening, offers maximum protection for face, head and neck against flame and heat.

Material: Normex 175g/m2

Color: Black or White



SE2592

SE2592 DUST HOOD

100% cotton, pullover type with face opening. Offers maximum protection for face, head, and neck against dust.



SE2593

SE2593 BALACLAVA

Fleece fabric, keeps head warm, dry, and odor free during cold winter, face opening, with reflective tapes for extra safety, with mesh around the positions of the ears for hearing.

Heat Resistance Gloves:
Fully aluminized and / or Kevlar,
reflects the radiant heat, good for
molten metals.



SE2513 KEVLAR FELT GLOVE

Good thermal insulation and high resistance to cold, cut, abrasion and puncture.



SE2523 ALUMINIZED GLOVE

Fully aluminized back and palm, reflects the radiant heat.
Length: 14"



SE2520 ALUMINIZED MITT

Fully aluminized back and back of thumb, reflects the radiant heat, with kevlar fibre on palm for extra heat protection.
Length: 14"



SE2530 ALUMINIZED GAITER

Fully aluminized, protects lower leg and boots/shoes from radiant heat. Elastic straps holds the shoes securely, one size fits all, easy on and off.
Good for molten metals.



SE2521 ALUMINIZED GLOVE

Fully aluminized back and back of thumb, reflects the radiant heat, with kevlar fibre on palm for extra heat protection.
Length: 14"



SE2535 ALUMINIZED BOOT

Fully aluminized, with steel toe, protects lower leg from radiant heat.
Good for molten metals.



SE2522 ALUMINIZED MITT

Fully aluminized back and palm, reflects the radiant heat.
Length: 14"

Cold Thermal Gloves/ Antistatic Glove/ Cut Resistant Gloves



SE2538 COLD THERMAL GLOVE

Yellow pig grain palm provides durable application. PVC reinforcement on the palm and fingertips offers anti-abrasion function. With stretchable and breathable spandex back. With Kevlar stitches.

With 40 gram Thinsulate lining and high breathable waterbag, suitable in coldstore or outdoor under -25°C.

Meets  EN511



SE2539 COLD THERMAL GLOVE

White cow grain palm provides durable application. PVC reinforcement on the palm and fingertips offers anti-abrasion function. With stretchable and breathable spandex back. With Kevlar stitches.

With 150 gram Thinsulate lining and Hipora waterbag, suitable in coldstore or outdoor under -40°C.

Meets  EN511



SE2503 ANTISTATIC GLOVE

Made of conductive yarn, with static dissipative PU palm coating, perfect protection from static discharge, preventing injuries to workers and electric components. Good for electric industry.

Size: S, M, L, XL, XXL



SE6100 PU COATED CUT RESISTANT GLOVE

13 Gauge HPPE seamless shell, with black PU coating on palm. Soft and comfortable cut resistant shell, coating with PU feels light and fit hands well, protect hands from sharp hazard.

Size: 7-11

Applications: Glass working, Machinery operation, Steel products working.

Compliance:  EN388



SE6101 NITRILE COATED CUT RESISTANT GLOVE

13 Gauge HPPE seamless shell, with black Sandy nitrile coating on palm. Soft and comfortable cut resistant shell, with very good abrasion in heavy oily environment, protect hands from sharp hazard.

Size: 7-11

Applications: Glass working, Machinery operation, Steel products working

Compliance:  EN388



SE6 I02 NITRILE COATED CUT RESISTANT GLOVE

18 gauge HPPE seamless shell, with black breathable foam nitrile palm coating. Super soft and comfortable cut resistant shell, good grip and abrasion in oily and wet environment, protect hands from sharp hazard.

Size: 7-11

Applications: Glass working, Machinery operation, Steel products working

Compliance:  EN388



SE6 I04 NITRILE COATED CUT RESISTANT GLOVE

13 Gauge HPPE & Steel fiber shell, with black Sandy nitrile coating on palm. Soft and comfortable cut resistant shell, with very good abrasion in heavy oily environment, protect hands from sharp hazard.

Size: 7-11

Applications: Glass working, Machinery operation, Steel products working

Compliance:  EN388 TDM F, **ANSI Cut level A7**



SE6 I05 MICRO-FOAM NITRILE COATED CUT RESISTANT GLOVE

13 Gauge HPPE seamless shell, with micro-foam nitrile palm coating, Super soft and comfortable cut resistant shell, good grip and abrasion in oily and wet environment, protect hands form sharp hazard.

Applications: Glass working, Machinery operation, Steel products working.

Compliance:  EN388



SE6 I03 NITRILE COATED CUT RESISTANT GLOVE

13 Gauge HPPE seamless shell, with black smooth nitrile coating on palm. Soft and comfortable cut resistant shell, with very good abrasion in heavy oily environment, protect hands from sharp hazard.

Size: 7-11

Applications: Glass working, Machinery operation, Steel products working

Compliance:  EN388



SE6 I06 LATEX COATED CUT RESISTANT GLOVE

13 Gauge HPPE seamless shell, with LATEX palm coating, Super soft and comfortable cut resistant shell, good grip and abrasion in oily and wet environment, protect hands form sharp hazard.

Applications: Glass working, Machinery operation, Steel products working.

Compliance:  EN388



Nitrile Coated Gloves/ Mechanical Glove/ PVC Gloves



SE6110 NITRILE COATED GLOVES

Fully blue nitrile coating, smooth finish, knit wrist with cotton knitted lining, lightweight, flexibility and dexterity, provides excellent resistance to cuts, snags, punctures, abrasion, grease and oil. Good for construction, assembly, maintenance, rough materials handling, glass, steel, machinery industry, etc.

Size: 8, 9, 10



SE6120 NITRILE COATED GLOVES

Fully blue nitrile coating, smooth finish, safety cuff with cotton knitted lining, lightweight, flexibility and dexterity, provides excellent resistance to cuts, snags, punctures, abrasion, grease and oil. Good for construction, assembly, maintenance, rough materials handling, glass, steel machinery industry, etc.

size: 8, 9, 10



SE6111 NITRILE COATED GLOVES

Lightweight blue nitrile coating on the palm, smooth finish, knit wrist with cotton knitted lining, flexibility and dexterity, provides excellent resistance to cuts, snags, punctures, abrasion, grease and oil. Good for construction, assembly, maintenance, rough materials handling, glass, steel, machinery industry, etc.

Size: 8, 9, 10



SE6121 NITRILE COATED GLOVES

Lightweight blue nitrile coating on the palm, smooth finish, safety cuff with cotton knitted lining, flexibility and dexterity, provides excellent resistance to cuts, snags, punctures, abrasion, grease and oil. Good for construction, assembly, maintenance, rough materials handling, glass, steel machinery industry, etc.

Size: 8, 9, 10



SE6140 MECHANICAL GLOVE

13 gauge Hi-viz yellow polyester seamless shell, with black sandy nitrile dipping on palm; Thermal plastic rubber safeguards the knuckles and fingers against hazardous impact and abrasion injuries; Reinforced thumb crotch well for extended wear; Padded palm offers an extra protection. Hook and loop wrist closure ensures a snug fit; Washable.

Size: 7-11

Applications: Gas & Oil industry, Offshore exploration, Rescue work, Heavy duty impact, Construction, Cutting application, Metal fabrication, Mechanical workshop, Automobile, Hand and power tool usage.

Compliance:  EN388



SE6151 PVC GLOVE

High-grade red PVC palm coated, interlock lining, smooth finish, cotton knit wrist offers comfort and fit the wrist snugly.

Excellent protection against wide range of chemicals and abrasion resistance, such as petroleum, refining, acids, oil, grease, caustics, solvents, cuts, punctures and abrasions.



SE6150 PVC GLOVE

Fully high-grade red PVC coated, interlock lining, smooth finish, cotton knit wrist offers comfort and fit the wrist snugly.

Excellent protection against wide range of chemicals and abrasion resistance, such as petroleum, refining, acids, oil, grease, caustics, solvents, cuts, punctures and abrasions.



SE6160 PVC GLOVE

High-grade red PVC coated, smooth finish, gauntlet cuff, interlock lining provides maximum flexibility and comfort. Excellent protection against wide range of chemicals and abrasion resistance, such as petroleum, refining, acids, oil, grease, caustics, solvents, cuts, punctures and abrasions.

Length available in 10", 12" or 14"

Protective Gloves



SE6170 RUBBER COATED COTTON GLOVE

Natural rubber palm dipped, anti-slip cut and abrasion resistance.

Ideal for rough materials handling, farming, gardening, steel machinery industry, construction.

Size: S, M, L, XL

Compliance:  EN388



SE6172 RUBBER COATED COTTON GLOVE

Natural rubber palm dipped, anti-slip, cut and abrasion resistance.

Ideal for rough materials handling, farming, gardening, steel machinery industry, construction.

Size: 9.5", 10", 10.5"



SE6171 RUBBER COATED COTTON GLOVE

Natural rubber palm dipped, anti-slip cut and abrasion resistance.

Ideal for rough materials handling, farming, gardening, steel machinery industry, construction.

Size: 9.5", 10", 10.5"



SE6173 RUBBER COATED COTTON GLOVE

Natural rubber palm dipped, anti-slip, cut and abrasion resistance.

With acrylic fleece liner for cold resistance. Ideal for rough materials handling, farming, gardening, steel machinery industry, construction.

Size: 7, 8, 9, 10, 11



SE6180 PU COATED NYLON GLOVE

Nylon fabric, with water-based PU coating, increases grip and abrasion resistance, offers maximum protection and durability, also keep hands cool and freedom of movement. Good for precise operations and assembly of electronics, computers, semiconductors, laboratories, pharmaceuticals, etc.

Size: 7, 8, 9, 10, 11

Compliance:  EN388



SE6181 I NITRILE COATED POLYESTER GLOVE

13 Gauge polyester shell with grey nitrile fully dipping. Excellent grip on palm, elastic, comfortable, washable, full protection from liquids.

Size: 7-11

Applications: Automotive industry & Manufacturing, Building & Constructional, Oil industry

Compliance:  EN388



SE6181 NITRILE COATED NYLON GLOVE

Seamless liner with nitrile coating on palm and fingers, anti-slip, cut and abrasion resistance. Ideal for rough materials handling, assembly, steel and machinery industry, construction, farming and gardening.

Size: 7, 8, 9, 10, 11

Compliance:  EN388



SE6182 PU COATED POLYESTER GLOVE

PU palm and finger coated, cut and chemical resistance. Good for clean room conditions, electronics, inspection, dry component assembly.

Size: 7, 8, 9, 10, 11

Cotton/Nylon Interlock Gloves/Cotton Gloves



SE6183 FOAM NITRILE COATED NYLON GLOVE

Seamless liner with Nitrile coating on palm and fingers, anti-slip, cut and abrasion resistance. Ideal for rough materials handling, assembly, steel and machinery industry, construction, farming and gardening.

Size: 7, 8, 9, 10, 11



SE6185 GRAY NYLON LYCRA GLOVE

15 Gauge nylon/spandex shell with Micro-Foam nitrile coating on palm and fingers, elastic, comfortable, Breathable coating keeps hands ultra cool and dry, resistant against oil.

Size: 7-11

Compliance:  EN388



SE6280 HOT MILL COTTON GLOVE

Thick cotton fabric for high heat insulation and abrasion resistant. With cotton napped to form a cushion for heat dissipating and comfortable while handling the hot objects, and a knuckle strap to add the protection. With gauntlet cuff, also available with band top cuff, both provide comfort, breathability, easy on and off.



SE6290 COTTON GLOVE

Soft cotton provides comfortable, durable abrasion resistance, with knit wrist and PVC dotted on palm, thumb and index finger to improve gripping capabilities.

General use, one size fits all.

Available weight from 5 OZ to 12 OZ.



SE6291 COTTON GLOVE

Soft cotton provides comfortable, durable abrasion resistance, with red knit wrist and PVC dotted on palm, thumb and index finger to improve gripping capabilities. General use, one size fits all. Available weight from 5 OZ to 12 OZ.



SE6293 COTTON DRILL GLOVE

Premium quality fabric, two layers on palm keep hands cool and dry, straight thumb and knit wrist offer comfortable and long-lasting protection. Good for general purpose, lifting and handling. Size: 9", 9.5", 10", 10.5" Weight: 14 OZ, 16 OZ



SE6292 COTTON DRILL GLOVE

Premium quality fabric keeps hands cool and dry, wing thumb and knit wrist offer comfortable and long-lasting protection. Good for general purpose, lifting and handling. Size: 9", 9.5", 10", 10.5" Weight: 6 OZ, 7 OZ, 8 OZ



SE6294 COTTON DRILL GLOVE

Premium quality yellow fabric, two layers on palm keep hands cool and dry, straight thumb and knit wrist offer comfortable and long-lasting protection. Good for general purpose, lifting and handling. Size: 10.5", 11" Weight: 14 OZ, 16 OZ, 18 OZ

Leather Gloves



SE6210 LEATHER GLOVE

Made of pig split leather, wing thumb, fingertips, knuckle strap, with safety cuff and elastic band on back, durable and abrasion resistance, provide the protection from cuts, scrapes, abrasions and punctures.



SE6211 LEATHER GLOVE

Made of cow split leather, wing thumb, fingertips, knuckle strap, white cotton, with safety cuff and shirred elastic band on back, durable and abrasion resistance, provides the protection from cuts, scrapes, abrasion and punctures.



SE6212 LEATHER GLOVE

Made of pig split leather, wig thumb, fingertips, knuckle strap, white cotton, with safety cuff and shirred elastic band on back, durable and abrasion resistance, provides the protection from cuts, scrapes, abrasion and punctures.



SE6220 LEATHER GLOVE

Made of pig grain leather, wing thumb, leather fingertips, leather knuckle strap, with safety cuff and shirred elastic back, durable and abrasion resistance. Grain leather repels liquids to keep hands dry, easy on-off and comfortable to wear.



SE6221 LEATHER GLOVE

Made of premium pig grain leather, wing thumb, fully wrapped index finger, leather fingertips, leather knuckle strap, green back, rubberized cuff and shirred elastic back, durable and abrasion resistance. Good for tough industrial jobs, either indoors or outdoors.



SE6222 LEATHER GLOVE

Made of premium pig grain leather, full leather index finger, leather fingertips, wing thumb, leather knuckle strap, yellow/blue stripe back, rubberized cuff and shirred elastic back, excellent abrasion resistance and durable. Good for tough industrial jobs, either indoors or outdoors.



SE6232 LEATHER GLOVE

Rusty select cow full leather index finger, leather fingertips, wing thumb, leather knuckle strap, yellow cotton, rubberized cuff and shirred elastic back, is a comfortable and durable glove, good for general purpose.



SE6230 LEATHER GLOVE

Made of cow split leather, full leather index finger, leather fingertips, wing thumb, leather knuckle strap, strip back, rubberized cuff and shirred elastic back, excellent abrasion resistance, good for tough industrial jobs, either indoors or outdoors.



SE6240 LEATHER GLOVE

Made of beige cow grain, full leather index finger, leather fingertips, wing thumb, leather knuckle strap, yellow/blue strip, rubberized cuff and shirred elastic back, offers a good resist to abrasion, prevents the hands from cuts, scrapes, abrasions and punctures.



SE6231 LEATHER GLOVE

Made of cow split leather, full leather index finger, leather fingertips, wing thumb, leather knuckle strap, grey/purple stripe, rubberized cuff and shirred elastic back, good for general purpose.



SE6241 LEATHER GLOVE

Made of natural cow split palm patch, full leather index finger, leather fingertips, wing thumb, leather knuckle strap, green cotton, rubberized cuff and shirred elastic back, offers a good resist to abrasion, prevents the hands from cuts, scrapes, abrasions and punctures.

Leather Gloves



SE6250 WELDING GLOVE

Grey shoulder split leather, wing thumb, full sock lining, soft, flexible and heat resistance. 14" length, protects the hands from heat and welding sparks. Perfect for tough welding jobs.



SE6251 WELDING GLOVE

Red shoulder split leather, wing thumb, full sock lining, soft, flexible and heat resistance. 14" length, protects the hands from heat and welding sparks. Perfect for tough welding jobs.



SE6252 WELDING GLOVE

Red shoulder split leather, reinforced straight thumb, full sock lining, soft, flexible and heat resistance. 14" length, protects the hands from heat and welding sparks. Perfect for tough welding jobs.



SE6253 WELDING GLOVE

Blue color shoulder split leather, wing thumb, full sock lining, soft, flexible and heat resistance. 14" length, protects the hands from heat and welding sparks. Perfect for tough welding jobs.



SE6254 WELDING GLOVE

Orange shoulder split leather, reinforced straight thumb, full sock lining, soft, flexible and heat resistance. 14" length, protects the hands from heat and welding sparks. Perfect for tough welding jobs.

Compliance:   EN 12477



SE6255 WELDING GLOVE

Split cowhide leather, blue color, reinforced wing thumb and cuff, soft, flexible and heat resistance. 14" length, protects the hands from heat and welding sparks. Perfect for tough welding jobs. 100% cotton lining. Sewn with Dupont Kevlar

Compliance:   EN 12477



SE6261 DRIVER'S GLOVE

Made of golden cow grain leather, wing thumb, flexible and durable, conforms comfortably to the hand and the elastic shirred back for secure hold and snug fit.



SE6256 TIG GLOVES

TIG gloves, grain goatskin, white & gray color, split cowhide leather cuff, seamless index finger, no lining, sewn with DuPont Kevlar thread, 5" long cuff, size: M, L, XL

Compliance:   EN 12477



SE6262 DRIVER'S GLOVE

Made of pig grain leather driver gloves, keystone thumb and no liner, conforms comfortably to the hand and the elastic shirred back for a secure hold and snug fit.



SE6260 DRIVER'S GLOVE

Made of natural cow grain leather, wing thumb, flexible and durable, conforms comfortably to the hand and the elastic shirred back for a secure hold and snug fit.



SE6263 DRIVER'S GLOVE

Pig grain leather on the palm, color knitted elastic cotton back, velcro tape cuff for a secure hold and snug fit, flexible and durable.

Size: 7, 8, 9, 10, 11

Glove Clip/ Disposable Coveralls



SEI416 GLOVE CLIP

Strong clip keeps gloves firmly to clothing, belt loops and bags, reduce the gloves misplaced or loss.



SEI417 GLOVE CLIP

Strong clip keeps gloves firmly to clothing, belt loops and bags, reduce the gloves misplaced or loss.



SEI418 GLOVE CLIP

Strong clip keeps gloves firmly to clothing, belt loop and bags reduce the gloves misplaced or loss.



SEI419 GLOVE CLIP

Strong clip keeps gloves firmly to clothing, belt loop and bags, reduce the gloves misplaced or loss.



SEI610 P.P. COVERALL

Polypropylene spunbonded material, hooded, zipper front, elasticized wrist, waist and ankles, lightweight, color white, general purpose.

Size: S, M, L, XL, XXL



SEI630 PE COATED P.P. COVERALL

Polypropylene spunbonded material in PE coating for complete water, grease, and oil resistance. Hooded, zipper front, elasticized wrist, waist and ankles, lightweight, color white.

Size: S, M, L, XL, XXL



NEW

SEI614 MICROPOROUS COOL SUIT COMBINED WITH BREATHABLE SMS

The coverall with features of superior protection of Microporous fabric with a breathable panel of blue SMS fabric inset to the rear, provides breathability and maintains a high level of comfort.

Microporous laminated combined with breathable SMS at back panel. Stitched seams, elastic at hood, ankles and back waist, elastic cuffs or knit cuffs, two way zipper with adhesive flap covered. White microporous + blue SMS at back. Size: S-4XL

Compliance:

☺ EN13982-1:2004+A1:2010 - Type 5: Protection against hazardous dry particles

☺ EN13034:2005+A1:2009 - Type 6: Protection against light spray of liquids

☺ EN14126:2003+AC:2004 - Protection against biological hazards and infective agents

☺ EN1073-2:2002 - Protection against radioactive contamination

☺ EN1149-5:2008 - Electrostatic Charges



SEI615 MICROPOROUS COVERALL

Durable microporous polyolefin fabric, breathable and good air permeability, provides dry particle dust, grease and light liquid splash protection. With hood, elastic wrists and elastic ankles.

Size: S, M, L, XL, XXL

Disposable Coveralls/ Bouffant Cap



SE1619 MICROPOROUS COOL SUIT COMBINED WITH BREATHABLE SMS

The coverall with features of superior protection of Microporous fabric with a breathable panel of blue SMS fabric inset to the rear, provides breathability and maintains a high level of comfort. Microporous laminated combined with breathable SMS at back panel. Stitched seams, elastic at hood, ankles and back waist, elastic cuffs or knit cuffs, two way zipper with adhesive flap covered. White microporous + blue SMS at back. Size: S-4XL

Compliance:

☹️ **EN13982-1:2004+A1:2010** - Type 5: Protection against hazardous dry particles

☹️ **EN13034:2005+A1:2009** - Type 6: Protection against light spray of liquids

☹️ **EN14126:2003+AC:2004** - Protection against biological hazards and infective agents

☹️ **EN1073-2:2002** - Protection against radioactive contamination

☹️ **EN1149-5:2008** - Electrostatic Charges




SE1620 SMS COVERALL

Breathable, durable fabric, soft and comfortable, resist to tears and punctures, good for fluids and particulates protection. With elastic wrists and elastic ankles.


Size: S, M, L, XL, XLL

Types:




SE1610
SE1615
SE1620
SE1630

Types:




SE1611
SE1616
SE1621
SE1631

Types:



SE1612
SE1617
SE1622
SE1632

Types:



SE1613
SE1618
SE1623
SE1633



NEW



SEI 624 CHEMICAL LIQUID TIGHT COVERALL

Soft & flexible multi-layer barrier offers protection against a wide range of chemicals. Stitched & taped seams for full seam seal.

Fabric: Multi-layer laminated fabric with barrier film.

Seam Type: Stitched & tape seams provides a fully sealed seam against liquid and dust ingress.

Style: With 3 piece hood, inset sleeves, 2 piece diamond crotch gusset, elasticated hood, waist, cuffs and ankles, 2-way zipper with adhesive taped flap, cushioned knee-pads, and thumb loops.

All chemical suits are available in a special "plus" design featuring, attached boots with over-flaps and double elasticated cuffs, double layer cushioned knee. Pads for comfort and security. Size: S - 4XL

Compliance: **EN14605:2005+A1:2009** - Type 3: Protective clothing against liquid chemicals

EN14605:2005+A1:2009 - Type 4: Protective performance against spray and infective agents

EN13982-1:2004+A1:2010 - Type 5: Protection against hazardous dry particles

EN13034:2005+A1:2009 - Type 6: Protection against light spray of liquids

EN14126:2003+AC:2004 - Protection against biological hazards and infective agents

EN1073-2:2002 - Protection against radioactive contamination

EN1149-5:2008 - Electrostatic Charges



SEI 640 BOUFFANT CAP

Non-woven polypropylene spunbonded material, with elastic headband offers a lightweight, comfortable and non-slipping fit. Ideal for pharmaceutical manufacturing, food processing or general industry.

Size: 19", 21", 24"

Color: White, Blue, Green, Pink




SEI 641 PLEATED BOUFFANT CAP

Non-woven polypropylene spunbonded material, with elastic headband offers a lightweight, comfortable and non-slipping fit. Ideal for pharmaceutical manufacturing, food processing or general industry.

Size: 19", 21", 24"

Color: White, Blue, Green, Pink

Bouffant Cap/ Shoe Covers/ Disposable Hoods/



SEI648 HAIR NETS

Light weight Polyester with elastic opening, holds hair lightly inside without matting and twisting, to ensure the hair won't fall into the workplace for safety and cleanliness. Good for food processing, assembly and general use.

Size: 18", 21", 24"

Color: White, Black



SEI642 SHOE COVER

Non-woven polypropylene spunbonded material with elastic band, durable. Keep the shoes clean and protected from damp and dirty surroundings. Universal size.

Color: White, Blue



SEI643 ANTI-SLIP SHOE COVER

Durable non-woven polypropylene spunbonded material with non-skid soles, elasticized seam for an adjustable and comfortable fit. Keep the shoes clean, protected from damp, dirty surroundings and increased skid-resistance. Universal size.

Color: Blue, Orange, Red, Green, Dark Blue.



SEI645 CPE SHOE COVER

Liquid resistant polyethylene material provides good resistance to damp, liquid splash and dirty environments. With elastic band for a snug, self-adjustable and comfortable fit. One size fits all.

Color: Blue, White



SEI646 PE SHOE COVER

Liquid resistant polyethylene material provides good resistance to damp, liquid splash and dirty environments. With elastic band for a snug, self-adjustable and comfortable fit. One size fits all.

Color: Blue, Green



SEI647 BOOT COVER

Non-woven polypropylene spunbonded material with elasticized tops.

Color: Blue, Green, White, Black



SEI650 DUST HOOD

Strong, durable, lightweight, disposable non-woven fabric, protection against dust and contamination for head, face and neck completely.



SEI651 DUST HOOD

Strong, durable, lightweight, disposable non-woven fabric, protection against dust and contamination for head, face and neck completely.



SEI652 PROTECTIVE HOOD

Strong, durable, lightweight, disposable non-woven fabric, protection against dust and contamination for head, face and neck completely.



SEI653 EAR COVER

Elasticized polypropylene cover provides a comfortable fit. Good for protection in dirty surroundings. One size fits all.

Rainwear



SE63 I 0 PVC RAINSUIT

PVC material with heat-sealed seams for long wear, lightweight, flexible and comfortable. Good for protection against rain and wind.

Rain Jacket:

100% Waterproof
Non-conductive
Attached Hood With Drawstring
Storm Front With Plastic Snaps
Underarm Vents
Ventilated Cape Back
Sleeve Openings With Plastic Snaps
2 Pockets With Flaps
Color: Yellow, Olive Green, etc.
Size: Small To 4XL

Elastic Waist Trousers:

100% Waterproof
Leg Opening With Plastic Snap
No Fly In The Front
Color: Yellow, Green, Orange, etc.
Size: Small To 4XL



SE63 I I PVC RAINSUIT

PVC material with heat-sealed seams for long wear, lightweight, flexible and comfortable. Good for protection against rain and wind.

Rain Jacket:

Detachable Hood
100% Waterproof
Non-conductive
Hood With Drawstring Closure
Front With Clear PVC Snaps
Underarm Vents
Color: Yellow, Green, Orange, etc.
Size: Small To 4XL

Elastic Waist Trousers:

100% Waterproof
Non-conductive
No Fly In The Front
Leg Opening With PVC Snaps
Color: Yellow, Green, Orange, etc.
Size: Small To 4XL



SE63 I 2 PVC RAINSUIT

PVC material with heat-sealed seams for long wear, lightweight, flexible and comfortable. Good for protection against rain and wind.

Rain Jacket:

Detachable Hood
Hood With Drawstring
100% Waterproof
Collar With Corduroy
Front With Plastic Snaps
Raglan Sleeves And Openings With Plastic Snaps
Vented Cape Back And Underarm Vents
Patch Pockets With Flaps In The Front
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 4XL

Bib Pants:

100% Waterproof
Non-Conductive
Fly Front
Leg Opening With Snaps
Color: Yellow, Green, Orange, Black, etc.



SE63 I 3 POLYESTER/ PVC RAINCOAT

Heavy duty polyester/ PVC. Taped seams offer 100% wind and waterproof, excellent quality for tough jobs against rain and wind, ideal for mining, construction, industrial, agriculture, etc.
Fabric: 0.18mm 170T Polyester/PVC Non-conductive
Attached hood in the collar with drawstring and stoppers.
Storm front with zipper and plastic snaps closure.
Vented cape back with polyester mesh lining
Underarms vents
Two pockets with flap in front
Elastic inner wind cuffs
Color: Yellow, Green
Size: Small to 3XL



SE63 I 4 POLYESTER/ PVC RAINSUIT

Heavy duty polyester/ PVC. Taped seams offer 100% wind and waterproof, excellent quality for tough jobs against any temperature, ideal for mining, construction, industrial, agriculture, etc.

Fabric: 0.18mm 170T Polyester/PVC Non-conductive

Color: Yellow, Green, Navy Blue

Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar with zipper

Front with zipper closure

Vented cape back with polyester mesh lining

Two pockets in front

Sweep adjustable with drawstring and stoppers

Elastic Waist Pants:

Plain fly front

Side slit on both sides

Leg openings with snaps



SE63 I 6 POLYESTER/ PVC RAINSUIT

Heavy duty polyester/ PVC. Taped seams offer 100% wind and waterproof, excellent quality for tough jobs against any temperature, ideal for mining, construction, industrial, agriculture, etc.

Fabric: 0.18mm 170T Polyester/PVC Non-conductive

Color: Fluorescent Orange, Fluorescent Yellow

Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar with zipper

Storm front with zipper and plastic snaps closure

Vented cape back with polyester mesh lining

Two pockets in front

Sweep adjustable with drawstring and stoppers

Elastic inner wind cuffs

Elastic Waist Pants:

Plain fly front

Side slit on both sides

Leg openings with snaps



SE63 I 5 POLYESTER/ PVC RAINSUIT

Heavy duty polyester/ PVC. Taped seams offer 100% wind and waterproof, excellent quality for tough jobs against any temperature, ideal for mining, construction, industrial, agriculture, etc.

Fabric: 0.18mm 170T Polyester/PVC Non-conductive

Color: Fluorescent Orange, Fluorescent Yellow

Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar with zipper

Front with zipper closure

Vented cape back with polyester mesh lining

Two pockets in front

Sweep adjustable with drawstring and stoppers

Elastic Waist Pants:

Plain fly front

Side slit on both sides

Leg openings with snaps

Rainwear



SE6317 POLYESTER/ PVC REFLECTIVE RAINCOAT

Heavy duty polyester/ PVC. Taped seams offer 100% wind and waterproof, excellent quality for tough jobs against rain and wind, ideal for mining, construction, industrial, agriculture, etc.

Fabric: 0.18mm 170T Polyester/PVC Non-conductive

Attached hood with drawstring and stoppers.

Storm front with zipper and plastic snaps closure.

Vented cape back with polyester mesh lining

Two reflective tape 5CM width around the body, shoulders and sleeves

Two pockets with flap in front

Elastic inner wind cuffs

Color: Fluorescent Yellow, Fluorescent Orange

Size: Small to 3XL



SE6318 POLYESTER/ PVC REFLECTIVE RAINSUIT

Light weight, durable and highly visible heavy duty polyester/ PVC. Taped seams offer 100% wind and waterproof, excellent quality for tough jobs against any temperature, ideal for mining, construction, industrial, agriculture, etc.

Fabric: 0.18mm 170T Polyester/ PVC Non-conductive

Color: Fluorescent Orange, Fluorescent Yellow

Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar with zipper

Stand collar with Velcro

Storm front with zipper and cupreous snaps closure

Two reflective tapes 5CM

width around the chest

and sleeves

Vented cape back with

polyester mesh lining

Two pockets with flap in front

Sweep adjustable with

drawstring and stoppers

Elastic cuffs

Elastic Waist Pants:

Plain fly front

Side slit on both sides

Two reflective tapes 5CM

width around the legs

Leg openings with adjustable

snaps



**SE6319
POLYESTER/ PVC REFLECTIVE RAINSUIT**

Light weight, durable and highly visible heavy duty polyester/ PVC. Taped seams offer 100% wind and waterproof, excellent quality for tough jobs against any temperature, ideal for mining, construction, industrial, agriculture, etc.
Fabric: 0.18mm 170T Polyester/ PVC
Color: Fluorescent Orange, Fluorescent Yellow
Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar with zipper
Stand collar with Velcro
Storm front with zipper and cupreous snaps closure
Two reflective tapes 5CM width around the chest, shoulder and sleeves
Vented cape back with polyester mesh lining
Two pockets with flap in front
Elastic cuffs

Elastic Waist Pants:

Plain fly front
Side slit on both sides
Two reflective tapes 5CM width around the legs
Leg openings with adjustable snaps



SE6321 PVC/ POLYESTER RAINSUIT

PVC material reinforced on strong polyester, heat-sealed seams to ensure a waterproof fit, good performance for tough jobs against rain, wind, etc.

Rain Jacket:

Detachable Hood
100% Waterproof
Non-conductive
Corduroy Collar
Reinforced Stress Points
Storm Front With Plastic Snaps
Two Pockets With Flaps
Ventilated Cape Back
Underarm Vents
Sleeve Openings With Plastic Snap
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 4XL

Bib Pants:

100% Waterproof
Non-conductive
Elastic Suspenders
Fly Front With Plastic Snap
Leg Opening With Plastic Black, etc.
Size: Small To 4XL



SE6320 PVC/ POLYESTER RAINSUIT

PVC material reinforced on strong polyester, heat-sealed seams to ensure a waterproof fit, good performance for tough jobs against rain, wind, etc.

Rain Jacket:

With Attached Hood
100% Waterproof
Non-conductive
Reinforced Stress Points
Storm Front With Plastic Snaps
Two Pockets With Flaps
Ventilated Cape Back And Underarm Vents
Sleeve Openings With Plastic Snaps
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 4XL

Elastic Waist Trousers:

100% Waterproof
Non-conductive
Fly Front with plastic snap
Leg Opening With Plastic Snap
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 4XL

Rainwear



SE6323 PU RAINCOAT

High quality, durable, wind and waterproof raincoat.
 Fabric: 170g/m2 PU Polyester tricot
 Non-conductive
 Attached hood with drawstring and stoppers
 Storm front with plastic snaps and velcro closure
 Vented cape back
 Two pockets with flap in front
 All seams stitched and double welded.
 Color: Green
 Size: Small to 3XL



SE6322 PVC/ POLYESTER RAINSUIT

PVC material reinforced on strong polyester, heat-sealed seams to ensure a waterproof fit, good performance for tough jobs against rain, wind, etc.

Rain Jacket:

With Attached Hood
 Material: PVC/Polyester
 100% Waterproof
 Non-conductive
 Reinforced Stress Points
 Storm Front With Plastic Snaps
 Two Pockets With Flaps
 Ventilated Cape Back And
 Underarm Vents
 Sleeve Openings With Plastic
 Snaps
 Color: Yellow, Green, Orange,
 Black, etc.
 Size: Small To 4XL

Bib Pants:

100% Waterproof
 Non-conductive
 Elastic Suspenders
 Fly Front with Plastic Snap
 Leg Opening With Plastic Snap
 Color: Yellow, Green, Orange,
 Black, etc.
 Size: Small To 3XL



SE6324 PU REFLECTIVE RAINSUIT

Lightweight, durable and highly visible PU rainsuit offer 100% waterproof protection.

Fabric: 170g/m2 PU Polyester Tricot
 Non-conductive
 All seams stitched and double welded
 Color: Fluorescent Orange, Fluorescent Yellow
 Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar with zipper
 Attached hood with drawstring and stoppers
 Storm front with zipper and plastic snaps closure
 Reflective tapes 5CM width around the body, shoulders and sleeves
 Two pockets with flap in front
 Elastic cuffs adjustable with velcros

Elastic Waist Pants:

Elastic waist adjustable with drawstring and stoppers
 Fly front with snap closure
 Two reflective tapes 5 CM width around the legs
 Elastic leg openings adjusted by velcros



SE6326 PU REFLECTIVE RAINSUIT

Lightweight, durable and highly visible PU rainsuit offer 100% waterproof protection.

Fabric: 170g/m2 PU Polyester Tricot

All seams stitched and double welded

Color: Fluorescent Orange (Yellow) / Navy Blue

Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar with drawstring and stoppers

Storm front with zipper and cupreous snaps closure

Vented cape back with polyester mesh lining

Two reflective tapes 5CM width around the chest and sleeves

Two pockets with flap in front

Rib inner wind cuffs

Elastic Waist Pants:

Fly front with snap closure

Two reflective tapes 5 CM width around the legs

Leg openings adjusted by snaps



SE6328 PU REFLECTIVE RAINSUIT

Lightweight, durable and highly visible PU rainsuit offer 100% waterproof protection.

Fabric: 170g/m2 PU Polyester Tricot

All seams stitched and double welded

Color: Fluorescent Orange, Fluorescent Yellow

Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar

with drawstring and stoppers

Storm front with zipper and cupreous snaps closure

Vented cape back with polyester mesh

Two reflective tapes 5CM width around the chest and sleeves

Two pockets with flap in front

Waist adjustable with drawstring and stoppers

Elastic inner wind cuffs

Elastic Waist Pants:

Fly front with snap closure

Two reflective tapes 5 CM width around the legs

Leg openings adjusted by snaps



SE6327 PU RAINSUIT

Lightweight, durable and highly visible PU rainsuit offer 100% waterproof protection.

Fabric: 170g/m2 PU Polyester Tricot

All seams stitched and double welded

Color: Navy Blue

Size: Small to 3XL

Rain Jacket:

Attached hood with drawstring and stoppers

Storm front with zipper and cupreous snaps closure

Two pockets with flap in front

Sweep adjustable with drawstring and stoppers

Elastic inner wind cuff

Elastic Waist Pants:

Plain fly front

Leg openings adjusted by snaps



SE6330

PVC/ POLYESTER/ PVC RAINSUIT

Triple-layer rainsuit, made of heavy duty PVC coated on polyester, heat-sealed seams offer 100% waterproof, excellent quality for any temperature, ideal for mining, construction, industrial, etc.

Rain Jacket:

100% Waterproof

Attached Hood With Drawstring

Storm Front With Snaps

Raglan Sleeves

Vented Cape Back

Sleeve Openings With Snap

Two Pockets With Flaps

Color: Yellow, Green, Orange,

Black, etc.

Size: Small To 3XL

Elastic Waist Trousers:

100% Waterproof

Non-Conductive

Fly-Front With Plastic Snap

Adjustable Leg Opening With Plastic Snaps

Color: Yellow, Green, Orange,

Black, etc.

Size: Small To 3XL

Rainwear



SE6331 PVC/ POLYESTER/ PVC RAINSUIT

Triple-layer rainsuit, made of heavy duty PVC coated on polyester, heat-sealed seams offer 100% waterproof, excellent quality for any temperature, ideal for mining, construction, industrial, etc.

Rain Jacket:

100% Waterproof
Non-conductive
With 5CM Water Channel
Attached Hood With Drawstring
Storm Front With Plastic Snaps
Underarm Holes
Ventilated Cape Back
Two Pockets With Flaps
Sleeve Openings With Plastic Snaps
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 3XL

Bib Pants:

Fly Front With Plastic Snap
Leg Opening With Plastic Snap
Color: Yellow, Green, Orange, etc.
Size: Small To 3XL



SE6332 PVC/ POLYESTER/ PVC RAINSUIT

Triple-layer rainsuit, made of heavy duty PVC coated on polyester, heat-sealed seams offer 100% waterproof, excellent quality for any temperature, ideal for mining, construction, industrial, etc.

Rain Jacket:

100% Waterproof
Non-conductive
Attached Hood With Drawstring
Storm Front With Plastic Zipper
And Snaps
Raglan Sleeves
No Ventilated Cape Back
Sleeve Openings With Snaps
Two Pockets With Flaps
Sweep With Drawstring
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 3XL

Elastic Waist Trousers:

No Fly Front
Leg Opening With Snaps
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 3XL



SE6333 PVC/ POLYESTER/ PVC RAINSUIT

Triple-layer rainsuit, made of heavy duty PVC coated on polyester, heat-sealed seams offer 100% waterproof, excellent quality for any temperature, ideal for mining, construction, industrial, etc.

Rain Jacket:

100% Waterproof Non-conductive
Attached Hood with Drawstring Closure
Storm Front with Plastic Zippers
Raglan Sleeves With Wind Cuff
Vented Cape Back And Underarm Vents
Patch Pockets With Flap in the Front

Elastic Waist Trousers:

No Fly Front
Leg Opening With Snaps
Color: Yellow, Green, Orange, etc.
Size: Small To 3XL.



SE6340 PVC/ POLYESTER RAINCOAT

PVC material reinforced on strong polyester, heat-sealed seams to ensure a waterproof fit, good performance for tough jobs against rain, wind, etc.

100% Waterproof
Non-conductive
Hood with Drawstring Closure
Self-fabric collar
Storm Front With Plastic Snaps
Vented Cape Back And Underarm Vents
Raglan Sleeves With Adjustable Openings
Patch Pockets With Flaps In the Front
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 4XL



SE6341 PVC/ POLYESTER RAINCOAT

PVC material reinforced on strong polyester, heat-sealed seams to ensure a waterproof fit, good performance for tough jobs against rain, wind, etc.

- 100% Waterproof
- Non-conductive
- Hood With Drawstring Closure
- Corduroy Collar
- Storm Front With Plastic Snaps
- Vented Cape Back And Underarm Vents
- Raglan Sleeves With Adjustable Openings
- Patch Pockets With Flaps In The Front
- Color: Yellow, Green, Orange, Black, etc
- Size: Small To 4XL



SE6346 PU/ PVC RAINSUIT

Lightweight, stitched and double welded PU/ PVC rainsuit gives a 100% waterproof seal and high visibility in harsh weather conditions
 Fabric: 310g/ m2 PU/ PVC
 Color: Fluorescent Orange, Fluorescent Yellow, Navy Blue
 Size: Small to 3XL

Rain Jacket:

- Attached hood with drawstring and stoppers
- Storm front with zipper and cupreous snaps closure
- Two reflective tapes 5CM width around the chest and sleeves
- One pocket with flap in front
- Elastic cuffs

Elastic Waist Pants:

- Elastic waist adjustable with drawstring and stoppers
- Plain fly front
- Two reflective tapes 5CM width around the legs
- Leg openings adjusted by snaps



SE6345 PU/ PVC RAINSUIT

Lightweight, stitched and double welded PU/ PVC rainsuit gives a 100% waterproof seal and high visibility in harsh weather conditions
 Fabric: 310g/ m2 PU/ PVC
 Color: Fluorescent Orange (Yellow)/ Navy Blue
 Size: Small to 3XL

Rain Jacket:

- Detachable hood concealed in the collar with drawstring and stoppers
- Storm front with zipper and plastic snaps closure
- Two reflective tapes 5CM width around the chest and sleeves
- One pocket with flap in front
- Elastic wind cuffs

Elastic Waist Pants:

- Elastic waist adjustable with drawstring and stoppers
- Plain fly front
- Two reflective tapes 5CM width around the legs
- Leg openings adjusted by snaps



SE6347 PU/ PVC RAINSUIT

Lightweight, stitched and double welded PU/ PVC rainsuit gives a 100% waterproof seal and durable in harsh weather conditions
 Fabric: 310g/m2 PU/ PVC
 Color: Yellow
 Size: Small to 3XL

Rain Jacket:

- Attached hood concealed in the collar with drawstring and stoppers
- Storm front with zipper and plastic snaps closure
- Vented cape back and underarm air vents
- Two pockets with flap in front
- Sweep adjustable with drawstring and stoppers
- Elastic inner wind cuffs

Elastic Waist Pants:

- Fly front with snap closure
- Side slit on both sides
- Leg openings adjusted by zippers and snaps

Rainwear



SE6349 PU/ PVC RAINSUIT

Lightweight, stitched and double welded PU/ PVC rainsuit gives a 100% waterproof seal and durable in harsh weather conditions
Fabric: 310g/m² PU/ PVC
Color: Yellow/ Black
Size: Small to 3XL

Rain Jacket:

Attached hood with drawstring and stoppers
Storm front with zipper and plastic snaps closure
Two pockets with flap in front
Sweep adjustable with drawstring and stoppers
Cuffs adjusted by snaps

Elastic Waist Pants:

One pocket on left leg
One reflective tape 1 CM width around the right leg
Plain fly front
Leg openings adjusted by snaps



SE6348 PU/ PVC RAINSUIT

Lightweight, stitched and double welded PU/ PVC rainsuit gives a 100% waterproof seal and durable in harsh weather conditions
Fabric: 310g/m² PU/ PVC
Color: Green, Black, Dark Blue
Size: Small to 3XL

Rain Jacket:

Attached hood concealed in the collar with drawstring and stoppers
Storm front with zipper and velcros closure
Vented cape back with polyester mesh
Two pockets with flap in front
Sweep adjustable with drawstring and stoppers
Elastic inner wind cuffs

Elastic Waist Pants:

Plain fly front
Leg openings adjusted by snaps



SE6350 PVC/ POLYESTER/ PVC RAINCOAT

Triple-layer raincoat, made of heavy duty PVC coated on polyester, heat-sealed seams offer 100% waterproof, excellent quality for any temperature, ideal for mining, construction, industrial, etc.

100% Waterproof
Non-conductive
Attached Hood
Storm front with plastic zipper
Vented cape back and underarm vents
Raglan sleeves and inner wind cuff
Patch pockets with flaps
Color: Yellow, Green, Orange, Black, etc.
Size: Small To 3XL



SE6351
PVC/ POLYESTER/ PVC RAINCOAT

Triple-layer raincoat, made of heavy duty PVC coated on polyester, heat-sealed seams offer 100% waterproof, excellent quality for any temperature, ideal for mining, construction, industrial, etc.

- 100% Waterproof
- Non-Conductive
- Hood with Drawstring Closure
- Storm Front With Plastic Snaps
- Vented Cape Back And Underarm Vents
- Raglan Sleeves Openings With Snaps
- Patch Pockets With Flaps
- Color: Yellow, Green, Orange, Black, etc.
- Size: Small To 3XL



SE6356
PVC/ POLYESTER/ PVC COVERALL

Triple-layer raincoat, made of heavy duty PVC coated on polyester, heat-sealed seams offer 100% waterproof, excellent quality for any temperature, ideal for mining, construction, industrial, etc.

- 100% Waterproof
- Non-Conductive
- Attached Hood With Drawstring
- Raglan Sleeves No Cape Back
- Sleeve Openings With Snaps
- No Pocket
- Leg Openings With Snaps
- Color: Yellow, Green, Orange, Black, etc.
- Size: Small To 3XL



SE6357 PU COVERALL

Attached hood with drawstring and stoppers.
Storm front with zipper and velcros closure.
Two 5CM Reflective tapes around the body, sleeves and legs.
1 Pocket with flap in front.
Elastic back waist and inner wind cuffs.
Leg opennings adjusted by snaps.
All seams stitched and double welded.
Fabric: 170g/m2 PU Polyester Tricot
Color: Fluorescent Orange, Fluorescent Yellow



SE6367
PVC/ TC RAINSUIT
(FLAME RETARDANT)

Attached hood with drawstring and stoppers.
Double storm front with cupreous stoppers closure.
Cuffs adjustable with snaps.
5cm reflective tapes around the shoulder and sleeves.
Fabric: 0.45mm PVC/ TC
(Available thickness 0.50mm, 0.55mm, 0.60mm)
Color: Orange

PVC/ TC Bib Pants

Plain fly front.
Full elastic suspenders.
Legopenings adjusted by snaps.
5cm reflective tapes around the legs.

Rainwear/ Apron/ Parka



SE6360 SAFETY PU JACKET

A high quality, durable, windproof and waterproof jacket, enhance safety at night and in low visibility situations.

- With Reflective Tapes
- Storm Front with Metal Snaps
- 2 Pockets With Snaps on Flaps
- Color: Red, Blue, Green, Black, White, etc.
- Size: Small To 4XL



SE6361 RAIN JACKET

A high quality, durable, windproof and waterproof jacket, enhance safety at night and in low visibility situations.

- 100% Waterproof
- Attached Hood with Snaps
- Storm Front with snaps
- Raglan Sleeves
- Ventilated Cape Back
- Sleeves Openings With Snaps
- Two Pockets with Flaps
- Color: Yellow, Green, Orange, Black, etc.
- Size: Small To 3XL



SE6365 WAIST TROUSERS

A high quality, durable, windproof and waterproof trousers, enhance safety at night and in low visibility situation.

- With Reflective Tape
- Material: Nylon/ PVC
- Non-conductive
- No Fly in Front
- With Side Slit
- Color: Orange, Green, Blue, Black, Red, etc.
- Size: Small to 4XL



SE6380 PVC/ Polyester/ PVC PONCHO

- 100% Waterproof
- Non-conductive
- Attached Hood With Drawstring
- Front Opening with Nylon Zipper
- Two Plastic Snaps on Each Side
- Bottom Edges with metal circles
- Color: Yellow, Olive Green, etc.
- Size: 50" x 80"



**SE6370
PVC/ POLYESTER/ PVC APRON**

Triple-layer bib style apron, made of heavy duty PVC coated on polyester, tough protection against oils, fats, greases, acids and chemicals. Ideal for food and chemical processing applications.

Non-Conductive
Strap On The Borders
Front Upper With One Pocket
Two Pockets On The Bottom
Size: 50x70 cm
Color: Yellow, Olive Green, White, etc.



**SE6371
PVC/ POLYESTER/ PVC APRON**

Triple-layer bib style apron, made of heavy duty PVC coated on polyester, tough protection against oils, fats, greases, acids and chemicals. Ideal for food and chemical processing applications.

Non-conductive
With 3 Polyester Drawstrings
Reinforcement On the Top
Color: Green, Yellow, White, etc
Size: 70x110 cm, 90x120 cm



SE6395 PARKA

Nylon shell 190T with PVC backing, 180G/ M2 polyester padding, concealed hood with zipper, storm front with zipper and snaps, three solid pockets with snaps closure and a chest pocket for cellular phone.
Color: Blue, Green, Orange



SE6396 PARKA

Nylon shell with PVC backing, 180G/ M2 polyester padding, 100% cotton check flannel lining, adjustable waist with drawstring closure, storm front with zipper and snaps, four pockets with snaps closure.
Color: Blue, Green, Orange



SE6397 PARKA

Nylon shell with PVC backing, 180G/ M2 polyester padding, 100% cotton check flannel lining, concealed hood with drawstring, storm front with zipper and snaps, four pockets with snaps closure, inner jacket with removable sleeves.
Color: Blue, Green, Orange

Reflective Clothing



SE6366 REFLECTIVE RAINWEAR

Breathable PU coating outer and Nylon knitted lining, with reflective strips at chest, shoulders and arms ensure the greatest visibility even in bad weather, waterproof and wind proof.

Rain Jacket:

With detachable hood.

Size: S to 3XL

Color: Fluorescent Yellow, Fluorescent Orange

Compliance:  EN20471

Waist Trouser:

With reflective strips, zipper and metal snaps at lower legs.

Size: S to 3XL

Color: Fluorescent Yellow, Fluorescent Orange

Compliance:  EN20471



SE6385 REFLECTIVE RAINWEAR

A high quality, durable, windproof and waterproof jacket, enhance safety at night and in low visibility situations.

Rain Jacket:

With detachable hood and reflective tape

Storm front with metal snaps

Color: Fluorescent Yellow, Fluorescent Orange

Size: S to 4XL

Compliance:  EN20471

Waist Trouser:

With reflective tapes, no fly in front, non-conductive

Color: Fluorescent Yellow, Fluorescent Orange

Size: S to 4XL

Compliance:  EN20471



SE6388 REFLECTIVE PARKA

Storm front with zipper and cupreous snaps closure. Attached hood concealed in the collar with drawstring and stoppers.
Two 5cm reflective tapes around the body, sleeves and shoulders.
2 Pockets with flap in front.
1 Zipper pocket under storm front.
1 Inner mobile phone pocket on left chest.
1 Inner pocket on right chest.
Rib inner wind cuffs.
Fabric: 300D X 300D Polyester oxford with milky PU coating
Lining: 100% Cotton Checkers
Padding: 100% Polyester 160g/m²
Color: Fluorescent Yellow, Fluorescent Orange




SE6389 REFLECTIVE PILOT

Attached hood concealed in the collar with drawstring and stoppers.
Micro polar fleece in inner collar.
Storm front with zipper and cupreous snaps closure.
Two 5cm reflective tapes around the body, sleeves and shoulders.
1 Card pocket on right chest.
2 Slash pockets in front.
1 Zipper pocket on left sleeve.
1 Inner pocket on left chest.
1 Inner mobile phone pocket on right chest.
Rib sweep and cuffs.
Fabric: 300D X 300D Polyester oxford with milky PU coating
Lining: 190T Polyester taffeta
Padding: 100% Polyester 160g/m²
Color: Fluorescent Yellow, Fluorescent Orange




SE6381 REFLECTIVE POLO SHIRT

Polyester fabric short sleeve, polo style with two reflective strips at chest adds safety and visible on the job site.
Size: S to 3XL
Color: Fluorescent Yellow, Fluorescent Orange
Compliance:  EN20471



SE6383 REFLECTIVE POLO SHIRT

Polyester fabric short sleeve, polo style with two reflective strips at chest plus two vertical shoulder strips, comfortable and high visibility.
Size: S to 3XL
Color: Fluorescent Yellow, Fluorescent Orange
Compliance:  EN20471

Reflective Clothing/ Reflective Vests



SE6384 REFLECTIVE POLO SHIRT

Polyester fabric long sleeve with knit wrist, two reflective strips at chest and arms, polo style, lightweight, comfortable and high visibility.

Size: S to 3XL

Color: Fluorescent Yellow, Fluorescent Orange

Compliance: EN20471



SE6387 REFLECTIVE JACKET

Bright vibrant polyester material, short sleeve with reflective strips across the chest and arms, velcro fastener for quick and easy fastening.

High quality, durable, enhance safety at night and in low visibility situations.

Size: S to 3XL

Color: Fluorescent Yellow, Fluorescent Orange

Compliance: EN20471



SE6386 REFLECTIVE JACKET

A high quality, durable jacket, enhance safety at night and in low visibility situations. With reflective tapes, Velcro fastener and sleeves.

Color: Fluorescent Yellow, Fluorescent Orange

Compliance: EN20471



SE2022 REFLECTIVE BRACE

With fluorescent reflective tape both front and back, retains its color under toughest weather. Good for construction workers, street workers, traffic control, public utilities and safety patrols, etc.

Color: Fluorescent Yellow



SE2023 REFLECTIVE BRACE

With fluorescent reflective tape both front and back, retains its color under toughest weather. Good for construction workers, street workers, traffic control, public utilities and safety patrols, etc.

Color: Fluorescent Orange



SE2030 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front and elastic straps at both sides. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2024 REFLECTIVE BRACE

Fluorescent orange elastic fabric with fluorescent silver tape both front and back, retains its color under toughest weather. Buckles adjusts easily for a secure and comfortable fit.



SE2031 REFLECTIVE VEST WITH LED

Nylon mesh with fluorescent blaze reflective tapes. Each tape with LED light in position to enhance the visibility while wearing. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc in high traffic area.

Reflective Vests



SE2032 REFLECTIVE VEST

Polyester mesh with reflective tapes, high visible, lightweight and durable, adjustable hook-and-loop closure in front and elastic straps at both sides.
Good for street workers, public utilities and safety patrols, etc.
Color: Fluorescent Yellow, Fluorescent Orange




SE2033 REFLECTIVE VEST

Polyester mesh fabric with reflective tapes, high visible, lightweight and durable, adjustable hook-and-loop closure in front. Good for street workers, public utilities and safety patrols, etc.
Color: Fluorescent Yellow, Fluorescent Orange




SE2035 REFLECTIVE VEST

With 2"width silver high visibility reflective tape horizontal bands around the torso, provides maximum visibility for safety. Light weight and durable, retains its color under toughest weather.
Fluorescent yellow or fluorescent red waistcoat with adjustable hook-and-loop closure. Good for construction workers,street workers,public utilities,policeman,etc.
Compliance:  EN20471



SE2036 REFLECTIVE VEST

With 2" width silver high visibility reflective tape across the chest and over shoulders, provides maximum visibility for safety. Light weight and durable,retains its color under toughest weather.
Fluorescent yellow or fluorescent red waistcoat with adjustable hook-and-loop closure.Good for construction workers,street workers,public utilities,policeman,etc.
Compliance:  EN20471



SE2036 I REFLECTIVE VEST

Polyester mesh fabric with 5cm reflective tape. Zipper type, Total four pockets on front with flaps and velcro closures.
High visible reflective tape across the chest and shoulders provides maximum visibility for safety.



SE2037 REFLECTIVE VEST

With 2" width silver high visibility reflective tape across the chest and over shoulders, provides maximum visibility for safety. Light weight and durable, retains its color under toughest weather. Fluorescent yellow or fluorescent red waistcoat with adjustable hook-and-loop closure. Good for construction workers, street workers, public utilities, policeman, etc.

Compliance:  EN20471



SE2043 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front and both sizes. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2038 REFLECTIVE VEST

Fluorescent orange polyester fabric with 2" width fluorescent yellow reflective tape across the chest and over shoulders, provides maximum visibility for safety. Zipper closure, two pockets with flaps and velcro closures. Good for construction workers, Street workers, public utilities, policeman, etc.

Compliance:  EN20471



SE2043I REFLECTIVE VEST

Polyester mesh fabric with 5 cm reflective tape. Velcro type, Velcro adjustment design on waist providing more comfortable wearing. Reflective tapes across waist and shoulders then crossed on back provides maximum visibility.

Reflective Vests



SE2044 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front and both sides. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2046 REFLECTIVE VEST WITH LED

Polyester mesh with fluorescent blaze reflective tapes. Each tape with LED light in position to enhance the visibility while wearing. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front and both sides. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2045 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, zipper and adjustable hook-and-loop closure in front and both sides. With pockets and pen holders for more convenient. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2047 HIGH-VISIBILITY VEST

Fluorescent orange vest offers daytime visibility. Adjustable hook-and-loop closure in front and elastic bands at both sides. Good for street workers, public utilities, safety patrols, construction, etc.



SE2047I REFLECTIVE VEST

Polyester mesh fabric with 5cm reflective tape. Elastic on waist for easier and more comfortable wearing.



SE2048 REFLECTIVE VEST

Fluorescent orange with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, zipper and adjustable hook-and-loop closure in front and both sides. With pockets and pen holders for more convenient. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE630I REFLECTIVE THINSULATE HAT

Knitted acrylic with Thinsulate insulation for extra warmth. One size fits all. With a reflective strap which provides more visibility.

Color: Orange, navy blue, black



SE6302 THINSULATE HAT

Knitted acrylic with Thinsulate insulation for extra warmth. One size fits all.

Color: Black, navy blue



SE6303 THINSULATE HAT

Fleece with Thinsulate insulation for extra warm, one size fits all

Color: Yellow, Orange

Coveralls/ Welding Clothing



SE6390
FLAME RETARDANT COVERALL

With 100% cotton flame resistant fabric, self-extinguish when removed from flame source, thus reduces the injuries due to flash fires. High visibility orange fabric with reflective strips at chest, shoulders, arms and lower legs. Elastic waist and sleeves cuffs with adjustable snaps for a safety fit. Soft, comfortable and durable, good for use in spark intensive industrial areas, garage, workshop, maintenance, service and many other applications.

Size: S, M, L, XL, XXL, XXXL



SE6391 POLY/ COTTON COVERALL

With 65% polyester, 35% cotton fabric, wrinkle free, elastic waist, soft and comfortable. Chest, arms and legs with reflective strips. Good for garage, workshop, maintenance, service and many other applications.

Size: S, M, L, XL, XXL, XXXL



SE6392
POLY/ COTTON COVERALL

With 65% polyester, 35% cotton fabric, wrinkle free, elastic waist, soft and comfortable. Good for garage, workshop, maintenance, service and many other applications.

Size: S, M, L, XL, XXL, XXXL



SE6393
FLAME RETARDANT COVERALL

With 100% cotton flame retardant fabric, self-extinguish when removed from flame source, thus reduces the injuries due to flash fires.

Soft, comfortable and durable, good for use in spark intensive industrial areas, garage, workshop, maintenance, service and many other applications.

Size: S, M, L, XL, XXL, XXXL



SE6270 WELDING JACKET

Well made cow split leather, durable, provides perfect protection for the upper body and arms from sparks, spatter, slag, burns and abrasion.

Color: Natural

Size: L-XXXL

Compliance:  EN ISO11611



SE6272 WELDING JACKET

Well made cow split leather & FR, durable, with shirt style collar, provides perfect protection for the upper body and arms from sparks, spatter, slag, burns and abrasion. An inside pocket keeps small accessories safe and handy.

Size: L~ XXXL

Color: Brown & blue color

Sewn with DuPont Kevlar thread

Compliance:  EN ISO11611



SE6271 WELDING JACKET

Well made cow split leather, durable, with shirt style collar, front snap closures and at the wrist. An inside pocket keeps small accessories safe and handy.

Size: L-XXXL

Color: Golden

Compliance:  EN ISO11611

Welding Clothing/ Leather Welding Sleeves



SE6273 LEATHER APRON WITH SLEEVES

Split cowhide leather, golden color, long sleeves
Open-back style
Quick-release buckle
Sewn with DuPont Kevlar
Size: L, XL, XXL
Size L: length 40" x width 27"
Size XL: length 40" x width 29"
Size XXL: length 40" x width 31"



SE6274 LEATHER WELDING CHAPS

Split cowhide leather chaps, open-back style, quick-release buckle, sewn with dupont kevlar thread. Protection from front waist to ankles against sparks, spatter, slag, burn and abrasion.

Color: Coffee

Size: L, XL



SE6275 WELDING APRON

Durable bib style cow split leather provides protection for full torso and upper leg against sparks, spatter, slag, burn and abrasion. With neck strap and chest bands hold apron firmly in place.

Leather: One piece leather

Color: Natural

Size: 24" (W) x 36"(L)
29" (W) x 39"(L)



SE6276 WELDING APRON

Split cowhide leather apron, open-back style, quick-release buckle, sewn with dupont kevlar thread.

Color: Brown, Golden, Gray, Coffee

Size: L - 36"(L) x 23"(W)

XL - 43"(L) x 25"(W)

Compliance:  EN ISO11611



SE6278 LEATHER WELDING SLEEVES

Cow split leather with elastic bands at the wrist and upper arm to keep sleeve in place, protects the arm against sparks, spatter, slag, burn and abrasion.

Length: 16"

Compliance:  EN ISO11611



SE6277 LEATHER WELDING WAIST APRON

Durable waist style cow split leather provides protection for waist and upper leg against sparks, spatter, slag, burn and abrasion, with adjustable waist strap for a secure and comfortable fit. Sewn with flame resistant Kevlar thread for maximum durability.

Size: 24"(W) x 25"(L)



SE6279 LEATHER WELDING SLEEVES

Cow split leather with elastic band at the wrist and adjustable hook-and-loop closure on upper arm for tight fit, protects the arm against sparks, spatter, slag, burn and abrasion.

Length: 18"

Compliance:  EN ISO11611

Leather Welding Hoods



SE6281 LEATHER WELDING HOOD

Cow split leather, long shield extend onto the shoulders, provides effective coverage, good for head, neck, shoulders, upper chest and upper back protection against welding sparks, spatter, slag, burn and abrasion.

Height: 44 CM

Girth: 150 CM

Compliance:  EN ISO11611



SE6282 LEATHER WELDING HOOD

Cow split leather, long cape extend onto the shoulders, provides effective coverage, good for head, neck, shoulders, upper chest and upper back protection against welding sparks, spatter, slag, burn and abrasion.

Height: 39 CM

Girth: 120 CM

Compliance:  EN ISO11611



SE6283 WELDING GAITER

Cow split leather with hook-and-loop closure and elastic strap under the feet, sewn with Dupont Kevlar protects lower leg and boots/ shoes from welding sparks, spatter, slag, burn and abrasion.

Compliance:  EN ISO11611



SE6284 WELDING HOOD

11OZ washable flame retardant cotton fabric;
Cotton meshes lining;
Velcro straps;
Buckle for helmets;
KEVLAR stitched.



SE6285 COTTON FABRIC CAP

11oz washable flame retardant cotton fabric, Cotton mesh lining, One size fits all.



SE2560 AIR-SUPPLIED HOOD

Lightweight, with replaceable visor, waistbelt-mounted air regulator, supplies quality air to the facepiece. Good for paint spray.



SE2562 WELDING LEATHER HOOD

Leather construction, durability, adjustable neck straps, flip front lens holder. For arc-welding operations.



SE2563 CHEMICAL HOOD

Lightweight, with twin cartridge respirator for breathing. Protect head, face, eyes, lungs against dust, paint spray, solvent, etc.



SE2561 SANDBLAST HOOD

Protection against grit and dust raised in blasting operations. Waistbelt-mounted air regulator supplies fresh air to the facepiece, unique blasting helmet providing complete head protection.



SE2564 AIR-SUPPLIED MASK

Lightweight, constant flow half face respirator, waistbelt-mounted air regulator and quick connector, supplies fresh air to the facepiece.

Aluminized Clothing/ Life Jacket



SE2570 ALUMINIZED HOOD

Wide field of vision, with unique helmet providing complete head protection. Excellent protection against radiant heat, high ambient temperature.



SE2571 ALUMINIZED SLEEVE

Length 22" for full arm protection from radiant heat.



SE2572 ALUMINIZED APRON

Bib style, with neck straps and waist drawstring for full body and chest protection against radiant heat.

Chest width: 27"

Length: 38"



SE2573 ALUMINIZED APRON WITH SLEEVES

With waist drawstring for full upper and lower body protection against radiant heat.

Chest width: 27"

Length: 49"



SE2574 ALUMINIZED COAT

Flap front, button front. Excellent protection against radiant heat and high ambient temperatures, better molten splash protection

Chest circle: 48"

Length: 29"



SE2575 ALUMINIZED PANTS

Protection against radiant heat and high ambient temperatures.

Waist circle: 34"

Length: 39"



SE2991 LIFE JACKET

Super soft flotation foam, zipper front and buckles to ensure a top quality, safe, durable and comfortable fit. With reflective tapes on shoulders provides maximum visibility for safety. Good for workers on bridges, docks, shores, fishing vessels or whenever water hazards exist.



SE2993 LIFE JACKET

Super soft flotation foam, zipper front and buckles to ensure a top quality, safe, durable and comfortable fit. With reflective tapes on shoulders provides maximum visibility for safety. Good for workers on bridges, docks, shores, fishing vessels or whenever water hazards exist.



SE2992 LIFE JACKET

Super soft flotation foam, safety collar, zipper front and adjustable buckles, reflective tapes on shoulders to ensure a top quality, safe, durable and comfortable fit. Two pockets with Velcro closures. International orange with reflective tapes on shoulders for added security. Good for workers on bridges, docks, shores, fishing vessels or whenever water hazards exist.



SE2994 LIFE JACKET

Super soft flotation foam, zipper front and buckles to ensure a top quality, safe, durable and comfortable fit. With reflective tapes on shoulders provides maximum visibility for safety. Good for workers on bridges, docks, shores, fishing vessels or whenever water hazards exist.

Safety Belts/ Safety Harness



SEI810 SAFETY BELT

Consist of 50mm width nylon belt, tool bag, one Double-Lock hook, one D-Ring and one buckle with 1.50M nylon rope.




SEI811 SAFETY BELT

Consist of 50mm width nylon belt, tool bag, one Double-Lock hook, one D-Ring and one buckle with 1.50M nylon rope and 2" opening hook.



SEI815 SAFETY BELT

Consist of 50mm width nylon belt, tool bag, one Double-Lock hook, two D-Ring and one buckle with 1.50M nylon rope.




SEI820 SAFETY BELT

Consist of 60mm width nylon belt, tool bag, one Double-Lock hook, two D-Rings and one buckle with 1.50M nylon rope.



SEI821 SAFETY BELT

Consist of 60mm width nylon belt, tool bag, one Double-Lock hook, two D-Rings, one buckle with 1.50M nylon rope and 2" opening hook.



SEI825 SAFETY BELT

Consist of 50mm width nylon belt, tool bag, one Double-Lock hook, two D-Rings and one buckle with 1.50M nylon rope.



SEI850 LINEMAN'S SAFETY BELT

Consist of 50mm width nylon belt, 80mm width pad belt, one adjustable fall arrester, one Double-Lock hook, two D-rings, one buckle with 16mm diameter nylon rope.



SEI851 LINEMAN'S SAFETY BELT

Consists of 50mm width nylon belt, 80mm width cushion belt, one adjustable fall arrester, one Double-Lock hook, two D-rings, one tetragonal ring, one rolling Double-Lock swivel snap hook.



SEI832 SAFETY HARNESS

Advanced design parachute type, dorsal D-ring makes connection to lanyard easily, lightweight, durable and comfortable, offer the highest level of protection. Universal size, fit most body shapes.

CE EN361



SEI833 SAFETY HARNESS

Advanced design parachute type, dorsal D-ring makes connection to lanyard easily, lightweight, durable and comfortable, offer the highest level of protection. Universal size, fit most body shapes.

CE EN361



SEI834 SAFETY HARNESS

Advanced design parachute type, dorsal D-ring makes connection to lanyard easily, side D-rings for fall protection and positioning, cushion belt for extra support, offer the highest level of protection. Universal size, fit most body shapes.

CE EN361 CE EN358



SEI842 SAFETY HARNESS

Parachute type, with 50mm width nylon belt, 110mm width cushion belt and 1.5M nylon rope, easily adjustable friction buckle leg straps to absorb shock from fall-arresting forces, D-Ring allows maximum distribution of shock load.



SEI843 SAFETY HARNESS

Parachute type, with 45mm width nylon belt, 1.5M nylon rope, 2" opening hook, adjustable friction buckle leg straps to absorb shock from fall-arresting forces, D-Ring allows maximum distribution of shock load.

Compliance: Full body Harness: CE EN361

Lanyard: CE EN354 Connector: CE EN362

Safety Harness/ Lanyards



SEI844 SAFETY HARNESS

Parachute type, with 45mm width nylon belt, 1.5M nylon rope, adjustable friction buckle leg straps to absorb shock from fall-arresting forces, D-Ring allows maximum distribution of shock load.

Compliance: Full body Harness: EN361

Lanyard: EN354 Connector: EN362



SEI846 SAFETY HARNESS

Parachute type, with 50mm width nylon belt, without rope easily adjustable friction buckle leg straps to absorb shock from fall-arresting forces, D-Ring allows maximum distribution of shock load.

EN361



SEI847 SAFETY HARNESS

Parachute type, with 50mm width nylon belt, 110mm width cushion belt and 1.5M nylon rope, easily adjustable friction buckle leg straps to absorb shock from fall-arresting forces, D-Ring allows maximum distribution of shock load.



SEI848 SAFETY HARNESS

Parachute type, with 45mm width Nylon belt, without rope easily adjustable friction buckle leg straps to absorb shock from fall-arresting forces, D-Ring allows maximum distribution of shock load.

EN361



SEI849 SAFETY HARNESS

Advanced design parachute type, dorsal D-ring makes connection to lanyard easily, friction buckle leg straps to absorb shock from fall-arresting forces, cushion belt for extra support, offer the highest level of protection. Universal size, fit most body shapes.



SEI854 SHOCK-ABSORBING LANYARD

The shock absorbing system attach to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces. 1.5M nylon rope with one lock hook at both sides.

CE EN354



SEI857 SHOCK-ABSORBING LANYARD

The shock absorbing system attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces. 1.5M nylon rope with lock hooks at both sides.

CE EN354



SEI855 LANYARD

3 strand nylon rope, diameter 14mm, length 1.50m, both sides with connectors and the splices are protected with sleeves.

CE EN362 EN354



SEI858 SHOCK-ABSORBING LANYARD

The shock absorbing system attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces. 1.5M nylon rope with one connector at one side and one lock hook at the other side.

CE EN362 EN354 EN355



SEI856 LANYARD

3 strand nylon rope with diameter 14mm length 1.5m, one side with connector, the other side with hook, and the splices and protected with sleeves.

CE EN354



SEI859 SHOCK-ABSORBING LANYARD

The shock absorbing system attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces. 1.5M nylon rope with one connector at one side and big lock hook at the other side.

CE EN362 EN354 EN355

Lanyards/ Hooks/ Carabiners



SEI860 SHOCK-ABSORBING WEBBING

The shock absorbing webbing attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces. 1.5M twin nylon webbing with one connector, two double-lock hooks and 45mm width absorber.

Ⓢ Ⓜ EN362 EN354 EN355



SEI863 SHOCK-ABSORBING WEBBING

The shock absorbing webbing attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces.

1.5M twin nylon webbing with one connector, two double-lock hooks and 45mm width absorber.

Ⓢ Ⓜ EN362 EN354 EN355



SEI861 SHOCK-ABSORBING WEBBING

The shock absorbing webbing attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces.

1.5M single nylon webbing with one connector, one double-lock hook and 45mm width absorber.

Ⓢ Ⓜ EN362 EN354 EN355



SEI864 SHOCK-ABSORBING WEBBING

The shock absorbing webbing attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces.

1.5M twin nylon webbing with one connector, two double-lock hooks and 45mm width absorber.

Ⓢ Ⓜ EN362 EN354 EN355



SEI862 SHOCK-ABSORBING WEBBING

The shock absorbing webbing attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces.

1.5M single nylon webbing with one connector, one double-lock hook and 45mm width absorber.

Ⓢ Ⓜ EN362 EN354 EN355



SEI865 SHOCK-ABSORBING WEBBING

The shock absorbing webbing attached to harness allow a soft, stable stop during a fall provides best protection against fall-arresting forces.

1.5M single nylon webbing with one connector, one double-lock hook and 45mm width absorber.

Ⓢ Ⓜ EN362 EN354 EN355



SE2920 FORGED STEEL SNAP HOOK

Opening: 53mm
Length: 218mm
Width: 115mm
Weight: 484g
Safety loads: 23kN

CE EN362



SE2921 FORGED STEEL SNAP HOOK

Opening: 63 mm
Length: 235 mm
Width: 114 mm
Weight: 480g
Safety loads: 22 kN

CE EN362



SE2925 FORGED ALLOY STEEL SNAP HOOK

Opening: 20mm
Length: 150mm
Width: 57mm
ID: 28mm
Weight: 270g
Safety loads: 23kN



SE2922 FORGED STEEL SNAP HOOK

Opening: 18mm
Length: 133mm
Weight: 211g
Safety loads: 25kN
Yellow zinc plated

CE EN362



SE2926 ALUMINUM SNAP HOOK


Lock: twist
Opening: 22mm
Length: 120mm
Safety loads: 22kN



SE2923 FORGED STEEL SNAP HOOK

Opening: 18mm
Length: 130mm
Weight: 270g
Safety load: 25kN
ID: 18mm

CE EN362



SE2930 STAMPED STEEL ROPE GRAB

Wire hole: 12mm
Weight: 387g
ID: 20mm
Chrome plated



SE2924 FORGED STEEL SNAP HOOK

Opening: 18mm
Length: 143mm
Width: 57mm
ID: 25mm
Thickness: 6mm
Weight: 276g
Safety loads: 22kN
Yellow zinc plated



SE2931 STAMPED STEEL ROPE GRAB

Wire Hole: 14mm
Weight: 387g
ID: 20mm
Chrome plated

Hooks/ Carabiners



SE2932 STAMPED STEEL ROPE GRAB

Wire Hole: 16mm
Weight: 410g
ID: 20mm
Chrome plated



SE2940 STEEL SNAP CARABINER

Lock: twist
Opening: 22mm
Length: 110mm
Weight: 227g
Safety loads: 35kN
EN362



SE2933 STAMPED ROPE GRAB

Rope size: 12-16mm
Safety position lock
Safety loads: 15Kn
Yellow zinc plated



SE2941 STEEL SNAP CARABINER

Lock: screw
Opening : 21mm
Length: 110mm
Weight: 221g
Safety loads: 35kN
EN362




SE2934 FORGED ROPE GRAB

Rope size: 12-16mm
Safety loads: 22kN
Chrome plated



SE2942 STEEL SNAP CARABINER

Lock: twist
Opening: 17mm
Wire dia: 10mm
Length: 117mm
Weight: 186g
Safety loads: 25kN
Yellow zinc plated



SE2935 PIPE ANCHOR

Material: Stainless steel
Wire dia: 6mm
Safety loads: 22kN
Opening: 4", 5"



SE2944 ALUMINUM SNAP CARABINER

Lock: twist
Opening :22 mm
Length: 110mm
Weight : 82g
Safety loads: 22kN
EN362 EN12275



SE2945 ALUMINUM SNAP CARABINER

Lock: triple
Opening: 22mm
Length: 110mm
Weight: 82g
Safety loads: 22kN
CE EN362



SE2946 ALUMINUM SNAP CARABINER

Lock: screw/key type
Opening: 20mm
Wire dia: 12mm
Length: 112mm
Width: 69.7mm
Weight: 73g
Safety loads: 22kN



SE2950 FORGED STEEL D-RING

Webbing: 45~50mm
Thickness: 8mm
Length: 59 mm
Width: 46 mm
Weight: 81.5g
Safety loads: 22kN



SE2951 FORGED STEEL D-RING

Webbing: 45mm
Thickness: 9.27mm
Length: 60mm
Width: 63mm
Weight: 110g
Safety loads: 22kN



SE2953 STAMPED STEEL BELT-RING

Webbing: 50mm
Thickness: 4.0mm
Length: 70mm
Width: 75mm
Weight: 83 g
Safety loads: 22kN



SE2954 STEEL LOOP LINK

Webbing: 45mm
Thickness: 3.5mm
Length: 72mm
Width: 47mm
Weight: 55g
Safety loads: 17.8kN



SE2955 STEEL SLIDE BUCKLE

Webbing: 45mm
Thickness: 3.5mm
Length: 60mm
Width: 30mm
Weight: 33g
Safety loads: 17.8kN



SE2956 STEEL BELT-RING

Webbing: 45mm
Thickness: 3.0mm
Length: 53mm
Width: 64mm
Weight: 88g
Safety loads: 12kN



SE2968 PLASTIC PAD

Webbing: 47mm
Width: 113mm
Length: 90mm

Knee Pads



SE2850 FOAM KNEE PADS

Comfortable, durable molded foam pads with elastic band for a tight fit. Lightweight, easy on and off, good for construction, welding, maintenance work, etc. One size fits all.



SE2851 FOAM KNEE PADS

Simply slide these pads into your favorite pair of pants with knee pad pockets. The shape of the padding contours the knee, making it exceptionally comfortable to wear. Your pockets will secure the pad to your leg, no need for readjustments or positioning.



SE2852 FOAM KNEE PADS

Comfortable, durable molded foam pads with elastic band for a tight fit. Lightweight, easy on and off, good for construction, welding, maintenance work, etc. One size fits all.



SE2853 GEL KNEE PADS

Light weight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.

Size: Free

Compliance:   EN14404



SE2854 GEL KNEE PADS

Light weight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.

Size: Free

Compliance:   EN14404



SE2855 SHIN GUARD

Soft and comfortable foam padding with reinforced ribs polyethylene shell, provides lower leg protection against impact, bruises, cutting and other injuries.

Adjustable elastic strap and buckle for easy and secure fastening. Good for forestry operation.

Length: 12"



SE2856 SHIN AND INSTEP GUARD

Soft and comfortable foam padding with reinforced ribs polyethylene shell and instep guard, provides lower leg and instep protection against impact, bruises, cutting and other injuries. Adjustable elastic strap and buckle for easy and secure fastening. Good for forestry operation. Length: 16"



SE2859 GEL KNEE PADS

Light weight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions. Size: Free

Compliance:  EN14404



SE2857 GEL KNEE PADS

Light weight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions. Size: Free

Compliance:  EN14404



SE2861 FOAM KNEE PADS

Comfortable, durable molded foam pads with elastic band for a tight fit. Lightweight, easy on and off, good for construction, welding, maintenance work, etc. One size fits all.



SE2858 GEL KNEE PADS

Light weight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.

Compliance: 



SE2862 KNEE PADS

Lightweight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.

Size: S, M, L

Knee Pads



NEW

SE2863 KNEE PADS

Lightweight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.


Size: One size fits all.



NEW

SE2864 KNEE PADS


Lightweight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.


Compliance: 



SE2865 SOFT KNEE PADS


Tough blend of cloth with cushioning foam provides easy-to-wear, lightweight, durable, soft and comfortable, adjustable elastic straps with hook-and loop closures. One size fits all.

Compliance: 



SE2866 SOFT KNEE PADS

Tough blend of cloth with cushioning foam provides easy-to-wear, lightweight, durable, soft and comfortable, adjustable elastic straps with hook-and loop closures. One size fits all.



SE2867 LEATHER KNEE PADS

Lightweight leather with wide soft, comfortable padding, durability, good resistant to abrasion. Ideal for concrete work, construction.




SE2868 KNEE PADS

Tough blend of cloth with cushioning foam provides easy-to-wear, lightweight, durable, soft and comfortable, adjustable elastic straps with hook-and-loop closures. One size fits all.



SE2869 KNEE PADS


Hard flat plastic kneeling shield surface, thick foam pad, offers good protection against shock, impact, bumps, bruises, injuries, etc. Hard and rough surfaces. One size fits all.

Compliance: 



SE2872 KNEE PADS

Lightweight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises, and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.

Compliance: 



SE2870 KNEE PADS

Lightweight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises, and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.


Size: one size fits all.

Color: PE shell in blue color



SE2873 KNEE PADS


Lightweight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.

Compliance: 



SE2871 KNEE PADS


Lightweight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises, and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.

Compliance: 



SE2874 KNEE PADS

Lightweight, soft and comfortable foam padding with abrasion-resistant plastic, provides protection against bump, impact, bruises and other injuries. Good for construction, carpentry, maintenance, electrical work, sports, etc. that could cause bruises or abrasions.

Compliance: 

Waist Belts/ Tool Lanyards



SE2875 WRIST SUPPORT

Breathable, heat retaining soft material, fastens securely with hook-and-loop fasteners, makes it comfortable for the user.

Size: S, M, L, XL



SE2910 BACK SUPPORT

Durable lightweight spandex, powerful knit, woven elastic cinch strap. Fastens securely with hook-and-loop fasteners. Nonconductive stays bend with body for optimal support of the spine.

Good for lifting, bending and carrying.

Sizes: S, M, L, XL, XXL.



SEI900 WAIST BELT

2" width cotton belt, adjustable, with plenty of room to add personal attachments. General purpose, good for construction, mining, forestry operations, mountain climbing, etc.




SEI901 WAIST BELT

2" width cotton belt, adjustable, with plenty of room to add personal attachments. General purpose, good for construction, mining, forestry operations, mountain climbing, etc.



SEI902 WAIST BELT

2" width cotton belt, adjustable, with plenty of room to add personal attachments. General purpose, good for construction, mining, forestry operations, mountain climbing, etc.



SEI903 WAIST BELT

2" width nylon belt, adjustable, with plenty of room to add personal attachments. General purpose, good for construction, mining, forestry operations, mountain climbing, etc.

NYLON WEBBING TOOL LANYARDS

High tenacity nylon webbing and elastic inner core, with Aluminum carabiner or swivel zinc alloy hooks, to secure the tools and avoid accidentally from dropping.

Good for construction site, production lines, maintenance, assembly and working at height.



SEI9040 NYLON WEBBING TOOL LANYARD

Maximum Tool Weight: 3 kgs
Fully Extended Length: 120 cm
Hook: Double swivel zinc alloy hooks
Color: Yellow, Orange, Red, Light Blue, Dark Blue, Black



SEI9041 NYLON WEBBING TOOL LANYARD

Maximum Tool Weight: 3 kgs
Fully Extended Length: 120 cm
Hook: Double swivel zinc alloy hooks
Color: Yellow, Orange, Red, Light Blue, Dark Blue, Black



SEI9042 NYLON WEBBING TOOL LANYARD

Maximum Tool Weight: 4.50 kgs
Fully Extended Length: 127 cm
Carabiner: Double aluminum carabiners
Yarn: Reflective yarn with triple stitching at both ends for extra security
Color: Red, Black



SEI9043 NYLON WEBBING TOOL LANYARD

Maximum Tool Weight: 4.50 kgs
Fully Extended Length: 127 cm
Carabiner: One aluminum carabiner
Rope Lock: One adjustable rope lock for tool attachment
Yarn: Reflective yarn with triple stitching at both ends for extra security
Color: Red, Black

Tool Lanyards

COILED TOOL LANYARDS

High strength stainless steel wire core, HI-VIZ PU coiled lanyard, reduces lanyard length, with swivel zinc alloy hooks for tool attachment, thus prevent injury, damage and lost from dropping. Good for construction site, production lines, maintenance, assembly and working at height.



SEI9045 COILED TOOL LANYARD

Maximum Tool Weight: 1 kg
Fully Extended Length: 170 cm
Wire Core: High strength 1mm stainless steel
Hook: Double swivel zinc alloy hooks
Color: Green, Yellow, Red, Blue, White, Black



SEI9046 COILED TOOL LANYARD

Maximum Tool Weight: 3 kgs
Fully Extended Length: 170 cm
Wire Core: High strength 1mm stainless steel
Hook: Double swivel zinc alloy hooks
Color: Green, Yellow, Red, Blue, White, Black



SEI9047 COILED TOOL LANYARD

Maximum Tool Weight: 3 kgs
Fully Extended Length: 170 cm
Wire Core: High strength 1mm stainless steel
Hook: Double swivel zinc alloy hooks
Color: Green, Yellow, Red, Blue, White, Black



SEI9048 COILED TOOL LANYARD

Maximum Tool Weight: 0.5 kg
Fully Extended Length: 160 cm
Wire Core: High Strength 0.55mm stainless steel
Hook: Double swivel zinc alloy hooks
Color: Green, Yellow, Red, Blue, White, Black



SEI9050 TOOL BAG

Heavy duty polyester material, tool pouch with double stitched for strength and riveted at stress points. Attached webbing belt fit waist from 29" to 46", with two hammer loops and 10 pockets for tools, nails, etc.



SEI9051 TOOL CARRIER APRON

Light and warm to wear. Hands-free tool carrier with zip front. Fully adjustable size range. Made from lightweight, tear and stain-resistant ballistic Nylon. Heavy duty Nylon construction with adjustable straps to accommodate all chest sizes and provide a comfortable fit. 6 pockets available.

Safety Shoes

SAFETY SHOES


Stylish and attractive design in top quality leather, giving maximum comfort and minimizing the risk of injury. Reinforced stitching for greater durability. Padded collar and tongue for more comfortable.

Compliance:  EN ISO 20345




SE3910 SAFETY SHOES

Upper : Cow Split Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection




SE3911 SAFETY SHOES

Upper : Cow Split Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection




SE3912 SAFETY SHOES

Upper : Cow Split Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection



SE3913 SAFETY SHOES

Upper : Crazy Horse Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection




SE3914 SAFETY SHOES

Upper: Water Resistance Micro Fibre
Lining: Antibacterial Breathable Mesh
Insock: EVA + Antibacterial Mesh
Toe Cap: Steel Toe Cap
Outsole: PU/ PU injection Antistatic
Safety Class: S2
Size: 35-48
Compliance: EN ISO 20345



SE3915 SAFETY SHOES

Upper: Cow Split Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Steel Toe Cap
Midsole: Steel Middle Plate
Outsole: PU/PU injection
Safety Class: SBP
Sizes: 36-46




SE3920 SAFETY SHOES

Upper : Cow Split Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection



SE3916 SAFETY SHOES

Upper: Cow Split Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Steel Toe Cap
Midsole: Steel Middle Plate
Outsole: PU/ PU injection Antistatic
Safety class: SBP
Sizes: 37-47
Compliance: EN ISO 20345




SE3921 SAFETY SHOES

Upper : Cow Split Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection



SE3917 SAFETY SHOES


Upper: Cow Split Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Steel Toe Cap
Midsole Plate: Steel Middle Plate
Outsole: Rubber cemented
Safety Class: SBP
Sizes: 36-48
Compliance: EN ISO 20345



SE3922 SAFETY SHOES


Upper : Cow Split Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection

Safety Shoes




SE3925 SAFETY SHOES

Upper : Smooth Finish Leather
 Lining : Air Mesh
 Toe-Cap : Steel Toe Cap
 Midplate : Steel Middle Plate
 Insock : EVA+ Mesh
 Outsole : PU/PU Injection



SE3923 SAFETY SHOES

Upper : Smooth Finish Leather
 Lining : Air Mesh
 Toe-Cap : Steel Toe Cap
 Midplate : Steel Middle Plate
 Insock : EVA+ Mesh
 Outsole : PU/PU Injection




SE3926 SAFETY SHOES

Upper : Crazy Horse Leather
 Lining : Air Mesh
 Toe-Cap : Steel Toe Cap
 Midplate : Steel Middle Plate
 Insock : EVA+ Mesh
 Outsole : PU/PU Injection



SE3924 SAFETY SHOES

Upper : Cow Split Leather
 Lining : Air Mesh
 Toe-Cap : Steel Toe Cap
 Midplate : Steel Middle Plate
 Insock : EVA+ Mesh
 Outsole : PU/PU Injection




SE3927 SAFETY SHOES

Upper : Cow Split Leather
 Lining : Air Mesh
 Toe-Cap : Steel Toe Cap
 Midplate : Steel Middle Plate
 Insock : EVA+ Mesh
 Outsole : PU/PU Injection



SE3928 SAFETY SHOES

Upper : Nubuck Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection




SE3931 SAFETY SHOES

Upper: Correction Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Steel Toe Cap
Midsole: Steel Middle Plate
Outsole: PU/TPU injection
Safety Class: S3
Compliance: EN ISO 20345



SE3929 SAFETY SHOES

Upper : Cow Suede Leather
Lining : Air Mesh
Toe-Cap : Steel Toe Cap
Midplate : Steel Middle Plate
Insock : EVA+ Mesh
Outsole : PU/PU Injection




SE3932 SAFETY SHOES

Upper: Cow Split Leather
Lining Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Steel Toe Cap
Midsole: Steel Middle Plate
Outsole: PU/ PU injection
Safety Class: SBP
Size: 36-46



SE3930 SAFETY SHOES


Upper: Water Resistance Action Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Steel Toe Cap
Midsole: Steel Middle Plate
Outsole: PU/ PU injection Antistatic
Safety Class: S3
Size: 37-47



SE3933 SAFETY SHOES

Upper: Cow Split Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Steel Toe Cap
Midsole: Steel Middle Plate
Outsole: PU/ PU injection Antistatic
Safety Class: SBP
Size: 37-47
Compliance: EN ISO 20345

Safety Shoes




SE3936 SAFETY SHOES

Upper: Oil Leather
 Lining: Breathable Mesh
 Insock: EVA + Mesh
 Toe Cap: Steel Toe Cap
 Midsole: Steel Middle Plate
 Outsole: Goodyear - welted rubber
 Safety Class: SBP
 Size: 36-48
 Compliance: EN ISO 20345



SE3934 SAFETY SHOES

Upper: Genuine Leather
 Lining: Breathable Mesh
 Insock: EVA + Mesh
 Toe Cap: Steel Toe Cap
 Midsole: Steel Middle Plate
 Outsole: Goodyear - welted rubber
 Safety Class: SBP
 Size: 36-48
 Compliance: EN ISO 20345




SE3937 SAFETY SHOES

Upper: Crazy Horse Leather
 Lining: Breathable Mesh
 Insock: EVA + Mesh
 Toe Cap: Plastic Toe Cap
 Midsole Plate: Fabric Middle Plate
 Outsole: PU/ PU injection Antistatic
 Safety Class: S1P
 Size: 35-48



SE3935 SAFETY SHOES

Upper: Cow Genuine Leather
 Lining: Breathable Mesh
 Insock: EVA + Mesh
 Toe Cap: Steel Toe Cap
 Midsole: Steel Middle Plate
 Outsole: Goodyear - welted rubber
 Safety Class: SBP
 Size: 36-48
 Compliance: EN ISO 20345




SE3938 SAFETY SHOES

Upper: Nubuck Leather
 Lining: Breathable Mesh
 Insock: EVA + Mesh
 Toe Cap: Steel Toe Cap
 Midsole: Steel Middle Plate
 Outsole: Goodyear - welted rubber
 Safety Class: SBP
 Sizes: 36-48
 Compliance: EN ISO 20345



SE3939 SAFETY SHOES

Wheat full grain leather upper, lace-up safety boots with padded collar and tongue, anti-static, energy absorbing, water resistant upper, PU/rubber outsole, Steel toe cap, Classification I S2 SRC A E WRU.




SE3943 SAFETY SHOES

Upper: Crazy Horse Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Plastic Toe Cap
Midsole: Fabric Middle Plate
Outsole: PU/ TPU injection Antistatic
Safety Class: S1P
Size: 36-48



SE3942 SAFETY SHOES

Upper: Crazy Horse Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Plastic Toe Cap
Midsole: Fabric Middle Plate
Outsole: PU/ TPU injection Antistatic
Safety Class: S1P
Size: 36-48




SE3944 SAFETY SHOES

Black full grain leather upper, lace-up safety boots with padded collar and tongue, anti-static, energy absorbing, water resistant upper, PU/rubber outsole, Steel toe cap, Classification I S2 SRC A E WRU.

Safety Shoes/ Overshoes/ PVC Boots


NEW



SE3945 SAFETY SHOES

Upper: KPU
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Fiberglass Toe
Midsole: Composite Insert Plate
Outsole: Rubber/Eva sole
Safety Class: S1P
Compliance: EN ISO 20345


NEW



SE3947 SAFETY SHOES

Upper: Mircofiber+PU + high density fabric
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Fiberglass Toe
Midsole: Composite Insert Plate
Outsole: Rubber/EVA SOLE
Safety Class: S1P
Compliance: EN ISO 20345

NEW



SE3946 SAFETY SHOES

Upper: Cow Suede Leather
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Fiberglass Toe
Midsole: Composite Insert Plate
Outsole: Rubber sole
Safety Class: S3
Compliance: EN ISO 20345

NEW



SE3948 SAFETY SHOES

Upper: Fly Knitted
Lining: Breathable Mesh
Insock: EVA + Mesh
Toe Cap: Fiberglass Toe
Midsole: Composite Insert Plate
Outsole: Rubber/EVA SOLE
Safety Class: S1P
Compliance: EN ISO 20345



SE2490 RUBBER OVERSHOE

All rubber, smooth surface, slip-resistant sole, durable, closely fitting. Provides protection against acids, chemicals, water and mud.

Size: S, M, L, XL, XXL

Height: 12-1/2"



SE2494 NUCLEAR RUBBER OVERSHOE

All rubber, smooth surface, slip resistant rough sole, durable. Closely fitting. Good for Nuclear and Hydro.

Size: XL Color: Yellow, Black




SE2491 RUBBER OVERSHOE

All rubber, smooth surface with zigzag trim, rough finished anti-slip sole for better grip.

For ladies.

Size: S, M, L, XL

Height: 9"



SE2540 PVC BOOTS

High grade pvc outsole resistant to animal and vegetable oils, fats, blood, chemicals, cleaning agents, etc. Reinforced shank added protection. Flexible, comfortable, easy to put on and off. Good for food industrial either in dry or wet slippery conditions.

Color: White with yellow sole

Size: 6-12




SE2492 RUBBER OVERSHOE

All rubber, smooth surface, slip-resistant wrinkle sole, rolled ankle, durable, closely fitting. Provides protection against acids, chemicals, water and mud.

Size: M, L, XL, XXL

Height: 4-1/2"




SE2541 PVC BOOTS

High grade pvc outsole resistant to animal and vegetable oils, fats, blood, chemicals, cleaning agents, etc. Reinforced shank added protection. Flexible, comfortable, easy to put on and off. Good for food industrial either in dry or wet slippery conditions.

Color: White with yellow sole

Size: 6-12

PVC Boots




SE2544 PVC BOOTS

High grade pvc outsole resistant to animal and vegetable oils, fats, blood, chemicals, cleaning agents, etc. Reinforced shank added protection. Flexible, comfortable, easy to put on and off. Good for food industrial either in dry or wet slippery conditions.

Color: White with yellow sole

Size: 6-12



SE2545 PVC BOOTS

High grade pvc outsole resistant to animal and vegetable oils, fats, blood, chemicals, cleaning agents, etc. Reinforced shank added protection. Flexible, comfortable, easy to put on and off. Good for food industrial either in dry or wet slippery conditions.

Color: White with white sole

Size: 6-12



SE2548 ANKLE PVC SAFETY SHOES

High grade PVC out sole resistant to water, oils, grease, acid and alkali resistant, non-slip, anti-static. Steel toe can be Impact & compression resistant. Steel plate can be puncture resistant. Outsole is abrasion resistant and Contract. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel. Resistant at low temperatures.



SE2556 PVC BOOTS

High grade pvc outsole resistant to animal and vegetable oils, fats, acids and alkalis resistant. Good for mining, oil field, framing, chemical related industries, general construction, etc.

Color: Black

Size: 6-12



SE2557 PVC BOOTS

High grade pvc outsole resistant to animal and vegetable oils, fats, acids and alkalis resistant. Good for mining, oil field, framing, chemical related industries, general construction, etc.

Color: Dark blue with black sole

Size: 6-12



SE2546 RAIN BOOTS

High grade PVC outsole resistant to animal and vegetable oils, fats, acids and alkalis. Good for mining, oil field, farming, chemical related industries, general construction, etc.

Color: Green

Size: 4-13



SE2558 PVC BOOTS

High grade pvc outsole resistant to animal and vegetable oils, fats, acids and alkalis resistant. Good for mining, oil field, framing, chemical related industries, general construction, etc.

Color: Black with yellow sole

Size: 6-12



SE2547 PVC BOOTS

High grade PVC outsole resistant to animal and vegetable oils, fats, acids and alkalis. Good for mining, oil field, farming, chemical related industries, general construction, etc.

Color: Green

Size: 4-13



SE2559 PVC BOOTS

High grade pvc outsole resistant to animal and vegetable oils, fats, acids and alkalis resistant. Good for mining, oil field, framing, chemical related industries, general construction, etc.

Color: Yellow with black sole

Size: 6-12



SE2552 PVC BOOTS

High grade PVC outsole resistant to animal and vegetable oils, fats, acids and alkalis. Good for mining, oil field, farming, chemical related industries, general construction, etc.

Color: Black

Size: EU 37-47

PVC Boots



SE2568 HIP BOOTS

100% waterproof, lightweight and durable, adjustable side strap gives a perfect fit and provide complete leg protection, good for muddy, swampy and tough working conditions.

Material: PVC, PVC/ POLYESTER
Boot size: 7, 8, 9, 10, 11, 12
Size: XS-5XL
Color: Green



SE2569 HIP BOOTS

100% waterproof, lightweight and durable, adjustable side strap gives a perfect fit and provide complete leg protection, good for muddy, swampy and tough working conditions.

Material: PVC, PVC/ POLYESTER
Boot size: 7, 8, 9, 10, 11, 12
Size: XS-5XL
Color: Navy blue



SE2565 HIP WADERS

Durable PVC/POLYESTER Material offer a 100% waterproof, lightweight, adjustable suspenders gives a snug fit and perfect protection, good for wastewater, fishing, agriculture, industrial, mining, spill sites, flooded areas.
Boot size: 7, 8, 9, 10, 11, 12, 13
Size: XS-5XL
Color: Green



SE2566 CHEST WADERS

Durable PVC/POLYESTER Material offer a 100% waterproof, lightweight, adjustable suspenders gives a snug fit and perfect protection, good for wastewater, fishing, agricultural industrial, mining, spill sites, flooded areas.
Boot size: 7, 8, 9, 10, 11, 12, 13
Size: XS-5XL
Color: Green



SE2567 CHEST WADERS

Durable PVC/POLYESTER Material offer a 100% waterproof, lightweight, adjustable suspenders gives a snug fit and perfect protection, good for wastewater, fishing, agricultural, industrial, mining, spill sites, flooded areas.
Boot size: 7, 8, 9, 10, 11, 12, 13
Size: XS-5XL
Color: Navy blue



TIANXING TECH INNOVATION CO. PTE LTD

天行健科技創新新加坡有限公司


531A UPPER CROSS STREET #04-95 HONG LIM COMPLEX SINGAPORE 051531
531A上十字街04-95號宏林綜合大樓 新加坡051531/ TEL+65 6444 3130/ UEN 202236869Z

Contact: Mark Liu E-mail: markk_liu@me.com
WhatsApp/Wechat: +886903365221



Head & Face Protection

Industrial Safety Equipment



Safety Goggles



SE1110
SE1111

SE1110 CHEMICAL SPLASH GOGGLE

Indirect ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, fits over personal spectacles. Ideal protection against dust, chemical splash and impact.

Compliance: **ANSI Z87.1**  **EN166**

SE1111 ANTI-FOG CHEMICAL SPLASH GOGGLE

Basic features the same as SE1110 but with anti-fog lens.



SE1112
SE1113

SE1112 CHEMICAL SPLASH GOGGLE

Indirect ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, pliable nosebridge for added comfort, fits over personal spectacles.

Ideal protection against chemical splash, dust and impact.

Compliance: **ANSI Z87.1**  **EN166**

SE1113 ANTI-FOG CHEMICAL SPLASH GOGGLE

Basic features the same as SE1112 but with anti-fog lens.



SE1114 CHILDREN'S CHEMICAL SPLASH GOGGLE

Indirect ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, fits over personal spectacles. Ideal protection against dust, chemical splash and impact.

Compliance: **ANSI Z87.1**



SE1115 VISION GOGGLE

Soft, flexible TPR frame, lightweight, tough polycarbonate lens, fits over personal spectacles, Ideal protection against dust and impact.

Compliance: **ANSI Z87.1**  **EN166**



SE1116
SE1117

SE1116 CHEMICAL SPLASH GOGGLE

Indirect ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, pliable nosebridge for added comfort, fits over personal spectacles.

Ideal protection against chemical splash, dust and impact.

Compliance: **ANSI Z87.1**  **EN166**

SE1117 ANTI-FOG CHEMICAL SPLASH GOGGLE

Basic features the same as SE1116 but with anti-fog lens.



SEI 118 CHIPPERS GOGGLE

Cup type, 50mm round clear polycarbonate lens, black strong rigid ABS frame fits snugly around the eyes, adjustable chain bridge, impact resistance for chipping and grinding.



SEI 120
SEI 121

SEI 120 IMPACT GOGGLE

Direct ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, fits over personal spectacles. Ideal protection against dust and impact.

Compliance: **ANSI Z87.1**  **EN166**

SEI 121 ANTI-FOG IMPACT GOGGLE

Basic features the same as SE1120 but with anti-fog lens.



SEI 119 IMPACT GOGGLE

Direct ventilation, soft, flexible TPR frame, lightweight, tough polycarbonate lens, fits over personal spectacles, Ideal protection against dust and impact.

Compliance: **ANSI Z87+**



SEI 120I IMPACT GOGGLE

Direct ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, no side ventilation, fits over personal spectacles. Ideal protection against dust and impact.

Compliance: **ANSI Z87.1**  **EN166**



SEI 110N CHEMICAL SPLASH GOGGLE

Soft, flexible vinyl frame, nonvented, lightweight, tough polycarbonate lens, fits over personal spectacles. Ideal protection against flu, dust, chemical splash and impact.



SEI 1202 IMPACT GOGGLE

Direct ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, enhanced with side shield, fits over personal spectacles. Ideal protection against dust and impact.

Compliance: **ANSI Z87.1**  **EN166**

Safety Goggles/ Welding Goggles



SEI I22 IMPACT GOGGLE

Ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, fits over personal spectacles. Ideal protection against dust and impact.

Compliance: **ANSI Z87.1** **CE** EN166



SEI I23 IMPACT GOGGLE

Direct ventilation, soft, flexible TPR frame, lightweight, tough polycarbonate lens, fits over personal spectacles, Ideal protection against dust and impact.



SEI I24 CHILDREN'S IMPACT GOGGLE

Direct ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, fits over personal spectacles. Ideal protection against dust and impact.

Compliance: **ANSI Z87.1**



SEI I25 IMPACT GOGGLE

Direct ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, fits over personal spectacles, Ideal protection against dust and impact.

Compliance: **ANSI Z87+**



SEI I25 I IMPACT GOGGLE

Soft, flexible vinyl frame, lightweight, tough polycarbonate lens, fits over personal spectacles, Ideal protection against dust and impact.

Compliance: **ANSI Z87.1** **CE** EN166



SEI I26 IMPACT GOGGLE

SEI I26
SEI I27

Direct ventilation, soft, flexible vinyl frame, lightweight, tough polycarbonate lens, pliable nosebridge for added comfort, fits over personal spectacles. Ideal protection against dust and impact.

Compliance: **ANSI Z87.1** **CE** EN166

SEI I27 ANTI-FOG IMPACT GOGGLE

Basic features the same as SE1126 but with anti-fog lens.



SEI 128 WIDE VISION GOGGLE

Indirect vents for optimum ventilation. Comfortable soft vinyl frame for comfort with tough polycarbonate lens for chemical splash and impact resistance. Fits over personal spectacles. Ideal for protection against dust and impact.

Compliance: **ANSI Z87.1**  **EN166**

SEI 128I ANTI-FOG WIDE VISION GOGGLE

Basic features the same as SE1128 but with anti-fog lens.

Compliance: **ANSI Z87.1**  **EN166**



SEI 130 WELDING GOGGLE

Indirect ventilation, soft, flexible vinyl frame, lightweight, polycarbonate green lens shade No.5, fits over personal spectacles.

Used for gas welding, cutting and brazing operations.



SEI 131 WELDING GOGGLE

Indirect ventilation, soft, flexible vinyl frame, lightweight, polycarbonate green lens shade No.5, fits over personal spectacles.

Used for gas welding, cutting and brazing operations.



SEI 132 WELDING GOGGLE

Indirect ventilation, soft, flexible vinyl frame, lightweight, polycarbonate green lens shade No.5, fits over personal spectacles.

Used for gas welding, cutting and brazing operations.

Compliance: **ANSI Z87.1**  **EN175**



SEI 140 WELDING GOGGLE

Indirect ventilation, soft, flexible vinyl frame, 2"X4-1/4" polycarbonate green shade No.5 flip front lens, can switch from welding to chipping for easy inspection. Used for gas welding, brazing and cutting.

Compliance: **ANSI Z87.1**  **EN175**



SEI 141 WELDING GOGGLE

Basic features the same as SE1140 but with fixed front lens for continuous operations where inspection is not required.

Compliance: **ANSI Z87.1**

Welding Goggles/ Mesh Goggle



SEI 142 WELDING GOGGLE

Indirect ventilation, soft, flexible vinyl frame, 2" x 4-1/4" polycarbonate green shade No. 5 flip front lens, can switch from welding to chipping for easy inspection. Used for gas welding, brazing and cutting.

Compliance: **ANSI Z87.1** **CE** **EN175**



SEI 143 WELDING GOGGLE

Large indirect ventilation, reducing fogging and improving vision, soft vinyl frame, 2" x 4-1/4" fixed front polycarbonate green shade No. 5 Lens for continuous operations where inspection is not required. Used for gas welding, brazing and cutting.

Compliance: **ANSI Z87.1** **CE** **EN175**



SEI 150 WELDING GOGGLE

Indirect ventilation, soft, flexible vinyl frame, 50mm round polycarbonate green shade No.5 flip front lens, can switch from welding to chipping for easy inspection. Used for gas welding, brazing and cutting.

Compliance: **ANSI Z87.1** **CE** **EN175**



SEI 151 WELDING GOGGLE

Basic features the same as SE1150 but with fixed front lens for continuous operations where inspection is not required.



SEI 152 WELDING GOGGLE

Indirect ventilation, soft, flexible vinyl frame, 50mm round polycarbonate green shade No.5 flip front lens, can switch from welding to chipping for easy inspection. Used for gas welding, brazing and cutting.

Compliance: **ANSI Z87.1** **CE** **EN175**



SEI 160 WELDING SPECTACLE

50mm round polycarbonate green shade No.5 lens, snap-on design, quick and easy to install onto the peak of the helmet.



SEI 180 WELDING GOGGLE

Cup type, 50mm round shade No.5 polycarbonate lens. Strong rigid plastic body fits snugly around the orbit of the eyes. Used for gas welding, brazing and cutting.

Compliance: **ANSI Z87.1** **CE** EN175



SEI 192 SAFETY MESH GOGGLE

Light weight, tough polypropolene frame and elastic band, metal mesh shield, fits over personal spectacles.



SEI 181 WELDING GOGGLE

Cup type, 50mm round shade No.5 polycarbonate lens. Strong rigid plastic body fits snugly around the orbit of the eyes. Used for gas welding, brazing and cutting.



SEI 190 SAFETY MESH GOGGLE

Direct ventilation, light weight, tough TPR frame and elastic band, metal mesh shield, fits over personal spectacles.

Compliance: **ANSI Z87.1** **CE** EN1731



SE2 128 MESH SPECTACLE

Light weight, tough polycarbonate frame and temples, metal mesh shield, fits over personal spectacles.



SEI 191 SAFETY MESH GOGGLE

Light weight, tough vinyl frame and elastic band, metal mesh shield, fits over personal spectacles.

Compliance: **ANSI Z87.1** **CE** EN1731



SE2 129 MESH SPECTACLE

Lightweight, Nylon frame and temples, polycarbonate side shield, metal mesh shield.

Safety Glasses

All of our protective spectacles provide scratch resistance, UV protection and impact resistance.

Meanwhile, they are all compliant to ANSI standard; some of them even acquire the CE certificate in connection with EN166 standard, which ensure the users to be prevented from injuries more perfectly.

In addition, assorted colors of frame and lens are available which provide better protection to different working environment for functional uses.

To provide clients more choices, we keep developing new styles with ergonomical design.



SE2105 PROTECTIVE SPECTACLE

Lightweight, single polycarbonate wraparound lens, impact and scratch resistance, UV protection, offers a maximum worker comfort and durability.

Compliance: **ANSI Z87.1** **CE EN166**



SE2106 PROTECTIVE SPECTACLE

Lightweight, single polycarbonate wraparound lens, impact and scratch resistance, UV protection, adjustable temples, offers a maximum worker comfort and durability. Clear lens available.

Compliance: **ANSI Z87.1** **CE EN166**



SE2111 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection, adjustable temples for better fit.

Compliance: **ANSI Z87.1**



SE2114 PROTECTIVE SPECTACLE

Flip-Up lens design, modern style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2117 PROTECTIVE SPECTACLE

Unique styling, lightweight, soft nosepiece and TPR tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2121 PROTECTIVE SPECTACLE

Unique styling, lightweight, soft nosepiece and rubber tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2118 PROTECTIVE SPECTACLE

Unique styling, lightweight, soft nosepiece and TPR tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2122 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2119 PROTECTIVE SPECTACLE

Modern full-rim style follows facial contours for complete coverage and comfort. Lightweight design with polycarbonate lens for impact resistance and UV protection, fixed with elastic band. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2123 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**

Safety Glasses



SE2124 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2125 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2126 PROTECTIVE SPECTACLE

Lightweight, with soft nose piece and tipped temples for a comfortable all-day wearing. Durable scratch-resistant polycarbonate lens provides impact and UV protection.

Compliance: **ANSI Z87.1**



SE2127 PROTECTIVE SPECTACLE

Unique styling, lightweight, soft nose piece and rubber tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2142 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection.

Compliance: **ANSI Z87.1**



SE2143 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2148 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection.

Compliance: **ANSI Z87.1** **CE** EN166



SE2160 PROTECTIVE SPECTACLE

Well-designed, lightweight, tough polycarbonate lens with wide range of vision, fits over personal spectacles. General use, good for impact, UV protection and plant visitors.

Compliance: **ANSI Z87.1** **CE** EN166



SE2155 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection.

Compliance: **ANSI Z87.1** **CE** EN166



SE21602 PROTECTIVE SPECTACLE with LED

Rugged yet lightweight, with overspec frame for maximum comfort. Side shields offer maximum protection and reduce injuries. Polycarbonate lens is anti-scratch treated. Protecting your eyes mostly.

Compliance: **ANSI Z89.1**



SE2156 PROTECTIVE SPECTACLE

Modern wraparound style follows facial contours for complete coverage and comfort. Lightweight design with polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Temple fixed with elastic band for better fit and comfortable.

Compliance: **ANSI Z87.1** **CE** EN166



SE2163 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection.

Compliance: **ANSI Z87.1** **CE** EN166

Safety Glasses



SE2172 PROTECTIVE SPECTACLE

Fashion, wide vision polycarbonate lens for impact and UV protection. Built-in sideshields; adjustable temple for maximum comfort and fit.

Compliance: **ANSI Z87.1** **CE** EN166



SE2164 PROTECTIVE SPECTACLE

Stylishly temple and wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection.

Compliance: **ANSI Z87.1** **CE** EN166



SE2178 PROTECTIVE SPECTACLE

Lightweight, single polycarbonate lens, scratch-resistant, built-in sideshields and browguard, color frame and adjustable temple, offers a maximum worker comfort and durability. Good for impact and UV protection.

Compliance: **ANSI Z87.1** **CE** EN166



SE2165 PROTECTIVE SPECTACLE

Lightweight, with soft nose piece and tipped temples for a comfortable all-day wearing. Durable scratch-resistant polycarbonate lens provides impact and UV protection.

Compliance: **ANSI Z87.1**



SE2186 PROTECTIVE SPECTACLE

Lightweight, single polycarbonate lens, scratch-resistant, built-in sideshields adjustable temple, offers a maximum worker comfort and durability. Good for impact and UV protection.

Compliance: **ANSI Z87.1** **CE** EN166



SE2190 SPECTACLE STRAP

Nylon strap fits any spectacles, keeps spectacles from slipping and falling off face, one size fits all.



SE2191 LENS CLEANING CLOTH

Excellent for cleaning eyewear, keep eyewear clean for on-the job safety and reduce eye strain.
Length:15cm, width:12cm.



SE2192 SPECTACLE POUCH

Soft fabric with zipper and belt loop for convenient carrying, additional compartments for spare lenses. Lightweight, keep eyewear from dirt and scratching. Used for SE2384



SE2193 SPECTACLE BAG

Washable microfiber bag works as a cleaning cloth to polish the lenses. Protect the spectacles from scratches or damages.



SE2206 PROTECTIVE SPECTACLE

Lightweight, with soft TPR nosepiece and tipped temples for a comfortable all-day wearing. Durable scratch-resistant polycarbonate lens provide impact and UV protection.

Compliance: **ANSI Z87.1**  **EN166**



SE2211 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with single polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**  **EN166**



SE2217 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Temple fixed with elastic band for better fit and comfortable.

Compliance: **ANSI Z87.1**

Safety Glasses



SE2218 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Compliance: **ANSI Z87.1**



SE2219 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Temple fixed with elastic band for better fit and comfortable. Compliance: **ANSI Z87.1**



SE2219I PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Temple fixed with elastic band. Compliance: **ANSI Z87.1**



SE2252 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Compliance: **ANSI Z87.1**



SE2258 PROTECTIVE SPECTACLE

Lightweight, single polycarbonate lens, scratch-resistant, built-in sideshields and browguard, and adjustable temple, offers a maximum worker comfort and durability. Good for impact and UV protection. Compliance: **ANSI Z87.1**



SE2263 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection, adjustable temples for better fit. Compliance: **ANSI Z87.1**



SE2265 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection. Temple ends with soft pads for better fit and comfort. Compliance: **ANSI Z87.1**



SE2281 PROTECTIVE SPECTACLE

Lightweight, single polycarbonate lens, scratch-resistant, built-in sideshields and browguard, color frame and adjustable temple, offers a maximum worker comfort and durability. Good for impact and UV protection. Compliance: **ANSI Z87.1**



SE2266 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection. Temple ends with soft pads for better fit and comfort. Compliance: **ANSI Z87.1**  **EN166**



SE2288 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection. Compliance: **ANSI Z87.1**



SE2275 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection. Compliance: **ANSI Z87.1**  **EN166**



SE2296 PROTECTIVE SPECTACLE

Unique styling, lightweight, wraparound lens with a wide field of vision and maximum protection, soft nose piece for a comfortable and secure fit. Compliance: **ANSI Z87.1**

Safety Glasses



SE2301 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with single polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1** **CE EN166**



SE2302 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with single polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2304 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lenses provide impact and UV protection. Adjustable length temples and lens angle for a customized fit.

Compliance: **ANSI Z87.1**



SE2308 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2309 PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, offer a maximum worker comfort and durability. Good for impact and UV protection.

Compliance: **ANSI Z87.1**



SE2311 PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, offer a maximum worker comfort and durability. Good for impact and UV protection.

Compliance: **ANSI Z87.1**



SE2312 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Temple fixed with elastic band for better fit and comfortable.

Compliance: **ANSI Z87.1** **CE** **EN166**



SE2318 PROTECTIVE SPECTACLE

Modern style, polycarbonate lens with integral sideshields and wider temples provide more protection against impact.

Compliance: **ANSI Z87.1**



SE2313 PROTECTIVE SPECTACLE

Dual color frame, wraparound lens with a wide field of vision and maximum protection. Adjustable length temples and lens angle for a customized fit.

Compliance: **ANSI Z87.1**



SE2319 PROTECTIVE SPECTACLE

Universal fit nosebridge fits most people, wraparound lens with a wide field of vision and maximum protection, rubber tipped temples keep spectacle securely in place.

Compliance: **ANSI Z87.1**



SE2315 PROTECTIVE SPECTACLE

Stylishly wrap around eyes for superior impact protection and unobstructed view.

Compliance: **ANSI Z87.1**



SE2320 PROTECTIVE SPECTACLE

Tough frame, soft rubber nosepiece and tipped temples for comfortable and secure fit.

Compliance: **ANSI Z87.1**

Safety Glasses



SE2321 PROTECTIVE SPECTACLE

Lightweight, with soft nosepiece and TPR tipped temples for a comfortable all-day wearing.

Compliance: **ANSI Z87.1**



SE2322 PROTECTIVE SPECTACLE

Ergonomic temple and brow bar, spring-like action, fit comfortably either on wide faces or narrow faces. Rubber tipped temples keep spectacle securely in place.

Compliance: **ANSI Z87.1**



SE2323 PROTECTIVE SPECTACLE

Fashion, polycarbonate lens with integral sideshields and browguard provide more protection against impact and dust, universal fit nosebridge fits most people.

Compliance: **ANSI Z87.1**



SE2324 PROTECTIVE SPECTACLE

Tough polycarbonate lens with integral sideshields provide a high level protection against impact, dual color frame for a sporty style, soft rubber nosepiece and tipped temples for grip head securely.

Compliance: **ANSI Z87.1** **CE EN166**



SE2327 PROTECTIVE SPECTACLE

Fashion style, ergonomic frame and soft temples wraps around the face comfortably.

Compliance: **ANSI Z87.1** **CE EN166**



SE2329 PROTECTIVE SPECTACLE

Stylishly wrap around eyes for wide field of vision, superior impact protection and unobstructed view, and tipped temples for a secure fit.

Compliance: **ANSI Z87.1**



SE2330 PROTECTIVE SPECTACLE

Unique styling, lightweight, soft nosepiece and TPR tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2333 PROTECTIVE SPECTACLE

Modern wraparound style follows facial contours for complete coverage and comfort. Lightweight design with single polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2331 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit.

Durable scratch-resistant polycarbonate lenses provide impact and UV protection.

Compliance: **ANSI Z87.1**



SE2335 PROTECTIVE SPECTACLE

Modern wraparound design, lightweight, with single polycarbonate lens for impact resistance and UV protection.

Compliance: **ANSI Z87.1**



SE2332 PROTECTIVE SPECTACLE

Unique styling, lightweight, polycarbonate lens provides impact resistance and UV protection.

Compliance: **ANSI Z87.1**



SE2336 DIOPTER PROTECTIVE SPECTACLE

Tough diopter polycarbonate lenses makes it easy to read the smaller print, with integral sideshields and browguard, provide a high level protection against impact and falling particulates.

Diopter Strength: +1.00, +1.50, +2.00, +2.50

Safety Glasses



SE2343 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2340 PROTECTIVE SPECTACLE

Modern design follows facial contours for complete coverage and comfort. Lightweight design with polycarbonate lens for impact resistance and UV protection.

Compliance: **ANSI Z87.1**



SE2345 PROTECTIVE SPECTACLE

Lightweight, with soft nosepiece and tipped temples for a comfortable all-day wearing.

Durable scratch-resistant polycarbonate lens provide impact and UV protection.

Compliance: **ANSI Z87.1**



SE2341 PROTECTIVE SPECTACLE

Stylishly wraparound design frame with curve lens for a snug, secure fit. Durable scratch-resistant polycarbonate lens provide impact and UV protection.

Adjustable temple for maximum comfort and fit.

Compliance: **ANSI Z87.1**



SE2346 PROTECTIVE SPECTACLE

Universal fit nosebridge fits most people, wraparound lens with a wide field of vision and maximum protection.

Compliance: **ANSI Z87.1**



SE2342 PROTECTIVE SPECTACLE

Lightweight, with TPR tipped temples for a secure and comfortable fit, soft nosepiece for a comfortable all-day wearing. Durable scratch-resistant polycarbonate lens provide impact and UV protection.

Compliance: **ANSI Z87.1**



SE2347 PROTECTIVE SPECTACLE

Unique styling, lightweight, wraparound lens with a wide field of vision and maximum protection, soft nosepiece for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2350 PROTECTIVE SPECTACLE

Unique styling, lightweight, soft nosepiece and TPR tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2348 PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, built-in sideshields, offers a maximum worker comfort and durability.

Good for impact and UV protection.

Compliance: **ANSI Z87.1**



SE2351 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Temple can be changed to elastic band.

Compliance: **ANSI Z87.1**



SE2349 PROTECTIVE SPECTACLE

Tough polycarbonate lens with integral sideshields provide a high level protection against impact, dual color frame for a sporty style, soft rubber nosepiece and tipped temples for grip head securely.

Compliance: **ANSI Z87.1**



SE2352 DIOPTER PROTECTIVE SPECTACLE

Tough diopter polycarbonate lenses makes it easy to read the smaller print, with integral sideshields and browguard, provide a high level protection against impact and falling particulates.

Diopter Strength: +1.00, +1.50, +2.00, +2.50

Safety Glasses



SE2353 PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, built-in sideshields and browguard, offers a maximum worker comfort and durability. Good for impact and UV protection.

Compliance: **ANSI Z87.1**



SE2354 PROTECTIVE SPECTACLE

Tough polycarbonate lens with integral sideshields provide a high level protection against impact, soft nosepiece and tipped temples for grip head securely. Temple can be changed to elastic band.

Compliance: **ANSI Z87.1**



SE2355 PROTECTIVE SPECTACLE

Unique styling, lightweight, wraparound, soft nosepiece and TPR tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2356 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles. Temple can be changed to elastic band.

Compliance: **ANSI Z87.1**



SE2357 PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, built-in sideshields and browguard, offers a maximum worker comfort and durability. Good for impact and UV protection. Temple can be changed to elastic band.

Compliance: **ANSI Z87.1**



SE2358 PROTECTIVE SPECTACLE

Tough polycarbonate lens with integral sideshields provide a high level protection against impact, soft nosepiece for grip face securely, lens angle adjusts easily for a customized fit. Temple can be changed to elastic band.

Compliance: **ANSI Z87.1**



SE2359 PROTECTIVE SPECTACLE

Unique styling, lightweight, wraparound, soft nosepiece and rubber tipped temples for a comfortable and secure fit. Temple can be changed to elastic band.

Compliance: **ANSI Z87.1**



SE2362 PROTECTIVE SPECTACLE

Tough polycarbonate lens with integral sideshields provide a high level protection against impact, soft nosepiece for grip face securely, lens angle adjusts easily for a customized fit.

Compliance: **ANSI Z87.1**



SE2360 PROTECTIVE SPECTACLE

Flip-up lens design, modern style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**



SE2363 PROTECTIVE SPECTACLE

Unique styling, lightweight, soft nosepiece and TPR tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2361 PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, built-in sideshields and browguard, offers a maximum worker comfort and durability. Good for impact and UV protection.

Compliance: **ANSI Z87.1**



SE2364 PROTECTIVE SPECTACLE

Modern wraparound style follows facial contours for complete coverage and comfort. Lightweight design with single polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1**

Safety Glasses



SE2368 PROTECTIVE SPECTACLE

Universal fit nosebridge fits most people, wraparound lens with a wide field of vision and maximum protection, rubber tipped temples keep spectacle securely in place.
Compliance: **ANSI Z87.1**



SE2365 PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, built-in sideshields and browguard, offers a maximum worker comfort and durability.
Good for impact and UV protection.
Compliance: : **ANSI Z87.1**



SE2369 PROTECTIVE SPECTACLE

Unique styling, lightweight, wraparound lens with a wide field of vision and maximum protection, soft nosepiece and soft tipped temples for a comfortable and secure fit.
Compliance: **ANSI Z87.1**



SE2366 PROTECTIVE SPECTACLE

Modern wraparound and full-rim style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection.
Ideal for protection from dust and particles.
Compliance: **ANSI Z87.1**



SE2370 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.
Compliance: **ANSI Z87.1**



SE2367 PROTECTIVE SPECTACLE

Lightweight, with soft nosepiece and tipped temples for a comfortable all-day wearing. Durable scratch-resistant polycarbonate lens provide impact and UV protection.
Compliance: **ANSI Z87.1**



SE2371 PROTECTIVE SPECTACLE

Tough polycarbonate lens with integral sideshields provide a high level protection against impact, soft rubber nosepiece and tipped temples for grip head securely.

Compliance: **ANSI Z87.1**



SE2374 PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, built-in sideshields and browguard, offers a maximum worker comfort and durability. Good for impact and UV protection.

Compliance: **ANSI Z87.1**



SE2372 PROTECTIVE SPECTACLE

Unique styling, lightweight, soft nosepiece and TPR tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2375 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: : **ANSI Z87.1**



SE2373 PROTECTIVE SPECTACLE

Modern style follows facial contours for complete coverage and comfort. Lightweight design with dual polycarbonate lens for impact resistance and UV protection. Ideal for protection from dust and particles.

Compliance: **ANSI Z87.1** **CE EN166**



SE2376 PROTECTIVE SPECTACLE

Lightweight, with soft nosepiece and tipped temples for a comfortable all-day wearing. Durable scratch-resistant polycarbonate lens provides impact and UV protection.

Compliance: **ANSI Z87.1**

Safety Glasses



SE2377 PROTECTIVE SPECTACLE

Universal fit nosebridge fits most people, wraparound lens with a wide field of vision and maximum protection, rubber tipped temples keep the spectacle securely in place.

Compliance: **ANSI Z87.1**



SE2378 PROTECTIVE SPECTACLE

Unique styling, lightweight, dual color frame, wraparound lens with a wide field of vision and maximum protection, soft nosepiece and soft tipped temples for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2379 PROTECTIVE SPECTACLE

Nylon frame, wraparound lens with a wide field of vision and maximum protection. Assorted color of frame and lens available.

Compliance: **ANSI Z87.1**



SE2380 PROTECTIVE SPECTACLE

Light weight, polycarbonate lens, scratch-resistant, durable, Good for protection against impact. Adjustable length temples for a customized fit.

Compliance: **ANSI Z87.1**



SE2381 PROTECTIVE SPECTACLE

Stylish, polycarbonate lens, provides protection against impact and dust, universal fit nosebridge fits most people.

Compliance: **ANSI Z87.1**



SE2382 PROTECTIVE SPECTACLE

Light weight, polycarbonate lens, scratch-resistant, durable, Good for protection against impact.

Compliance: **ANSI Z87.1**



SE2383 PROTECTIVE SPECTACLE

Unique styling, lightweight, wraparound lens with a wide field of vision and maximum protection, soft nosepiece for a comfortable and secure fit.

Compliance: **ANSI Z87.1**



SE2384 PROTECTIVE SPECTACLE

Stylish, polycarbonate lens designed to replace the variant lens easily for the multiple eye protection usage, provides more protection against impact and dust, universal fit nosebridge & adjustable length temple fits most people.

Compliance: **CE EN166, EN170, EN172**



SE2387 PROTECTIVE SPECTACLE

Light weight, polycarbonate lens, scratch-resistant, durable, Good for protection against impact.

Compliance: **CE EN166**



SE2388 PROTECTIVE SPECTACLE

Stylish, tough polycarbonate lens. TPR temple sleeves provide comfortable wear. Good protection against impact and dust, universal fit nosebridge fits most people.

Compliance: **ANSI Z87.1 CE EN166**



SE2385 PROTECTIVE SPECTACLE

Light weight, polycarbonate lens, scratch-resistant, durable, Good for protection against impact.

Compliance: **ANSI Z87.1**



SE2389 PROTECTIVE SPECTACLE

Light weight, polycarbonate lens, scratch-resistant, durable, Good for protection against impact.

Compliance: **ANSI Z87.1 CE EN166**



SE2386 PROTECTIVE SPECTACLE

Stylish, polycarbonate lens with integral side shields and browguard, provides more protection against impact and dust, universal fit nosebridge fits most people.

Compliance: **ANSI Z87.1**



SE2389I PROTECTIVE SPECTACLE

Lightweight, polycarbonate lens, scratch-resistant, offers a maximum worker comfort and durability. Good for impact and UV protection.


Compliance: **ANSI Z87.1 CE EN166**

Safety Glasses

LENS COLORS


LENS SELECTION CHART

NOTE All polycarbonate lenses provide 99% protection against harmful UV-A and UV-B rays. Gray lenses are NOT to be used in welding applications or environments. Filter lenses are clearly marked with the degree of protection.



CLEAR

General purposes for impact protection, good for indoor.



GRAY

Offers protection from excessive glare, good for outdoor.




GRADIENT GRAY

Protects against glare and allows user to read clearly, good for outdoor.




AMBER

Contrast enhanced, good for twilight indoor.




SHOOTER'S AMBER

Offers high contrast in low light conditions with minimal strain on the eye, higher contrast enhanced, under twilight.



MANGO

Offers high contrast in low light conditions with minimal strain on the eye, higher contrast enhanced, under twilight.




ORANGE

Offers high contrast in low light conditions with minimal strain on the eye, higher contrast enhanced, under twilight.




COFFEE

Best for enhancing depth perception, in outdoor.




SANDSTONE BRONZE

Contrast enhanced, good for twilight outdoor.



PURPLE HAZE

Contrast enhanced, good for mid to low light conditions.



INFINITY BLUE

Commonly used in indoor applications where there is an excessive amount of yellow or sodium vapor light. Good for in indoor with excessive yellow or sodium vapor light, a high level of contrast.




INDOOR/ OUTDOOR MIRROR

Clear UV400 polycarbonate lens provides 100% protection from harmful UV-A and UV-B rays. Coated with a light gold mirror finish to reduce glare. Good for indoor/outdoor.




BLUE MIRROR

Gray polycarbonate lens with blue mirror coating. Reduces glare. Good for outdoor.




SILVER MIRROR

Gray polycarbonate lens with silver mirror coating. Reduces glare. Good for outdoor.



GOLD MIRROR

Gray polycarbonate lens with gold mirror coating. Reduces glare. Good for outdoor.



SKY RED MIRROR

Gray polycarbonate lens with a double layer of silver and red mirror coatings. Good for outdoor.




ICE ORANGE MIRROR

Gray polycarbonate lens with a double layer of silver and orange mirror coatings. Good for outdoor.



ICE BLUE MIRROR

Gray polycarbonate lens with a double layer of silver and blue mirror coatings. Good for outdoor.




3.0 IR FILTER

For welding sites or for light brazing or cutting purpose.




5.0 IR FILTER

For welding sites or for medium to heavy cutting and medium to heavy gas welding purpose.



GRAY POLARIZED

A special filter that blocks intense reflected light, reducing glare and eye fatigue, good for outdoor.




PHOTOCHROMATIC

Changes from clear to dark, after exposed to direct UV light.

Changes from dark to clear, after removed from UV light.

Transitions between 85% ~ 24%.



PINK

Offers increased definition and contrast in low light and flat light conditions.

Ear Plugs



SEI320 EAR PLUG

Soft pliable material, reusable, one size fits all, comfortable and effective protection.
With neck string, plastic case and chain for convenient carrying.



SEI321 EAR PLUG

Soft pliable material, reusable, one size fits all, comfortable and effective protection.
With neck string, pair in a polybag for economical.



SEI322 EAR PLUG

Soft pliable material, reusable, one size fits all, comfortable and effective protection.
Without neck string, pair in a polybag for economical.



SEI323 EAR PLUG

Flexible flange fits the ear canal for harmful noise protection and comfortable. The easy grip handle offers easy insertion, removal, reusable and can be washed with ordinary soap and water.
With neck strip, plastic case for convenient carrying.
Compliance: **ANSI S3.19** **CE** **EN352-2**
SNR:28dB NRR:27dB



SEI324 EAR PLUG

Flexible flange fits the ear canal for harmful noise protection and comfortable.
The easy grip handle offers easy insertion, removal, reusable and can be washed with ordinary soap and water.
With neck strip, pair in a polybag for economical.
Compliance: **ANSI S3.19** **CE** **EN352-2**
SNR:28dB NRR:27dB

SEI325 EAR PLUG

Flexible flange fits the ear canal for harmful noise protection and comfortable.
The easy grip handle offers easy insertion, removal, reusable and can be washed with ordinary soap and water.
Without neck strip, pair in a polybag for economical.
Compliance: **ANSI S3.19** **CE** **EN352-2**
SNR:28dB NRR:27dB



SEI 326 EAR PLUG

The very soft polyurethane foam provides comfortable and close-fitting seal against harmful noise. One size fits all. Corded, pair in a polybag for economical.

Compliance: **ANSI S3.19**

NRR: 24dB

SEI 327 EAR PLUG

The very soft polyurethane foam provides comfortable and close-fitting seal against harmful noise. One size fits all. Uncorded, pair in a polybag for economical.

Compliance: **ANSI S3.19**

NRR: 24dB



SEI 363 EAR PLUG

Soft and thin pliable material with triple flange design, triple seal against harmful noise, fit the ear canal perfectly. With neck string, plastic case and loop for convenient carrying.

Compliance: **ANSI S3.19** **EN352-2**

SNR:25dB NRR:25dB



SEI 360 EAR PLUG

Unique triple flange design with soft pliable material provides comfortable and effective protection. With neck string, plastic case and loop for convenient carrying.

Compliance: **ANSI S3.19** **EN352-2**

SNR:24.5dB NRR:24dB



SEI 364 EAR PLUG

Soft and thin pliable material with triple flange design, triple seal against harmful noise, fit the ear canal perfectly. With neck string, pair in a polybag for economical.

Compliance: **ANSI S3.19** **EN352-2**

SNR:25dB NRR:25dB



SEI 361 EAR PLUG

Unique triple flange design with soft pliable material provides comfortable and effective protection. With neck string, pair in a polybag for economical.

Compliance: **ANSI S3.19** **EN352-2**

SNR:24.5dB NRR:25dB

SEI 362 EAR PLUG

Unique triple flange design with soft pliable material provides comfortable and effective protection. Without neck string, pair in a polybag for economical.

Compliance: **ANSI S3.19** **EN352-2**

SNR:24.5dB NRR:24dB

Ear Plugs



SEI 328 EAR PLUG

Soft and flexible flange fits ear canal perfectly. The easy grip stem for easy insertion and removal. Provides excellent hearing protection and comfortable.

Compliance: **ANSI S3.19** **CE EN352-2**

SEI 329 EAR PLUG

Soft and flexible flange fits ear canal perfectly. The easy grip stem for easy insertion and removal. Provides excellent hearing protection and comfortable. With neck string, plastic case and chain for convenient carry.

Compliance: **ANSI S3.19** **CE EN352-2**



SEI 370 EAR PLUG

Soft pliable material, easy installing, provides comfortable and effective seal. Without neck string, pair in a polybag for economical.

Compliance: **ANSI S3.19**

NRR:23dB



SEI 370I EAR PLUG DISPENSER

A table-top dispenser, durable plastic design provides a user-friendly and hygienic source for ear plugs. To dispense the ear plugs by twisting the knob.



SEI 371 EAR PLUG

Soft pliable material, easy installing, provides comfortable and effective seal.

With neck string, pair in a polybag for economical.

Compliance: **ANSI S3.19**

NRR:23dB



SEI 372 EAR PLUG

Soft pliable material, easy installing, provides comfortable and effective seal.

Without neck string, pair in a polybag for economical.

Compliance: **ANSI S3.19**

NRR:23dB



SEI 373 EAR PLUG

The very soft polyurethane foam provides comfortable and close-fitting seal against harmful noise. One size fits all. Corded, pair in a polybag for economical. Compliance: **ANSI S3.19** **CE EN352-2**
SNR:37dB NRR:32dB

SEI 374 EAR PLUG

The very soft polyurethane foam provides comfortable and close-fitting seal against harmful noise. One size fits all. Uncorded, pair in polybag for economical. Compliance: **ANSI S3.19** **CE EN352-2**
SNR:37dB NRR:32dB



SEI 3733 DETECTABLE EAR PLUGS WITH METAL CORDED

The very soft polyurethane foam provides comfortable and close-fitting seal against harmful noise. One size fits all. Detectable metal corded, pair in a polybag for economical. Compliance: **ANSI S3.19 NRR:32dB**
CE EN352-2 SNR: 36dB



SEI 3731 EAR PLUG WITH CORD

The very soft polyurethane foam provides comfortable and close-fitting seal against harmful noise. One size fits all. Corded, pair in a polybag for economical. Compliance: **ANSI S3.19** **CE EN352-2**
SNR: 36dB NRR: 33dB AS/NZS: 26.4dB Class 5

SEI 3732 EAR PLUG

The very soft polyurethane foam provides comfortable and close-fitting seal against harmful noise. One size fits all. Uncorded, pair in polybag for economical. Compliance: **ANSI S3.19** **CE EN352-2**
SNR: 36dB NRR: 33dB AS/NZS: 26.4dB Class 5



SEI 376 EAR PLUG

Soft silicon or TPR plugs with built-in stem for easy insertion, fits ear canal well and comfortable. Provide excellent hearing protection. High visible blue color to add safety feature, washable and reusable. Without neck string and pair in a polybag for economical. Compliance: **CE EN352-2**
Silicon:SNR:29dB
TPR:SNR:26dB

Ear Plugs/ Ear Muffs



SEI377 EAR PLUG

Soft silicon plugs with built-in stem for easy insertion, fits ear canal well and comfortable. Provide excellent hearing protection. High visible orange color to add safety feature, washable and reusable. With neck string and pair in a polybag.

Compliance: **ANSI S3.19** **EN352-2**

SEI378 EAR PLUG

Soft silicon plugs with built-in stem for easy insertion, fits ear canal well and comfortable. Provide excellent hearing protection. High visible blue color to add safety feature, washable and reusable. Without neck string and pair in a polybag for economical.

Compliance: **ANSI S3.19** **EN352-2**



SEI366 HEARING BAND

Soft caps with flexible and durable band, fits comfortably over the ear canal, provides sufficient harmful noise reduction.

Compliance: **ANSI S3.19** **EN352-2**
SNR:19dB NRR:26dB



SEI367 HEARING BAND

Advanced hinged headband design allows to be worn in a variety position, soft foam plug fits ear canal comfortably and provides excellent hearing protection.

Compliance: **ANSI S3.19** **EN352-2**
SNR:24dB NRR:22dB



SEI368 HEARING BAND

Soft caps with flexible and durable band. Fits comfortably over the ear canal and provides sufficient harmful noise reduction.

Compliance: **ANSI S3.19** **EN352-2**
SNR:26dB NRR:21dB



SEI 369 HEARING BAND

Flexible and durable band fits comfortably over the ear canal. Streamline artistic ear band design. Replaceable by various material or design plug.

Compliance: **ANSI S3.19** **EN352-2**
SNR: 19dB NRR: 26dB

Lightweight, with soft foam-filled cushion providing a good seal for protection against harmful noise and adjustable reinforced headband, our ear muffs offer a snug, comfortable fit and most of them can be worn in three positions.



SEI 379 HEARING BAND

Soft caps with flexible and durable band, fits comfortably over the ear canal, provides sufficient harmful noise reduction.

Compliance: **EN352-2**
SNR: 21dB



SEI 310 EAR MUFF

PC Headband SNR: 27.6dB
POM Headband SNR: 25.7dB NRR: 28dB

EN352-1 **ANSI S12.42 (S3.19)**



SEI 379I HEARING BAND

Soft caps with flexible and durable band, fits comfortably over the ear canal, provides sufficient harmful noise reduction.

Compliance: **EN352-2** **SNR: 29dB** **ANSI S3.19**
NRR: 23dB



SEI 311 EAR MUFF

Unique Double layer plastic headband and ear cups for extended comfort. Soft and wide sealing rings filled with a unique combination foam to offer optimum sealing and low pressure. Generous space inside cup to help the ears breathe thus improving comfort. Professional earmuffs for durability and reliability.

Compliance: **EN352-1** **SNR: 29dB** **ANSI S3.19**
NRR: 23dB AS/NZS Class5 29.2dB



Ear Muffs



NEW

SEI312 EAR MUFF

New clarity improves safety and communication by blocking hazardous noise. Unique plastic headband and ear cups for extended comfort and insulation. Professional earmuffs for durability and reliability. Its low attenuation provides ideal protection for workers exposed to low levels of hazardous noise.

Compliance: **CE EN352-1 SNR: 29dB ANSI S3.19**
NRR:22dB AS/NZS Class5 26.9dB



SEI315 EAR MUFF

Lightweight, with soft foam-filled cushion provides a good seal for a protection against harmful noise, adjustable reinforced headband offer a snug, comfortable fit and can be worn in three positions.

Compliance: **CE EN352-1**
SNR:28dB



SEI333 EAR MUFF

Dual color fashion design, soft and pliable foam cushions gives comfort for long term wear. Foldable padded four-point headband with adjustable slide clips make it easy to adjust the length of the headband and pivoting ear cups fits snugly for most head sizes.

Compliance: **CE EN352-1 ANSI S3.19**
SNR:23.7dB NRR: 21dB



SEI334 EAR MUFF

Soft and pliable foam cushions gives comfort for long term wear. Foldable padded four-point headband with adjustable slide clips make it easy to adjust the length of the headband, and pivoting ear cups fits snugly for most head sizes.

Special curve shape for shooting and hunting purpose.
Compliance: **CE EN352-1 ANSI S3.19**
SNR:21.9dB NRR: 25dB



SEI 335 EAR MUFF

Soft and pliable foam cushions gives comfort for long term wear. Foldable headband folds into a compact unit, good for storage or carry in pocket. Special curve shape for shooting and hunting purpose.

Compliance: **CE EN352-1 ANSI S3.19**

SNR: 22 dB NRR: 21 dB



SEI 338 EAR MUFF

Unique plastic headband and ear cups for extended comfort and insulation. Generous space inside cup to help the ears breathe thus improving comfort. Professional earmuffs for durability and reliability.

Compliance: **CE EN352-1 SNR: 33dB ANSI S3.19**

NRR:26dB AS/NZS Class5 33dB



SEI 336 EAR MUFF

Padded headband and ear cups for extended comfort. Stainless steel wire for easy personalized fit adjustment. Unique new design guarantee offer high noise reduction rating. Generous space inside cup to help the ears breathe thus improving comfort. Professional earmuffs for durability and reliability.

Compliance: **ANSI S3.19**

NRR:26dB AS/NZS Class5 33.3dB



SEI 337 EAR MUFF

Unique plastic headband and ear cups for extended comfort and insulation. Generous space inside cup to help the ears breathe thus improving comfort. Professional earmuffs for durability and reliability.

Compliance: **CE EN352-1 SNR: 31dB ANSI S3.19**

NRR:24dB AS/NZS Class5 31dB



SEI 339 EAR MUFF

Unique plastic headband and ear cups for extended comfort and insulation. Generous space inside cup to help the ears breathe thus improving comfort. Professional earmuffs for durability and reliability.

Compliance: **CE EN352-1 SNR: 34dB ANSI S3.19**

NRR:28dB AS/NZS Class5 34.6dB



Ear Muffs



SEI3405 EAR MUFF

Headband with behind-the-neck design for better positioning, low-profile for use with helmet, caps, face shields, and visors.



SEI3421 EAR MUFF

Lightweight, large soft foam-filled cushions with deep ear cups and wide padded headband, provides a good seal and comfortable fit, perfect protection against harmful noise.



SEI343 EAR MUFF

SNR:24.3dB NRR:27dB

CE EN352-1 ANSI S3.19

SEI353 EAR MUFF

Folding headband. Folds into a compact unit, good for storage or carry in pocket.

ANSI S3.19

NRR:32dB



SEI3431 DUAL COLOR EAR MUFF

Lightweight, large soft foam-filled cushions, provides a good seal and comfortable fit, perfect protection against harmful noise. Folding headband, folds into a compact unit, good for storage or carry in pocket.



SEI347 EAR MUFF

Folding headband, folds into a compact unit, good for storage or carry in pocket. Special curve shape for shooting and hunting purpose.

CE EN352-1 ANSI S3.19

SNR:22dB NRR:34dB



SEI350 EAR MUFF

CE EN352-1 ANSI S3.19 (12.42)

SNR:27.6dB NRR:22dB



SEI 380 EAR MUFF

CE EN352-1 ANSi S3.19

SNR:23.9dB NRR:20dB



SEI 390 EAR MUFF

CE EN352-1 ANSi S3.19

SNR:26.1dB NRR:25dB



SEI 381 CHILDREN'S EAR MUFF

Ear muff for children, with foam pad on the head band which provides the user more comfort.

Colors: Pink / Blue

Compliance: CE EN352-1 SNR:24 dB



SEI 340 EAR MUFF

Large foam-filled cushions with deep earcups, can be folded into a compact unit, good for storage or carry in pocket.

Color availability: Red, Yellow, Red/Black, Yellow/Black, Gray/White, Blue/White.

CE EN352-1 ANSi S3.19

SNR:30.4dB NRR: 34dB



SEI 382 CHILDREN'S EAR MUFF

Ear muff for children, with foam-filled cushions and foam pad on the head band, perfect protection against harmful noise and comfortable.

For 6 months to 4 years old kids.



SEI 340I DUAL COLOR EAR MUFF

Padded headband and ear cups for extended comfort. Stainless steel wire for easy personalized fit adjustment. Unique double-shell design guarantee offer high noise Reduction Rating. Generous space inside cup to help the ears breathe thus improving comfort. Professional earmuffs for durability and reliability. Compliance:

CE EN352-1 SNR: 32dB ANSi S3.19

NRR:26dB AS/NZS Class5 32.5dB



Ear Muffs



SEI 340N DUAL COLOR EAR MUFF

CE EN352-1 ANSI S3.19



SEI 340H HI-VIZ EAR MUFF

Large form-filled cushions with deep ear cups, can be folded into a compact unit, good for storage or carry in pocket.

Color: Neon Green, Neon Yellow, Neon Orange

CE EN352-1 ANSI S3.19



SEI 342 EAR MUFF

Lightweight, large soft foam-filled cushions with deep ear cups and wide padded headband, provides a good seal and comfortable fit, perfect protection against harmful noise.

Compliance: CE EN352-1 ANSI S3.19

SNR: 28.45 dB NRR : 29 dB



SEI 348 EAR MUFF

Dual color fashion design, soft and pliable foam cushions gives comfort for long term wear. Foldable four-point suspension with adjustable headband slide clips make it easy to adjust the length of the headband, and pivoting ear cups fits snugly for most head sizes.

CE EN352-1 ANSI S3.19

SNR:29.8dB NRR: 32dB



SEI 344 CAP MOUNTED EAR MUFF

Slotted type, cap same as SE1340, with soft foam-filled cushions, durable spring steel head bands, snap on and off hard hat easily.

Color availability: Red, Yellow, Red/Black, Yellow/Black, Gray/Black, Blue/White.

CE EN352-3 ANSI S3.19

SNR:25.9dB NRR:22dB



**SEI 344N
DUAL COLOR CAP MOUNTED EAR MUFF**

CE EN352-3 **ANSI** S3.19
SNR:25.9dB NRR:22dB



SEI 345 CAP MOUNTED EAR MUFF

Slotted type, with soft foam-filled cushions, durable head bands, snap on and off hard hat easily. Perfect protection against harmful noise.

CE EN352-3 **ANSI** S12.42
SNR: 23dB NRR: 30dB



SEI 31A FOAM-FILLED CUSHION

Soft foam cushion, used for SEI310. Customized designs, drawings or samples are welcome.



SEI 31B FOAM-FILLED CUSHION

Soft foam cushion, used for SEI390. Customized designs, drawings or samples are welcome.



Ear Muffs



SE131D FOAM-FILLED CUSHION

Soft foam cushion, used for SE1350.
Customized designs, drawings or samples are welcome.



SE131F FOAM-FILLED CUSHION

Soft foam cushion, used for SE1340, SE1343, SE1344 & SE1346.
Customized designs, drawings or samples are welcome.



SE1346 CAP MOUNTED EAR MUFF

Slotted type, cap same as SE1343, with soft foam-filled cushions, durable spring steel head bands, snap on and off hard hat easily.



SE1392 ELECTRONIC EAR MUFF

Electronic earmuffs with Bluetooth:

* Bluetooth: The built-in digital Bluetooth and microphone allow to take hands-free calls, stream music or your favorite podcast straight to your headphones.

* Includes AUX input allows connection to external MP3 or other audio devices.

Compliance: **CE EN352-1 SNR: 29dB ANSIS3.19**

NRR:24dB AS/NZS Class5 27.1dB



SE1393 ELECTRONIC EAR MUFF

Electronic earmuffs with Compression:

* Amplifies low-level sounds, reduce background noise. Electronic ear protection earmuffs provide enhanced communication for hunting, shooting range, etc. The Built-in opposite direction microphones reduce environmental voices when the sound is over 82dB to protect hearing.

* Includes AUX input allows connection to external MP3 or other audio devices.

Compliance: **CE EN352-1 SNR: 28dB ANSIS3.19**

NRR:22dB AS/NZS Class5 26.3dB



SEI 394 ELECTRONIC EAR MUFF

Electronic earmuffs with multifunction:

- * Bluetooth: The built-in digital Bluetooth and microphone allow to take hands-free calls, stream music or your favorite podcast straight to your headphones.
- * Amplifies low-level sounds, reduce background noise. Electronic ear protection earmuffs provide enhanced communication for hunting, shooting range, etc. The Built-in opposite direction microphones reduce environmental voices when the sound is over 82dB to protect hearing.
- * Includes AUX input allows connection to external MP3 or other audio devices.

Compliance: **CE EN352-1 SNR: 29dB ANSI S3.19**
 NRR:24dB AS/NZS Class5 27.1dB



SEI 396 ELECTRONIC EAR MUFF

Multi-purpose: reduced noise level, protecting hearing sense, amplifying tone, and keeping off external loud noise. Serving as a standard earmuff when not activated to reduce noise level (NRR Value = 23dB). Receiving voice at frequency 400~4000 Hz, making voice clearer. All voices interrupted when exceeding 82dB to ensure use safety in noisy environment for longer hours. Ideal in shooting, hunting, industrial training and many other applications. Easy cell replacement (1.5V x 2) simply by opening up the cell cabinet. Battery sold separately.

CE EN352-1 ANSI S3.19
 SNR: 27 dB NRR: 33 dB



SEI 395 FM RADIO EAR MUFF

Dual purpose for work and pleasure. Natural sound impression by stereo to upgrade sound quality for FM radio effects. Independent FM and volume adjust knobs (88 MHz ~108 MHz). Very comfortable to wear, & easy portable. Cell life in inverse proportion to length of use and amplification results in noisy environment, service life of alkaline cell ranging about 70 ~ 72 hours. Easy cell replacement (1.5V x 2) simply by opening up the cell cabinet. NRR Value = 30 dB. Battery sold separately.

CE EN352-1 ANSI S3.19
 SNR: 25 dB NRR: 30 dB



SEI 398 ELECTRONIC EAR MUFF

Multi-purpose, combines as a standard ear muff when not activated, mini LCD screen provide FM radio, MP3 connection and timepiece. Soft and pliable foam cushions gives comfort for long term wear. Foldable soft, padded headband offer low pressure and distributes weight evenly for comfort and snug fit.

ANSI S3.19 NRR:24dB
CE EN352-1 & EN352-6 & EN352-8 SNR:28dB

Face Shields

CLEAR FACE SHIELD

Provides protection against foreign particles, chemical splash, dust and impact resistance.

WIRE MESH SHIELD

Good for forestry operations against flying branches and woodchips, also protection against molten metals for heat resistance.

PLASTIC MESH SHIELD

Especially good for forestry operations in rainy, damp environment.

The visor will not rust.



SEI 720
SEI 721
SEI 730
SEI 731

SEI 720 CLEAR FACE SHIELD

All aluminum construction bracket complete with 8"X15-1/2" aluminum bound PC clear visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance. Use with safety helmet.

Compliance: **ANSI Z87+** **CE EN166**

SEI 721 CLEAR FACE SHIELD

Basic features the same as SE1720 but with 8"X12" aluminum bound PC clear visor. Use with safety helmet.

Compliance: **ANSI Z87+**

SEI 730 CLEAR FACE SHIELD

Semi-aluminum construction bracket completes with 8"X15-1/2" aluminum bound PC clear visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance. Use with safety helmet.

Compliance: **ANSI Z87+** **CE EN166**

SEI 731 CLEAR FACE SHIELD

Basic features the same as SE1730 but with 8"X12" aluminum bound PC clear visor. Use with safety helmet.

Compliance: **ANSI Z87+**



SEI 740
SEI 741

SEI 740 WELDING FACE SHIELD

Semi-aluminum construction bracket completes with 8"X15-1/2" aluminum bound shade No.3 or No.5 green PC visor. Provides protection against gas welding and light cutting operation. Use with safety helmet.

ANSI Z87+ **CE EN166 EN170**

SEI 741 WELDING FACE SHIELD

Basic features the same as SE1740 but with 8"X12" aluminum bound shade No.5 green PC visor. Use with safety helmet.



**SEI750
SEI751
SEI752
SEI753**

SEI 750 WIRE MESH FACE SHIELD

Semi-aluminum construction bracket completes with 8"X15-1/2" aluminum bound metal wire mesh visor. Protection against flying branches and woodchips, good for forestry operations. Also protection against molten metals for heat resistance. Use with safety helmet.

Compliance: **ANSI Z87** **CE EN1731**

SEI 751 WIRE MESH FACE SHIELD

Basic features the same as SE1750 but with 8"X12" aluminum bound metal wire mesh visor. Used with safety helmet.

Compliance: **ANSI Z87**

SEI 752 WIRE MESH FACE SHIELD

Basic features the same as SE1750 but with SE172B Aluminum bracket. Used with safety helmet.

Compliance: **ANSI Z87**

SEI 753 WIRE MESH FACE SHIELD

Basic features the same as SE1750 but with SE174B plastic bracket. Used with safety helmet.

Compliance: **ANSI Z87** **CE EN1731**



**SEI72B
SEI73B
SEI74B**

SEI 72B ALUMINUM BRACKET

All aluminum construction, aluminum grooved frame with spring coil, easy to install on helmet and sturdy. Positive stop hinge automatically holds visor in raised position. Use with visor.

Compliance: **ANSI Z87** **CE EN166**

SEI 73B SEMI-ALUMINUM BRACKET

Semi-aluminum construction, plastic grooved frame with spring coil, easy to install on helmet and sturdy. Positive stop hinge automatically holds visor in raised position. Use with visor.

Compliance: **ANSI Z87** **CE EN166**

SEI 74B PLASTIC BRACKET

ABS construction, grooved frame with spring coil, easy to install on helmet and sturdy. Positive stop hinge automatically holds visor in raised position. Use with visor.

Compliance: **ANSI Z87** **CE EN166**



SEI 726 HEAT REFLECTIVE FACE SHIELD

Aluminum coated on the polycarbonate visor, reflects heat radiation and let the visible light to pass through for clear vision.

Aluminum grooved frame with spring coil, easy to install on the helmet and sturdy, positive stop hinge automatically holds visor in raised position.

Visor size: 8" x 15-1/2"



SEI 72D ALUMINUM BRACKET

All aluminum construction, aluminum grooved frame with spring coil, easy to install on helmet and sturdy. Positive stop hinge automatically holds visor in raised position. Use with Full-Brim helmet

Face Shields



**SEI74A
SEI74D**

SEI74A GREEN VISOR

8"X15-1/2" shade No.3 or No.5 green PC visor with aluminum bound, good for gas welding, brazing and light cutting operations. Use with bracket or headgear.

ANSI Z87+ CE EN166 EN170

SEI74D GREEN VISOR

8"X12" shade No.3 or No.5 green PC visor with aluminum bound, good for gas welding, brazing and light cutting operations. Use with bracket or headgear.



**SEI74F
SEI74G**

SEI74F GREEN VISOR

8"X15-1/2" shade No.3 or No.5 green PC visor, good for gas welding, brazing and light cutting operations. Use with bracket or headgear.

ANSI Z87+

SEI74G GREEN VISOR

8"X12" shade No.3 or No.5 green PC visor, good for gas welding, brazing and light cutting operations. Use with bracket or headgear.



**SEI760
SEI761
SEI761I**

SEI760 CLEAR FACE SHIELD

Headgear with ABS browguard eliminates forehead injury, complete with 8"X15-1/2" aluminum bound PC clear visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance.

Compliance: **ANSI Z87+ CE EN166**

SEI761 CLEAR FACE SHIELD

Basic features the same as SE1760 but with 8"X12"X0.8mm aluminum bound PC clear visor.

Compliance: **CE EN166**

SEI761I CLEAR FACE SHIELD

Basic features the same as SE1761 but with 8"X12"X1.0mm aluminum bound PC clear visor.



SEI762 FACE SHIELD

Headgear with ABS brow guard eliminates forehead injury, complete with 7" x 15-1/2" PC clear visor, provides protection against foreign particles, chemical splash, dust, heat and impact. With chin guard for added protection.

ANSI Z87+ CE EN166 S9 Z94.3



SEI768 HEAT REFLECTIVE FACE SHIELD

Aluminum coated on the polycarbonate visor, reflects heat radiation and let the visible light to pass through for clear vision.

Adjustable ratchet headgear fits snugly for most head sizes.

Visor size: 8" x 15-1/2"

CE EN166



**SEI770
SEI771**

SEI 770 WELDING FACE SHIELD

Headgear with ABS browguard eliminates forehead injury, complete with 8"X15-1/2" aluminum bound shade No.3 or No.5 green PC visor. Provides protection against gas welding and light cutting operations.

Compliance: **ANSI Z87+** **CE EN166 EN170**

SEI 771 WELDING FACE SHIELD

Basic features the same as SE1770 but with 8"X12" aluminum bound shade No.3 or No.4 green PC visor.



**SEI780
SEI781**

SEI 780 WIRE MESH FACE SHIELD

Headgear with ABS browguard eliminates forehead injury, complete with 8"X15-1/2" aluminum bound metal wire mesh visor. Protection against flying branches and woodchips for forestry operations, also protection against molten metals for heat resistance.

Compliance: **ANSI Z87** **CE EN1731**

SEI 781 WIRE MESH FACE SHIELD

Basic features the same as SE1780 but with 8"X12" aluminum bound metal wire mesh visor.

Compliance: **ANSI Z87**



**SEI73A
SEI73D
SEI73E
SEI73N**

SEI 73A CLEAR VISOR

8"X15-1/2"X1.0mm PC visor with aluminum bound, provides protection against foreign particles, chemical splash, heat and impact resistance. Use with bracket or headgear.

Compliance: **ANSI Z87+** **CE EN166** **SF Z94.3**

SEI 73D CLEAR VISOR

8"X12"X0.8mm PC visor with aluminum bound, provides protection against foreign particles, chemical splash, heat and impact resistance. Use with bracket or headgear.

Compliance: **ANSI Z87+** **CE EN166** **SF Z94.3**

SEI 73E CLEAR VISOR

8"X12"X1.0mm PC visor with aluminum bound.

Compliance: **ANSI Z87+** **CE EN166**

SEI 73N CLEAR VISOR

8"x15-1/2"x1.5mm PC visor with aluminum bound, provides protection against foreign particles, chemical splash, heat and impact resistance. Use with bracket or headgear.

Compliance: **ANSI Z87+** **CE EN166** **SF Z94.3**



**SEI73F
SEI73G**

SEI 73F CLEAR VISOR

8"X15-1/2"X1.0mm PC visor, provides protection against foreign particles, chemical splash, heat and impact resistance. Use with bracket or headgear.

Compliance: **ANSI Z87+** **CE EN166** **SF Z94.3**

SEI 73G CLEAR VISOR

8"X12"X0.8mm PC visor, provides protection against foreign particles, chemical splash, heat and impact resistance. Use with bracket or headgear.

Compliance: **ANSI Z87+** **CE EN166** **SF Z94.3**

Face Shields



**SEI75A
SEI75D**

SEI75A WIRE MESH VISOR

8"X15-1/2" metal wire mesh with aluminum bound, protection against flying branches and woodchips during forestry operations, also protection against molten metals and where deflection of extreme heat is required. Use with bracket or headgear.

Compliance: **ANSI Z87** **EN1731**

SEI75D WIRE MESH VISOR

8"X12" metal wire mesh with aluminum bound, protection against flying branches and woodchips for forestry operations, also protection against molten metals and where deflection of extreme heat is required. Use with bracket or headgear.


Compliance: **ANSI Z87** **EN1731**



SEI76B HEADGEAR

With ABS browguard eliminates forehead injury, adjustable ratchet suspension and sweatband for adding comfort, tension knobs allows flip-up visor to be positioned as user wishes. Use with visor.

Compliance: **ANSI Z87.1** **EN166** **Z94.3**



SEI76M CLEAR VISOR

7" x 15-1/2" PC clear visor provides protection against foreign particles, chemical splash, dust, heat and impact. Used for SE1762.

ANSI Z87+ **EN166** **Z94.3**



SEI76N CHIN GUARD

ABS material protects the chin from impact, splash, foreign particles. Used for SE1762.

ANSI Z87 **EN166** **Z94.3**



SEI765 CLEAR FACE SHIELD

ABS browguard with adjustable pinlock suspension eliminated forehead injury, complete with 8" x 12" PC visor, light duty yet durable and sturdy. Provides protection against foreign particles, chemical splash, dust, heat and impact. Browguards available colors are yellow, green, orange and blue.

ANSI Z87+ **EN166**



SEI766 CLEAR FACE SHIELD

ABS browguard with adjustable ratchet suspension eliminated forehead injury, complete with 8" x 12" PC visor with aluminum bound, light duty yet durable and sturdy.

Provides protection against foreign particles, chemical splash, dust, heat and impact. Browguards available colors are yellow, green, orange and blue.

ANSI Z87+



SEI 775 WELDING FACE SHIELD

ABS browguard with adjustable pinlock suspension eliminated forehead injury, complete with 8" x 12" shade No. 5 PC green visor, provides protection against gas welding and light cutting operations. Browguards available colors are yellow, green, orange and blue.



SEI 777 CLEAR FACE SHIELD

Headgear with PP browguard eliminates forehead injury, completed with 8"X15-1/2"X2.0mm PC clear visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance.



SEI 776 WELDING FACE SHIELD

ABS browguard with adjustable ratchet suspension eliminated forehead injury, complete with 8" x 12" shade No. 5 PC green visor with aluminum bound, provides protection against gas welding and light cutting operations. Browguards available colors are yellow, green, orange and blue.



SEI 76D HEADGEAR

With ABS browguard eliminated forehead injury, adjustable pinlock suspension adjust to fit head size from 6-1/2 to 8, and sweatband for adding comfort. Use with visor SE176G, SE176H, SE177A or SE177B.

ANSI Z87.1 EN166



SEI 76E HEADGEAR

With ABS browguard eliminated forehead injury, adjustable ratchet suspension adjust to fit head size from 6-1/2 to 8, and sweatband for adding comfort. Use with visor SE176G, SE176H, SE177A or SE177B.

EN166



SEI 773 HARD FACE SHIELD

High density clear polycarbonate lens with thickness of 2.0mm for enhanced protection. Shield provides excellent optical clarity, high impact strength and full face coverage for complete protection. Unique shell & lens profile contours to the head and neck to deflect impacts. The modern headgear allows you to adjust face to lens distance, tightness / looseness, top of head fit and more to ensure comfort.

Certified to meet **ANSI Z87. 1** EN166 and AS/NZS 1337. 1 compliance standards.



SEI 76G CLEAR VISOR

8" x 12" PC visor, provides protection against foreign particles, chemical splash, heat and impact. Use with headgear SE176D or SE176E.

ANSI Z87+ EN166

Face Shields



SE176H CLEAR VISOR

8" x 12" PC visor with aluminum bound, provides protection against foreign particles, chemical splash, heat and impact. Use with headgear SE176D or SE176E.

ANSI Z87+ 



SE177A GREEN VISOR

8" x 12" shade No. 5 green PC visor, good for gas welding, brazing and light cutting operations. Use with headgear SE176D or SE176E



SE177B GREEN VISOR

8" x 12" shade No. 5 green PC visor with aluminum bound, good for gas welding, brazing and light cutting operations. Use with headgear SE176D or SE176E.



SE177D CLEAR VISOR

8" x 16" x 2mm PC Clear visor provides protection against foreign particles, chemical splash, dust heat and impact.

Compliance: 



SE177E CLEAR VISOR

PC Clear visor with hard coating 8"x15.5"x2.0mm.



SE177F ALUMINUM VISOR

Aluminum coated on polycarbonate, reflects heat radiation and let the visible light to pass through for clear vision. Visor size: 8" x 15-1/2"



SE1790 CLEAR FACE SHIELD

Plastic bracket completes with 8"x12" clear PC visor, provides protection against foreign particles, chemical splash, dust and impact.

Compliance: ANSI Z87.1 



SEI 79G CLEAR VISOR

8"X12" clear PC visor, provides protection against foreign particles, chemical splash, dust and impact. Used for SE1790.

Compliance: **ANSI Z87.1** **CE EN166**



SEI 792 CLEAR FACE SHIELD

Headgear with browguard eliminates forehead injury, completes with 8"X13-1/2" clear PC visor, provides protection against foreign particles, chemical splash, dust and impact resistance.

Compliance: **ANSI Z87.1** **CE EN166**



SEI 791
SEI 793

SEI 791 PLASTIC MESH FACE SHIELD

Plastic bracket completes with 8"X12" plastic mesh, provides protection against flying branches and woodchips. Good for forestry operations, will not rust.

SEI 793 WIRE MESH FACE SHIELD

Plastic bracket completes with 8"X12" wire mesh, provides protection against flying branches and woodchips. Good for forestry operations.

Compliance: **CE EN1731**



SEI 79A CLEAR VISOR

8"X13-1/2" PC visor, provides protection against foreign particles, chemical splash, dust and impact resistance. Used for SE1792.

Compliance: **ANSI Z87.1** **CE EN166**



SEI 79B
SEI 79F

SEI 79B PLASTIC MESH VISOR

8"X12" plastic mesh, provides against flying branches and woodchips, good for forestry operations in rainy, damp environment, will not rust. Used for SE1791.

SEI 79F WIRE MESH VISOR

8"X12" wire mesh, provides against flying branches and woodchips, good for forestry operations. Used for SE1793.



SEI 79C HEADGEAR

With browguard eliminates forehead injury, adjustable pinlock suspension for adding comfort. Used for SE1792.

Compliance: **ANSI Z87.1** **CE EN166**

Face Shields



SE1794 FACE SHIELD

Plastic bracket completes with 268mm x 150mm clean PC visor, with Nylon strip for fasten purpose, provides protection against foreign particles, chemical, water and blood splash, dust and impact.



SE1796 WIRE MESH FACE SHIELD

Headgear with browguard eliminates forehead injury, completes with 8"x15.5" steel mesh visor, provides protection against molten metals and during forestry operation flying branches and woodchips.

Compliance: EN1731



SE179E HEADGEARD

With browguard eliminates forehead injury, adjustable push button suspension for user comfort. Used for SE1796.

SE179H STEEL MESH VISOR

8"x15-1/2" wire mesh, provides against flying branches and woodchips, good for forestry operations. Used for SE1796.



SE3730
SE3733

SE3730 CLEAR FACE SHIELD

Plastic construction bracket complete with 8"x15-1/2" PC clear visor. Provides protection against foreign particles, chemical splash, dust and impact resistance. Use with safety helmet.

Compliance: EN166

SE3733 CLEAR FACE SHIELD

Plastic construction bracket complete with 8"x12" PC clear visor. Provides protection against foreign particles, chemical splash, dust and impact resistance. Use with safety helmet.

Compliance: EN166



SE3732 CLEAR FACE SHIELD

Plastic construction bracket complete with 8"x15-1/2" aluminum bound PC clear visor. Provides protection against foreign particles, chemical splash, dust and impact resistance.

Use with safety helmet.

Compliance: EN166



SE3734
SE3735
SE3736

SE3734 WIRE MESH FACE SHIELD

Plastic construction bracket complete with 8"x12" metal wire mesh visor.

Provides protection against molten metals and forestry operations against flying branches and woodchips.

Use with safety helmet.

Compliance: EN1731

SE3735 PLASTIC MESH FACE SHIELD

Plastic construction bracket complete with 8"X12" plastic mesh visor.

Provides protection against flying branches and woodchips, good for forestry operations in rainy, damp environment, will not rust.

Use with safety helmet.

SE3736 WIRE MESH FACE SHIELD

Plastic construction bracket complete with 8"X15-1/2" metal wire mesh visor.

Provides protection against molten metals and forestry operations against flying branches and woodchips. Use with safety helmet.

Compliance:  **EN1731**



SE3740
SE3743

SE3740 CLEAR FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 8"X15-1/2" PC clear visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance.

Compliance: **ANSI Z87.1**  **EN166**

SE3743 CLEAR FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 8"X12" PC clear visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance.

Compliance: **ANSI Z87.1**  **EN166**



SE3742 CLEAR FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 8"x15-1/2" PC smoke visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance.

Compliance: **ANSI Z87.1**  **EN166**



SE3744
SE3745
SE3746

SE3744 WIRE MESH FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 8"X12" metal wire mesh visor.

Provides protection against flying branches and woodchips for forestry operations, also protection against molten metals for heat resistance.

Compliance:  **EN1731**

SE3745 PLASTIC MESH FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 8"X12" plastic mesh visor. Provides protection against flying branches and woodchips for forestry operations, will not rust.

SE3746 WIRE MESH FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 8"X15-1/2" metal wire mesh visor. Provides protection against flying branches and woodchips for forestry operations, also protection against molten metals for heat resistance.

Compliance:  **EN1731**



NEW

SE3747 CLEAR FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 8"x15-1/2" aluminum bound PC clear visor. Provides protection against flying branches and woodchips for forestry operations, also protection against molten metals for heat resistance.

Compliance:  **EN1731**

Face Shields



SE3754 CLEAR FACE SHIELD

Headgear with PP browguard eliminates forehead injury, completed with 8"x15-1/2" PC clear visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance.

Compliance: **ANSI Z87.1** **CE EN166**



SE3748 WIRE MESH FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 9"x15 1/2" wire mesh visor, provides protection against flying branches and woodchips. Good for forestry operations.



SE3756
SE3757
SE3758

SE3756 WIRE MESH FACE SHIELD

Headgear with ABS browguard eliminates forehead injury, complete with 8"x15-1/2" metal wire mesh visor. Protection against flying branches and woodchips for forestry operations, also protection against molten metals for heat resistance.

Compliance: **CE EN1731**



SE3752
SE3753

SE3752 CLEAR FACE SHIELD

Headgear with PP browguard eliminates forehead injury, complete with 8"x15-1/2" aluminum bound PC clear visor. Provides protection against foreign particles, chemical splash, dust, heat and impact resistance.

Compliance: **ANSI Z87.1** **CE EN166**

SE3753 CLEAR FACE SHIELD

Basic features the same as SE3752 but with 8"x12" aluminum bound PC clear visor.

Compliance: **ANSI Z87.1** **CE EN166**

SE3757 WIRE MESH FACE SHIELD

Basic features the same as SE3756 but with 8"x12" metal wire mesh visor.

Compliance: **CE EN1731**

SE3758 PLASTIC MESH FACE SHIELD

Headgear with PP browguard eliminated forehead injury, complete with 8"x12" plastic mesh visor, provides protection against flying branches and woodchips. Good for forestry operations, will not rust.



SE3767 FACE SHIELD

Headgear with ABS brow guard eliminates forehead injury, complete with PC clear visor, provides protection against foreign particles, chemical splash, dust, heat and impact. With chin guard for added protection.

Compliance: **ANSI Z87+**  **EN166**



SE374A HEADGEAR

With PP browguard eliminates forehead injury, adjustable ratchet suspension and sweatband for adding comfort, tension knobs allows flip-up visor to be positioned as user wishes.

Use for SE3740, SE3743, SE3744, SE3745 and SE3746.

Compliance: **ANSI Z87.1**  **EN166**



SE374B CLEAR VISOR

8"x15-1/2" PC clear visor, provides protection against foreign particles, chemical splash, heat and impact resistance.

Use with SE373A or SE374A.

Compliance: **ANSI Z87.1**  **EN166**



SE3768 WIRE MESH FACE SHIELD

Headgear with ABS browguard eliminates forehead injury, complete with metal wire mesh visor. Protection against flying branches and woodchips for forestry operations, also protection against molten metals for heat resistance.

Compliance: **ANSI Z87**  **EN1731**

SE374C CLEAR VISOR

8"x12" PC clear visor, provides protection against foreign particles, chemical splash, heat and impact resistance. Use with SE373A or SE374A.

Compliance: **ANSI Z87.1**  **EN166**



SE374F WIRE MESH VISOR

8"x12" metal wire mesh, provides protection against flying branches, woodchips, good for forestry operations. Use with SE373A, SE374A. or SE375A.

Compliance:  **EN1731**



SE373A PLASTIC BRACKET

Plastic construction, grooved frame with spring coil, easy to install on helmet and sturdy. Positive stop hinge automatically holds visor in raised position.

Use for SE3730, SE3733, SE3734, SE3735 and SE3736.

Compliance: **ANSI Z87.1**  **EN166**

SE374G PLASTIC MESH VISOR

8"x12" plastic mesh, provides protection against flying branches and woodchips, good for forestry operations in rainy, damp environment, will not rust. Use with SE373A, SE374A or SE375A.

SE374J WIRE MESH VISOR

8"x15-1/2" metal wire mesh, provides protection against flying branches, woodchips, good for forestry operations. Use with SE373A SE374A. or SE375A.

Compliance:  **EN1731**

Face Shields



SE374K HEADGEAR

With PP browguard eliminates forehead injury, adjustable ratchet suspension and sweatband for adding comfort, tension knobs allows flip-up visor to be positioned as user wishes.
Use with SE374M.



SE374M WIRE MESH VISOR

9"x15 1/2" metal wire mesh. Provides protection against flying branches and woodchips, good for forestry operations. Use with SE374K.



**SE374P
SE374R**

SE374P SMOKE PC VISOR

8"x15-1/2" smoke PC visor, provides protection against foreign particles, chemical splash, dust and impact resistance.
Used for SE1792.

Compliance: **ANSI Z87.1** **CE EN166**



SE375A HEADGEAR

With PP browguard eliminated forehead injury, adjustable ratchet suspension and sweatband for adding comfort, tension knobs allows flip-up visor to be positioned as user wishes.

Use for SE3752, SE3753, SE3756, SE3757 AND SE3758.

Compliance: **ANSI Z87.1** **CE EN166**



**SE375D
SE375E**

SE375D CLEAR VISOR

8"x15-1/2" PC visor with aluminum bound, provides protection against foreign particles, chemical splash, heat and impact resistance.

Use with SE375A, SE374A and SE373A

Compliance: **ANSI Z87.1** **CE EN166**

SE375E CLEAR VISOR

8"x12" PC visor with aluminum bound, provides protection against foreign particles, chemical splash, heat and impact resistance.

Use with SE375A, SE374A and SE373A.

Compliance: **ANSI Z87.1** **CE EN166**



SE376F WIRE MESH VISOR

8" X 15-1/2" slotted type metal wire mesh visor, fits closely over the safety helmet, perfect protection against flying branches, woodchips and sawdust in forestry, gardening, and agricultural operations.



SE377F CLEAR VISOR

8"x15-1/2" slotted type clear PC visor, fits closely over the safety helmet. Perfect protection against foreign particles, chemical splash, dust and impact.

FACE AND HEARING PROTECTION SET

Unique kit set design, light weight and sturdy, with ear muffs two in one, perfect protection to the hearing and face.



SE3780 COMBINATION HEAD PROTECTORS

An unique combination set with helmet, 8"X15-1/2" slotted clear PC visor and ear muff. Lightweight, perfect protection to the hearing, face and head against foreign particles.

Chemical splash, dust and impact.

Reference: SE1701, SE1344, SE378H, SE374B.

Compliance: **ANSI** **CE**



SE3782 FORESTRY HELMET

An unique lightweight and sturdy combination set with helmet, 8"X15-1/2" slotted type metal wire mesh and ear muff, perfect protection to the hearing, face and head against flying branches, woodchips, sawdust, harmful noise in the forestry operations.

Reference: SE1701, SE1344, SE378H, SE374J.

Compliance: **ANSI** **CE**



SE3781 COMBINATION HEAD PROTECTORS

An unique combination set with helmet, 8"X15-1/2" slotted clear PC visor and ear muff. Lightweight. Provides head, face and hearing with perfect protection.

Chemical splash, dust and impact.

Reference: SE1701, SE1344, SE378N, SE374B.

Compliance: **ANSI** **CE**



SE3783 FORESTRY HELMET

An unique lightweight and sturdy combination set with helmet, 8"X15-1/2" slotted type metal wire mesh and ear muff, perfect protection to the hearing, face and head against flying branches, woodchips, sawdust, harmful noise in the forestry operations.

Reference: SE1701, SE1344, SE378N, SE374J.

Compliance: **ANSI** **CE**

Face Shields



SE378H VISOR BRACKET FOR SE3780, SE3782



SE378N VISOR BRACKET FOR SE3781, SE3783



SE378H-1



SE378H-2

CONNECTOR FOR SE378H BRACKET



**SE3790
SE3791**



SE3790 FACE AND HEARING PROTECTION SET

Unique design, light weight and sturdy, 8" x 12" clear face shield with SE1350 Ear Muff two in one, perfect protection to the hearing and face against foreign particles, chemical splash, dust, impact and harmful noise.

Compliance: **ANSI Z87.1** **EN166**

Ear Muff: **ANSI S3.19** **EN352-1**

SE3791 FACE AND HEARING PROTECTION SET

Unique design, light weight and sturdy, 8"x15-1/2" clear face shield with SE1350 Ear Muff two in one, perfect protection to the hearing and face against foreign particles, chemical splash, dust, impact and harmful noise.

Compliance: **ANSI Z87.1** **EN166**

Ear Muff: **ANSI S3.19** **EN352-1**



SE3792 FACE AND HEARING PROTECTION SET

Unique design, light weight and sturdy, 8" x 12" clear face shield with SE1390 Ear Muff two in one, perfect protection to the hearing and face against foreign particles, chemical splash, dust, impact and harmful noise.

Compliance: **ANSI Z87.1** **EN166**

Ear Muff: **ANSI S3.19** **EN352-1**



SE3794
SE3795

SE3794 FACE AND HEARING PROTECTION SET

Unique design, light weight and sturdy, 8" x 12" wire mesh with SE1350 Ear Muff two in one, perfect protection to the face against flying branches, woodchips, sawdust, harmful noise in the forestry, garden and agricultural operations.

Compliance: **ANSI Z87.1** **EN1731**

Ear Muff: **ANSI S3.19** **EN352-1**

SE3795 FACE AND HEARING PROTECTION SET

Unique design, light weight and sturdy, 8"x15-1/2" wire mesh with SE1350 Ear Muff two in one, perfect protection to the face against flying branches, woodchips, sawdust, harmful noise in the forestry, garden and agricultural operations.

Compliance: **ANSI Z87.1** **EN1731**

Ear Muff: **ANSI S3.19** **EN352-1**



SE3796 FACE AND HEARING PROTECTION SET

Unique design, light weight and sturdy, 8" x 12" wire mesh with SE1390 Ear Muff two in one, perfect protection to the face against flying branches, woodchips, sawdust, harmful noise in the forestry, garden and agricultural operations.

Compliance: **ANSI Z87.1** **EN1731**

Ear Muff: **ANSI S3.19** **EN352-1**



SE3799 FACE AND HEARING PROTECTION SET

Unique design, light weight and sturdy, 8"x15-1/2" aluminum bound PC clear visor with SE1350 Ear Muff two in one, perfect protection to the hearing and face against foreign particles, chemical splash, dust, impact and harmful noise.

Compliance: **ANSI Z87.1** **EN166**

Ear Muff: **ANSI S3.19** **EN352-1**



SE3750 FACE SHIELD

Aluminum bracket complete with 8-1/2" x 12" acrylic clear visor and 4" x 8" flip PC green visor shade No.11, provides protection against foreign particles, chemical splash, dust, heat and impact resistance. The flip front lens can switch from welding and cutting to chipping for easy inspection, used for welding, brazing and cutting operations.



SE3751 FACE SHIELD

Aluminum bracket complete with 8-1/2" x 12" acrylic light green shade No.2 visor and 4" x 8" flip front PC green visor shade NO,11. provides protection against foreign particles, chemical splash, dust, heat and impact resistance, The flip front lens can switch from welding and cutting to chipping for easy inspection, used for welding, brazing and cutting operation.

Safety Helmet



SEI700 HELMET

PP or ABS shell, tough, lightweight, durable. Available with four-point or six-point adjustable suspension for shock-absorbing and rain trough prevents water from dropping down to the neck, reinforced ribs on top provides the perfect impact protection. Slotted sides to accommodate accessories, such as face shields, ear muffs. Chin strap not included.

Compliance: **ANSI Z89.1** **CE** **EN397**



SEI701H HI-VIZ HELMET

Polypropylene (P.P.) or ABS shell, tough, lightweight, durable. Available with four-point or six-point adjustable suspension for shock-absorbing and rain trough prevents water from dropping down to the neck, reinforced ribs on top provides the perfect impact protection. Slotted sides to accommodate accessories, such as face shields, ear muffs. Chin strap not included.

High visibility neon green increases the protection for night construction, mining, low-light or dark environments.

Compliance: **ANSI Z89.1** **CE** **EN397**



SEI701 HELMET

P.P. or ABS shell, tough, lightweight, durable. Available with four-point or six-point adjustable suspension for shock-absorbing and rain trough prevents water from dropping down to the neck, reinforced ribs on top provides the perfect impact protection. Slotted sides to accommodate accessories, such as face shields, ear muffs. Chin Strap not included.

Compliance : **ANSI Z89.1** **CE** **EN397**



SEI7162 HELMET

Goes with the same shape as SE1716, but without ventilation. Chin strap not included.

Compliance: **ANSI Z89.1** **CE** **EN397**

Pin lock type	Point	Material	Fit helmet	Knob ratchet-type	Push button type
SE17P41	4	PE	SE1700 SE1701 SE17162	SE17R41	SE17S43
SE17P42	4	NYLON		SE17R42	SE17S42
SE17P46	4	NYLON			SE17S41
SE17P61	6	PE		SE17R65	
SE17P62	6	NYLON		SE17R62	



**SE17P61
SE170E**



**SE17P62
SE170F**

Pin lock type



**SE17R41
SE170C**



**SE17R42
SE170D**

Knob ratchet-type



**SE17R62
SE170H**



**SE17R65
SE170G**

Push button type



**SE17P41
SE170A**



**SE17P42
SE170B**



**SE17S41
SE170N**



**SE17S43
SE170M**

Safety Helmet



SEI7023 HELMET

Goes with the same shape as SE17022, but without ventilation. Chin strap not included.

Compliance: **ANSI Z89.1** **CE EN397**



SEI718 HELMET

Polypropylene (PP) shell assembled with six-point adjustable Nylon Ratchet suspension (SE171M), chin strap excluded. Slotted sides to accommodate accessories, such as face shield, ear muffs.

Compliance: **ANSI Z89.1** **CE EN397**

Pin lock type	Point	Material	Fit helmet	Knob ratchet-type	Push button type
SE17P43	4	PE	SE1718 SE1719		
SE17P44	4	NYLON		SE17R43	
SE17P63	6	PE	SE17022 SE17023	SE17R61	
SE17P64	6	NYLON		SE17R63	



SEI719 HELMET

Full-Brim Polypropylene (PP) shell can be assembled with Four-point adjustable Nylon Ratchet suspension (standard type) or with six-point suspension.

Compliance: **ANSI Z89.1**



SEI7P43



SEI7P44



SEI7P63



SEI7P64



SEI7022 HELMET

The high density PP unique-designed shell is lightweight, tough and durable. The ventilation holes on the top let air circulate, keep the head cool and comfortable. Slotted sides to accommodate accessories, such as face shields and ear muffs. Chin strap not included.

Fits suspensions SE170A, SE170B, SE170C, SE170D, SE170E, SE170F, SE170G, SE170H

Compliance: **ANSI Z89.1** **CE EN397**



SEI7R43
SEI7IT



SEI7R63
SEI7IM



SEI 702 SAFETY HELMET

Polypropylene(P.P.) or ABS shell, tough, lightweight, durable. Smooth thermoplastic shell, dome design, no ribs or ridges, deflects the objects away immediately. Available with four-point or six-point adjustable ratchet suspension for shock-absorbing.

Compliance: **ANSI Z89.1** **CE** **EN397**



SEI 712 BUMP CAP

Lightweight and comfortable, polyethylene shell with an adjustable suspension, protects the head from cuts and bruises. Ideal for mechanics, food processing or anywhere the possibility of a minor head bump or laceration exists.

Compliance: **CE** **EN812**



SEI 703 SAFETY HELMET

Full-Brim Polypropylene(P.P.) or ABS shell, tough, lightweight, durable. Smooth thermoplastic shell, dome design, no ribs or ridges, deflects the objects away immediately. Available with four-point or six-point adjustable ratchet suspension for shock-absorbing.

Compliance: **ANSI Z89.1**

Pin lock type	Point	Material	Fit helmet	Knob ratchet-type	Push button type
SE17S44	4	PE	SE1712		
SE17S45	4	PE			

Pin lock type	Point	Material	Fit helmet	Knob ratchet-type	Push button type
SE17P45	4	NYLON	SE1702	SE17R44	
SE17P65	6	NYLON	SE1703	SE17R64	



SEI 7S44
SEI 7IN



SEI 7S45



SEI 7P45



SEI 7P65

Safety Helmet



SE1704 HELMET

High-density P.P or ABS shell, lightweight, tough and durable, four-point or six-point adjustable suspension for shock-absorbing, slotted sides to accommodate with face shields and ear muffs.

Compliance: **ANSI Z89.1** **CE** **EN397**

Pin lock type	Point	Material	Fit helmet	Knob ratchet-type	Push button type
	4	NYLON	SE1704 SE1707	SE170P	
SE170W	6	NYLON		SE170Y	
SE170X	6	PE		SE170Z	



SE170P



SE170W



SE1707 HELMET

Fashion design, ABS or PE shell with cooling vents on the top for air circulation, keep the head cool and comfortable, six-point or four-point nylon ratchet suspension adjusts easily and quickly for a snug fit, slotted sides to accommodate with face shields and ear muffs.

Compliance: **ANSI Z89.1** **CE** **EN397**



SE170Y



SEI 708 VENTED HELMET

ABS Shell, tough and durable. With cooling vents on the top for air circulation, keep the head cool and comfortable. Six-point nylon suspension with slide locking system adjusts easily and quickly for a snug fit, rain trough prevents water from dropping down to the neck, slotted sides to accommodate with face shields and ear muffs.

Compliance: **ANSI Z89.1** **CE** **EN397+A1**



SEI 7110 HELMET

ABS Shell, tough and durable, with inner rim and ribs design to reinforce the helmet structure for good impact resistance. Six-point nylon suspension with slide locking system adjust easily and quickly for a snug fit. Slotted sides to accommodate with face shields and ear muffs.



SEI 7021 CLEAR RIM VENTED HELMET

Vented helmet with ABS shell, clear PC rim offers the user wider view while working. With 4-point nylon suspension. The ventilation holes on the top let air circulate, keep the head cool and comfortable.

Compliance: **ANSI Z89.1** **CE** **EN397**



SEI 7191 SAFETY HELMET

Full brim polypropylene (PP) shell can be assembled with four-point ratchet nylon suspension.

Compliance: **ANSI Z89.1** **CE** **EN397**

Safety Helmet



Pin lock type	Point	Material	Fit helmet	Knob ratchet-type	Push button type
SE170U	6	PE	SE1708 SE17110		
SE170V	6	NYLON	SE17021 SE17191	SE170BA	



SE170U



SE170V



SE170BA




SE1713 HELMET

Polyethylene or ABS shell, tough, lightweight, durable. With six-point plastic adjustable suspension for shock-absorbing and rain trough prevents water from dripping down to the neck, reinforced ribs on top provides the perfect impact protection. Chin strap not included. ABS shell.

Compliance:  EN397

Pin lock type	Point	Material	Fit helmet	Knob ratchet-type	Push button type
SE171D	6	PE	SE1713		
SE171H	6	NYLON			



SE171D



SE171H



SE170R ELASTIC CHIN STRAP

Elastic adjustable strap with chin cup, clip type, easy installing, one size fits all. Universal use and for SE1701, SE1716, SE1717 Helmets.



SE170S CHIN STRAP

Nylon adjustable strap with chin cup, two Y clip style install on suspension easily, comfortable and stable. Use for SE1703 and SE1719 Full-Brim helmet.



SE170T NYLON CHIN STRAP

Nylon adjustable strap with chin cup, clip type, easy installing, universal use and for SE1701, SE1716 and SE1717 Helmets.



SE171A CHIN STRAP

Elastic adjustable strap with chin cup and clip, easy installing, one size fits all. Universal use and for SE1713.



SE171Y Y-TYPE CHIN STRAP

Nylon adjustable chin straps, two Y straps installed on suspensions easily. Used for SE17191.



SE2890 SWEAT HEADBAND

Soft comfortable spongy material with elastic band, easy on and off, absorbs perspiration and keeps sweat away from eyes and face. Good for working in hot environments.

Safety Helmet



SE17181 HELMET WITH LED LAMP

Helmet's details as SE1718. Led lamp with 6 super bright LEDs, fits snugly on the Bracket of helmet.



SE17C01 FLASH LIGHT HOLDER FOR HELMET

Flashlight holder suit for 25~28mm diameter flashlight. The holder could be inserted into both side of all helmet and most of the helmet in the market. Easy to adjust the beam angle for better illumination.



SE1709 NECK SHADE

Lightweight PVC shade, slotted type, snap on and off helmet easily, to protect the neck from sun exposure and rain. Helmet not included



SE1709I NECK SHADE

Made of polyester fabric. Protect user's neck from sun exposure. Used with SE1704 (Helmet excluded)



SE17092 HI-VIZ NECK SHADE

Made of high visibility mesh fabric with reflective tapes. Protect the neck from sun exposure. Universal design fits most hard hats, helmets, or caps.



SEI 7093 HAT BRIM SUN SHIELD

100% polyester tricot shade, hat brim type, the neck shade protects the neck from sun exposure and rain. Helmet not included.



SEI 7094 HI-VIZ HAT BRIM NECK SHADE

High visibility fabric with reflective tape, protect the neck from sun exposure, extended visor at front shields the eyes from the sun. Elastic at the back for secure fit. Universal design fits most hard hats and helmets. Helmet not included.



SEI 7095 HELMET SUN BRIM COVER

100% polyester tricot shade, hat brim type, the neck shade protects the neck from sun exposure and rain. Helmet not included.



SEI 9049 ELASTIC TOOL LANYARD

Elastic Tool Lanyard with Clamp is compact and used to tether small hand tools, PPE like hard hats or even cell phones and tape measures to prevent falling objects when working at-heights.



SEI 710 SPORTS WORKING CAP

Designed for light protection against impact with ABS shell and foam spacer. Ventilation holes provides users comfortable feelings.

Compliance:  EN812

Safety Helmet



SEI7101 SPORTS WORKING CAP

Provides basic protection against impact. Designed for workers in light duties. With ABS shell and foam spacer. Ventilation holes are designed for air circulation and provide users with comfort.

Compliance:   EN812



SEI7102 HI-VIZ SPORTS WORKING CAP

Innovative ABS shell with foam spacer, high visible fabric with ventilation mesh for air circulation and provides users comfort. The reflective piping on the cap improves visibility. Good for light protection against impact under low risk work environments. Hi-viz yellow and hi-viz orange colors are available.

Compliance:   EN812



SEI7103 SPORTS WORKING CAP

Designed for light protection against impact with ABS shell and big foam spacer. Ventilation holes provides users comfortable feelings.

Compliance:   EN812

SEI7104 SPORTS WORKING CAP

Designed for light protection against impact with ABS shell and foam spacer. Ventilation holes provides users comfortable feelings.

Compliance:   EN812



SEI715 HARD CAP

ABS shell, tough, smooth dome, lightweight, durable. With six point nylon suspension for shock-absorbing and impact resistance. Multi-purpose, ideal for security patrol, guard, school, etc.. With chin strap.



SEI707I VISION HELMET

Tough ABS shell helmet with retractable clear PC eye shield, excellent light transmission, UV protection and high impact resistance.

Compliance: Helmet **ANSI Z89.1** **EN397, GB 2811**
 Eye Shield **EN166**



SEI708I VISION HELMET

Tough ABS shell helmet with retractable clear PC eye shield, excellent light transmission, UV protection and high impact resistance.

Compliance: Helmet **ANSI Z89.1** **EN397, GB 2811**
 Eye Shield **EN166**



SEI711I SAFETY HELMET(HDPE)

ABS Shell, tough and durable, with inner rim and ribs design to reinforce the helmet structure for good impact resistance. Six-point nylon suspension with slide locking system adjust easily and quickly for a snug fit. Slotted sides to accommodate with face shields and ear muffs.

Compliance: **EN397, AS/NZS 1801:1997**



SEI714I LINEMAN'S & RESCUE HELMET

Tough impact resistant ABS shell, durable, with chin strap and nylon suspension for fast and easy adjustment to fit the head. Good for working aloft, climbing, mountaineering, and emergency rescue.

Compliance: **ANSI Z89.1** **EN397, GB 2811**



SEI7142 VISION HELMET

Tough impact resistant ABS shell with retractable high impact PC eye shield, chin strap and nylon suspension for fast and easy adjustment to fit the head. Good for working aloft, climbing, mountaineering and emergency rescue.

Compliance: Helmet- **EN397 EN50365,**
ANSI Z89.1 AS/NZS 1801

Vision- **EN166, ANSI Z87.1**



Safety Helmet/ Auto darkening



SEI7143 HELMET

ABS shell, tough and durable, six-point nylon ratchet suspension adjusts easily and quickly for a snug fit, with styrofoam inside the shell for shock absorption, slotted sides to accommodate with face shields and ear muffs. Good for working aloft, climbing, mountaineering and emergency rescue.

Compliance:  **EN397**



SEI7146 CLIMBING HELMET

Durable and lightweight impact ABS shell, with styrofoam inside the shell for shock absorption, chin strap and nylon suspension for fast and easy adjustable to fit the head. Good for climbing, caving, canyoning and other sports.



SEI7145 CLIMBING HELMET

Durable and lightweight impact resistant ABS shell, with foam core for shock absorption, chin strap and nylon suspension for fast and easy adjustment to fit the head, air vents keep the head cool and comfortable. Good for climbing, caving, canyoning and other outdoor sports.

Compliance:  **EN 12492, GB 811, GB 24429**



SEI7147 CLIMBING HELMET

Durable and lightweight impact ABS shell, with styrofoam inside the shell for shock absorption, chin strap and nylon suspension for fast and easy adjustable to fit the head, air vents keep the head cool and comfortable. Good for climbing, caving, canyoning and other sports.

Compliance:  **EN397**

1 Welding range

Electrode welding, MIC/MAG, Flux-cored welding, TIC, Plasma /Microplasma Arc Welding. Don't suit laser welding and oxy-hydrogen welding.

2 Water-resistant

Cartridge waterproof against dampness.

3 Solar cells


Using solar energy means that the on/off switch is unnecessary and free you of changing battery.

4 Shade cartridge

Shade adjustment DIN 3 / 9-13 to meet requirements of the welding process.

5 Viewing area

Auto-darkening in a flash.



SE2702
SE2703

SE2702 AUTO DARKENING WELDING HELMET (SE2713+SE2802)

An unique design, straight shell, impact resistance, 90 x 110x 7mm auto darkening lens offers wide viewing area, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, straight top extends well over the head for added protection.

SE2703 AUTO DARKENING WELDING HELMET (SE2714+SE2803)

An unique design, straight shell, impact resistance, 133 x 114 x 7mm auto darkening lens offers wide viewing area, durable, protects upper chest and throat from sparks ad spatter. Adjustable ratchet suspension, straight top extends well over the head for added protection.



SE2802

Size	90x110x7mm
Switching Time	0.04ms
Light Shade	3
Dark Shade	8~12
Shade Adjustment	Insider / Outer Adjusting
UV/IRProtection	ANSI Z87.1 / CE EN 379
Active Viewing Area	98x42mm
Power Supply	Solar Cells
Operating Temperature	-10 ~+70 C
Warranty	2Years

Auto darkening/ Welding Helmets



SE2704




SE2705



SE2706

SE2704/SE2705/SE2706 AUTO DARKENING WELDING HELMET

1. Variable shade : From DIN 9 -13.
2. Darkness adjustment : External.
3. Viewing area : 92*42mm.
4. Switching time of safety helmets shield : a) Light to dark : 1/25,000s.
b) Dark to light : 0.1~1.0s, Steplessly adjustable.
5. Sensitivity:low and high, Steplessly adjustable.
6. Light state : shade DIN 4.
7. UV/IR protection : up to shade DIN 16 at all time.
8. Power on/off : Automatic.
9. Power supply : solar cells, two lithium batteries.
10. Mode : Weld / Grind.
11. Application : Mig / Tig / argon arc / arc welding / Gas welding.
12. ADF Frame Size : 110*90mm.
13. Fire resistance
14. Dimension : 340mm*240mm*220mm.
15. Operating Temperature : -5°C~+55°C.
16. Storage Temperature : -20°C~+70°C.
17. Compliance: **ANSI Z87.1**  **EN379, EN175**



SE2711 WELDING HELMET

Straight shell, impact resistance, with 2" x 4-1/4" window size. Adjustable ratchet suspension, straight top extends well over the head for added protection. Lenses purchased separately.

Flip front type **ANSI Z87.1**  **EN175.**



SE27131 WELDING HELMET

Straight shell impact resistance, flip front type, with 83mm x 108mm window size. Adjustable ratchet suspension curved top extends well over the head for added protection. Lenses purchased separately.

 **EN175**



SE2712 WELDING HELMET

Fixed front type **ANSI Z87.1**



SE2714 WELDING HELMET

Straight shell, impact resistance, with 4-1/2" x 5-1/4" fixed front lens. Adjustable ratchet suspension, straight top extends well over the head for added protection. Lenses purchased separately.

ANSI Z87.1



SE2713 WELDING HELMET

Straight shell, impact resistance, with 90mm x 110mm fixed front lens. Adjustable ratchet suspension, straight top extends well over the head for added protection. Lenses purchased separately.

ANSI Z87.1  **EN175.**



SE2715 WELDING HELMET

Straight shell impact resistance, 2" x 4-1/4" flip front lens for easy weld inspection, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, curved top extends well over the head for added protection. Good for use with ear muff.

Welding Helmets



SE2716 WELDING HELMET

An unique design, straight shell, impact resistance, 2" x 4-1/4" flip front lens offers wide viewing area, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, straight top extends well over the head for added protection.



SE2717 WELDING HELMET

An unique design, straight shell, impact resistance, 2" x 4-1/4" fixed front lens offers wide viewing area, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, straight top extends well over the head for added protection.



SE2719 WELDING HELMET

Straight shell impact resistance, flip front type, with 90mm x 110mm window size. Adjustable ratchet suspension curved top extends well over the head for added protection. Lenses purchased separately.

CE EN175



SE2720 WELDING HELMET

Straight shell impact resistance, 2" x 4-1/4" flip front lens for easy weld inspection, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, curved top extends well over the head for added protection.

Compliance: **ANSI Z87.1 CE EN175**



SE2721 WELDING HELMET

Fixed front type Straight shell impact resistance, with 2" x 4-1/4" window size. Adjustable ratchet suspension, curved top extends well over the head for added protection. Lenses purchased separately.



SE2722 WELDING HELMET

Straight shell impact resistance, 82mm x 108mm fixed front lens. Adjustable ratchet suspension, curved top extends well over the head for added protection. Lenses purchased separately.

ANSI Z87.1 CE EN175



SE272A RATCHET SUSPENSION

Standard device for use with SE2711, SE2712, SE2713, SE2720 and SE2721.



SE272B RATCHET SUSPENSION

Standard device for use with SE2723, SE2724, SE2725, SE2726 and SE2727.



SE272D RATCHET SUSPENSION

Standard device for use with SE2722, SE2728, SE2729 and SE2740.



SE2724 WELDING HELMET

Straight shell impact resistance, with 90mm x 110mm window size. Adjustable ratchet suspension, straight top extends well over the head for added protection. Lenses purchased separately.

Flip front type **ANSI Z87.1** **CE EN175**



SE2725 WELDING HELMET

Fixed front type **ANSI Z87.1** **CE EN175**



SE2723 WELDING HELMET

Straight shell impact resistance, with 2" x 4-1/4" window size. Adjustable ratchet suspension straight top extends well over the head for added protection. Lenses purchased separately.

Flip front type **ANSI Z87.1** **CE EN175**



SE2726 WELDING HELMET

Straight shell impact resistance, with 4-1/2" x 5-1/4" window size. Adjustable ratchet suspension, straight top extends well over the head for added protection. Lenses purchased separately.

Flip front type **ANSI Z87.1**

Welding Helmets/ Welding Handshield



SE2727 WELDING HELMET

Fixed front type **ANSI Z87.1**



SE2728 WELDING HELMET

An unique design, straight shell, impact resistance, 4-1/2" x 5-1/4" flip front lens offers wide viewing area, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, straight top extends well over the head for added protection.

ANSI Z87.1 CSA Z94.3



SE2729 WELDING HELMET

An unique design, straight shell, impact resistance, 4-1/2" x 5-1/4" fixed front lens offers wide viewing area, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, straight top extends well over the head for added protection.

ANSI Z87.1 CSA Z94.3



SE2730 WELDING HANDSHIELD

Toughness and moisture proof polypropylene curved shell, with fixed front 2" x 4-1/4" lens, for eyes and full face protection from sparks and spatter where little or no hands-on work is performed.

Handle outside.

Lenses not included.



SE2731 WELDING HANDSHIELD

Toughness and moisture proof polypropylene straight shell, with fixed front 2" x 4-1/4" lens, for eyes and full face protection from sparks and spatter where little or no hands-on work is performed. Handle outside.

Lenses not included.



SE2732 WELDING HANDSHIELD

Toughness and moisture proof polypropylene straight shell, with fixed front 2" x 4-1/4" lens, for eyes and full face protection from sparks and spatter where little or no hands-on work is performed. Handle inside.

Lenses not included.



SE2733 WELDING HANDSHIELD

Toughness and moisture proof polypropylene straight shell, an unique design with fixed front 2" x 4-1/4" lens, for eyes and full face protection from sparks and spatter where little or no hands-on work is performed. Handle outside. Lenses not included.



SE2736 WELDING HANDSHIELD

Toughness and moisture proof polypropylene straight shell, with fixed front 2" x 4-1/4" lens. Handle inside. Lenses purchased separately.

ANSI Z87.1  EN175



SE2734 WELDING HANDSHIELD

Toughness and moisture proof polypropylene straight shell, with fixed front 82mm x 108mm lens, for eyes and full face protection from sparks and spatter where little or no hands-on work is performed. Handle outside. Lenses not included.



SE2737 WELDING HANDSHIELD

Toughness and moisture proof polypropylene straight shell, with fixed front 90X110mm lens. Handle inside. Lenses purchased separately.

ANSI Z87.1  EN175



SE2735 WELDING HANDSHIELD

Toughness and moisture proof polypropylene straight shell, with fixed front 2" x 4-1/4" lens, for eyes and full face protection from sparks and spatter where little or no hands-on work is performed. Handle outside. Lenses not included.



SE2738 WELDING HANDSHIELD

Toughness and moisture proof polypropylene straight shell, with fixed front 4-1/2" x 5-1/4" lens. Handle inside. Lenses purchased separately.

Welding Handshield/ PC Plates



SE2740 WELDING HELMET

A semi-aluminum bracket fixed with impact resistance straight shell, with 2" x 4-1/4" flip front lens for easy welding inspection.

It's easy to fit with most type of hard hat in markets. Lenses and hard hat purchased separately.

ANSI Z87.1



SE2741 WELDING HELMET

A straight shell welding helmet connected to the helmet with slots, 2" x 4-1/4" flip front lens for easy welding and inspecting. Lenses and helmet sold separately.

Welding helmet **ANSI Z87.1**  **EN175**

Helmet **ANSI Z89.1**  **EN397**



SE2742 WELDING HELMET

A straight shell welding helmet connected to the helmet with slots, 2" x 4-1/4" fixed front lens for easy welding and inspecting.

Lenses and helmet sold separately.



SE2743 WELDING HELMET

Straight shell impact resistance, 90mm x 110mm flip front lens for easy weld inspection, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, curved top extends well over the head for added protection.

Compliance: **ANSI Z87.1**  **EN175**



SE2744 WELDING HELMET

Fixed front type Straight shell impact resistance, with 90mm x 110mm window size. Adjustable ratchet suspension, curved top extends well over the head for added protection. Lenses purchased separately.

Compliance: **ANSI Z87.1**  **EN175**



SE2745 WELDING HELMET

Straight shell impact resistance, 2" x 4-1/4" flip front lens for easy weld inspection, durable, protects upper chest and throat from sparks and spatter. Adjustable ratchet suspension, curved top extends well over the head for added protection.

Compliance: **ANSI Z87.1**  **EN175**

ACCESSORY FOR WELDING – CLEAR LENS & WELDING LENS

SIZE	Item	Materials	Color	Standard			Fit in
				ANSI Z87.1	CE		
					EN166	EN169	
Ø50mm 	SE2810	Polycarbonate	Clear / UV	●	●		WELDING GOGGLE SE1150/ SE1151/ SE1152/ SE1160/ SE1180/ SE1181
	SE2811	Polycarbonate	Green / UV				
	SE2811G	GLASS	Green	●	●	●	
	SE2812	Polycarbonate	IR / UV	●	●	●	
2"x4-1/4" 	SE2820	Polycarbonate	Clear / UV	●	●		WELDING GOGGLE & HELMET SE1140/ SE1141/ SE1142/ SE1143/ SE2711/ SE2712/ SE2715/ SE2716/ SE2717/ SE2720/ SE2721/ SE2723/ SE2730/ SE2731/ SE2732/ SE2733/ SE2734/ SE2735/ SE2736/ SE2740/ SE2741/ SE2742
	SE2820G	GLASS	Clear				
	SE2821	Polycarbonate	Green / UV				
	SE2821G	GLASS	Green	●	●	●	
	SE2822	Polycarbonate	IR / UV	●	●	●	
90 x 110mm 	SE2830	Polycarbonate	Clear / UV				WELDING HELMET SE2713/SE2719/ SE2724/SE2725/ SE2737
	SE2830G	GLASS	Clear				
	SE2831	Polycarbonate	Green / UV				
	SE2831G	GLASS	Green	●	●	●	
83 x 108mm 	SE2833	Polycarbonate	Clear / UV		●	●	WELDING HELMET SE2722/ SE2734/ SE27131
	SE2834	Polycarbonate	Green / UV				
	SE2834G	GLASS	Green		●	●	
	SE2835	Polycarbonate	IR / UV		●	●	
4-1/2" x 5-1/4" 	SE2840	Polycarbonate	Clear / UV	●	●		WELDING HELMET SE2714/ SE2726/ SE2727/ SE2728/ SE2729/ SE2738
	SE2841	Polycarbonate	Green / UV				
	SE2841G	GLASS	Green	●	●	●	
	SE2842	Polycarbonate	IR / UV	●	●	●	

Respirators

EN149: 2001 FFP1 Particulate Respirators

are approved for use against solid and liquid aerosols according to EN149: 2001. They are suitable for protection against non-toxic harmful materials in concentrations up to 4 x OEL or 4 x APF.

- ▶ OEL:Occupational Exposure Limit
- ▶ APF:Assigned Protection Factor

EN149: 2001 FFP2 Particulate Respirators

are approved for use against solid and liquid aerosols according to EN149: 2001. They are suitable for protection against low-to-average toxicity harmful materials in concentrations up to 12 x OEL or 10 x APF.

EN149: 2001 FFP3 Particulate Respirators

are approved for use against solid and liquid aerosols according to EN149: 2001. They are suitable for protection against high toxicity harmful materials in concentrations up to 50 x OEL or 20 x APF.

NIOSH N95 Approved Particulate Respirators

N95 disposable particulate respirators are approved with filtration 95% effective against particulate aerosols free of oils. Conforms to NIOSH 42 CFR Part 84 standard as N95 class.



EN149:2001 +A1:2009 Dolomite Clogging Test Approval

Dolomite clogging test is an optional test under norms EN149:2001. Those respirators which pass the dolomite clogging test are proved a more comfortable breathing while wearing the respirators and will be marked as symbol "D" after the class of respirators such as FFPID.


The Dolomite test is to expose the respirator under a concentration of dolomite dust at 400_+100 mg/m³ with dust size ranging from 0.7~12 μm with a simulated breathing at 2 liter/stroke. Continue the test until measured dust concentration and exposure time 833 mg. h/m³ or until the peak resistance reaches the specified limit. Then measure the breathing resistance and the filter penetration.

Special Features :

1. Metal Free – no metal nosepiece or staple.
2. Adjustable Headstrap – with competitive price, the customers can enjoy the convenience of adjustable headstrap.
3. Pre-Shape Nose Cushion – no metal nosepiece required.
4. Intimate Touch – soft Polypropylene inner lining.
5. Latex-Free Cloth Headstrap – knitted cloth headstrap can eliminate the adhesion of rubber headstrap against the face when there is perspiration.
6. Easy Wearing and Storage – the customers can hang the masks in front of their chest when not in use.



No Staple for Headstrap




Adjustable Headstrap




Soft Polypropylene (P.P.) Inner Layer provides excellent facial fit.



Length of Headstrap can be adjusted easily



High Density Latex-Free Cloth Strap feels comfortable against the skin.



Pre-shaped Nose Bridge requires no metal noseband.



Loop Strap allows mask to conveniently hang around the neck for easy wearing and storage.

Respirators

NOTE:

MAC: Maximum Admissible Concentration

OEL: Occupational Exposure Limit

TLV: Threshold Limit Value

APF: Assigned Protection Factor



SEI 245 FFP1D PARTICULATE RESPIRATOR

Conforms to CE EN 149 2001 FFP1D standards. For protection against non-toxic solid and liquid aerosols (e.g. oil-mists) in concentrations up to 4,5 x MAC/ OEL/ TLV or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 246 FFP2D PARTICULATE RESPIRATOR

Conforms to CE EN 149 2001 FFP2D standards. For protection against non-toxic and low to average toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 12 x MAC/ OEL/ TLV or 10x APF, such as calcium carbonate, china, clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospitals, laboratory and disease control, etc.



SEI 255 FFP1D VALVED PARTICULATE RESPIRATOR

Conforms to CE EN 149 2001 FFP1D standards. With exhalation valve for breathing easier and reduce hot air build up. For protection against non-toxic solid and liquid aerosols (e.g. oil-mists) in concentrations up to 4,5 x MAC/ OEL/ TLV or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 256 FFP2D VALVED PARTICULATE RESPIRATOR

Conforms to CE EN 149 2001 FFP2D standards. With exhalation valve for breathing easier and reduce hot air build up. For protection against non-toxic and low to average toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 12 x MAC/ OEL/ TLV or 10x APF, such as calcium carbonate, china, clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospitals, laboratory and disease control, etc.



SEI 265 FFP1D OV PARTICULATE RESPIRATOR

Conforms to CE EN 149 2001 FFP1D standards. Loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL. For protection against non-toxic solid and liquid aerosols (e.g. oil-mists) in concentrations up to 4,5 x MAC/ OEL/ TLV or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 267 **FFP1D OV/AG PARTICULATE RESPIRATOR**

Conforms to CEEN149:2001 FFP1D standards. Loaded with high performance active carbon pre-filter against nuisance organic vapor and acid gas below OEL. For protection against non-toxic and low to average toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 4.5 x MAC/ OEL/ TLV or 4 x APF, such as calcium carbonate, china, clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casting of metals, hospitals, laboratory and disease control, etc.



SEI 292 **FFP2D VALVED OV/AG PARTICULATE RESPIRATOR**

Conforms to CE EN 149 2001 FFP2D standards. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance acid-resistant active carbon pre-filter against nuisance organic vapor and acid gas below OEL. For protection against non-toxic and low to average toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 12 x MAC/ OEL/ TLV or 10x APF, such as calcium carbonate, china, clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospitals, laboratory and disease control, etc.



SEI 290 **FFP1D VALVED OV PARTICULATE RESPIRATOR**

Conforms to CE EN149 2001 FFP1D standards. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL. For protection against non-toxic solid and liquid aerosols (e.g. oil-mists) in concentrations up to 4.5 x MAC/ OEL/ TLV or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 293 **FFP3D PREMIUM RESPIRATOR**

Conforms to CE EN 149 2001 FFP3D standards. For protection against non-toxic, low-to-average toxicity and high toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 50 x MAC/ OEL/ TLV or 20 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis(T.B), chromium, manganese, nickel platinum, strychnine, metal dust and smoke, viruses and enzymes.



SEI 291 **FFP2D VALVED OV PARTICULATE RESPIRATOR**

Conforms to CE EN149 2001 FFP2D standards. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL. For protection against non-toxic and low to average toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 12 x MAC/ OEL/ TLV or 10x APF, such as calcium carbonate, china, clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospitals, laboratory and disease control, etc.



SEI 294 **FFP3D VALVED PREMIUM RESPIRATOR**

Conforms to CE EN 149 2001 FFP3D standards. With exhalation valve for breathing easier and reduce hot air build up. For protection against non-toxic, low-to-average toxicity and high toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 50 x MAC/ OEL/ TLV or 20 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B), chromium, manganese, nickel platinum, strychnine, metal dust and smoke, viruses and enzymes.

Respirators

FOLD-FLAT TYPE

- **CE EN149 2001 +A1:2009**
- Optional Dolomite (D) clogging test for more comfortable breathing.
- Foldable design for easy carrying and storage. Individually hygienically packed.
- Sealed edge avoids open layers and eliminates the possibility of irritation.
- P.P. outer/inner layers provide smooth lining and comfortable feel.
- Soft edges can fit different facial shapes with minimum leakage.
- Continuous loop design can allow the user to hang the mask around the neck when it is not in use.



SEI 200 FFP1D PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 201 FFP2D PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. For protection from low-to average toxicity harmful solid, liquid aerosols and smoke containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control....etc.



SEI 202 FFP1D VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up. For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc



SEI 203 FFP2D VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up. For protection from low-to average toxicity harmful solid, liquid aerosols and smoke containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis(T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control....etc.



SEI 204 FFP3D VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP3 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up. For protection from high toxicity harmful solid and liquid aerosols containing the following materials in concentrations up to 50 x OEL or 20 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis(T.B), chromium, manganese, nickel platinum, strychnine, metal dust and smoke, viruses and enzymes. Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control, pharmaceutical industry, Disposal of toxic waste, manufacture of batteries(Ni-Cad)....etc.



**SEI 205
FFP1D OV/AG PARTICULATE RESPIRATOR**

Conforms to EN149 2001 FFP1 standards, Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. Loaded with high performance acid-resistant active carbon pre-filter against nuisance Organic vapor and acid gas below OEL. For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



**SEI 208
FFP1D VALVED OV PARTICULATE RESPIRATOR**

Conforms to EN149 2001 FFP1 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL. For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



**SEI 206
FFP2D VALVED OV/AG PARTICULATE RESPIRATOR**

Conforms to EN149 2001 FFP2 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance acid-resistant active carbon pre-filter against nuisance organic vapor and acid gas below OEL. For protection from low to average toxicity harmful solid, liquid aerosols and smoke containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis(T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control....etc.



**SEI 209
FFP2D VALVED OV PARTICULATE RESPIRATOR**

Conforms to EN149 2001 FFP2 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL. For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control....etc.



**SEI 207
FFP1D OV PARTICULATE RESPIRATOR**

Conforms to EN149 2001 FFP1 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. Loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL. For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



**SEI 213
FFP3 PARTICULATE RESPIRATOR**

Conforms to EN149 2001 FFP3 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. For protection from high toxicity harmful solid and liquid aerosols containing the following materials in concentrations up to 50 x OEL or 20 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis(T.B), chromium, manganese, nickel platinum, strychnine, metal dust and smoke, viruses and enzymes. Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control, pharmaceutical industry, Disposal of toxic waste, manufacture of batteries(Ni-Cad)....etc.

Respirators

VERTICAL FOLD-FLAT TYPE RESPIRATOR

- **CE EN149:2001 2001 +A1:2009**
- Foldable design for easy carrying and storage.
- Polypropylene (P.P.) outer/inner layers provide smooth lining and comfortable feel.
- Invisible nose bridge without exposure of metal parts.
- No staple used, avoid the contact between skin and metal, suitable for those environments where metal is not allowed.
- Cool latex-free textile braided head strap for comfortable wearing.
- Patented head strap buckle to adjust the length for various facial sizes.
- Continuous loop design can allow hanging the mask around the neck when not in use.
- Individually hygienically packed.



SEI 222 FFP1 PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 223 FFP2 PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. For protection from low-to average toxicity harmful solid, liquid aerosols and smoke containing the following materials in concentrations up to 12 xOEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis(T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control....etc.



SEI 224 FFP1 VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. Foldable design,sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/ inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up. For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 225 FFP2 VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up. For protection from low-to average toxicity harmful solid, liquid aerosols and smoke containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis(T.B). Recommended applications:textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control....etc.



SEI 226
FFP1 OV PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P) outer/inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. Loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL.
 For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 228
FFP2 VALVED OV PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL.
 For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control....etc.



SEI 227
FFP1 VALVED OV PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P.) outer/inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL.
 For protection against non-toxic harmful solid and liquid aerosols containing the following materials in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 229
FFP3 VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP3 standards. Foldable design, sealed edge avoids open layers and eliminates the possibility of irritation, polypropylene (P.P) outer/inner layers provides smooth lining and comfortable feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use. With exhalation valve for breathing easier and reduce hot air build up.
 For protection from high toxicity harmful solid and liquid aerosols containing the following materials in concentrations up to 50 x OEL or 20 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis(T.B), chromium, manganese, nickel platinum, strychnine, metal dust and smoke, viruses and enzymes. Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control, pharmaceutical industry, Disposal of toxic waste, manufacture of batteries(Ni-Cad)....etc.

Respirators

FEATURES

- **CE 149:2001 2001 +A1:2009**
- Optional Dolomite (D) clogging test for more comfortable breathing.
- Double Polyester layers for collapse resistance.
- Embossed fringe seal avoids fluffy open layer around the edges.
- Latex-Free synthetic rubber head-strap.
- Contour design ensures the compatibility of glasses/goggles and reduces fogging.
- Soft nose foam and adjustable nose clip ensure custom shape and increase the worker comfort and acceptance.

BASIC SERIES: CONE TYPE

- **CE 149:2001 2001 +A1:2009**
- Optional Dolomite (D) clogging test for more comfortable breathing.
- Polypropylene (P.P) outer layers provides smooth lining and avoids loose fibers.
- Embossed fringe seal avoids fluffy open layers around the edges. Latex-free synthetic rubber headstrap.
- Contour design ensures the compatibility of glasses/goggles and reduces fogging.
- Soft nose foam and adjustable nose piece ensure custom shape and increase the worker comfort and acceptance.

FEATURES OF SEI 259

- Unique "Big Eye" design provides very low breathing resistance due to the increased filtration area.
- Adjustable headstrap ensures the best facial seal with minimum leakage.



SEI 241 FFP1D PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. With collapse resistant double shell construction made to withstand hot and humid conditions, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft close-cell nose foam and adjustable nose piece ensures custom shape and increase the worker comfort and acceptance.

For protection against non-toxic harmful solid and liquid in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 242 FFP2D PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. With polypropylene (P.P) outer layers provides smooth lining and avoids loose fibers, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft close-cell nose foam and adjustable nose piece ensures custom shape and increase the worker comfort and acceptance. For protection against low-to-average toxicity harmful solid, liquid and smoke containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control...etc.



SEI 251 FFP1D VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. With collapse resistant double shell construction made to withstand hot and humid conditions, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft close-cell nose foam and adjustable nose piece ensures custom shape and increase the worker comfort and acceptance. With exhalation valve for breathing easier and reduce hot air build up.

For protection against non-toxic harmful solid and liquid in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 252 FFP2D VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. With polypropylene (P.P) outer layers provides smooth lining and avoids loose fibers, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft close-cell nose foam and adjustable nose piece ensures custom shape and increase the worker comfort and acceptance.

With exhalation valve for breathing easier and reduce hot air build up. For protection against low-to-average toxicity harmful solid, liquid and smoke containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease control...etc.



SEI 259 FFP3D VALVED PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP3 standards. With unique design provides very low breathing resistance, polypropylene (P.P.) outer layers provides smooth lining and avoids loose fibers, fringe seal avoids open layer around the edges, adjustable headstrap ensure the best seal with minimum leakage, contour design ensures the compatibility of glasses/goggles and reduces fogging, full facial close-cell nose foam and adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance. With exhalation valve for breathing easier and reduce hot air build up.

For protection from high toxicity harmful solid and liquid aerosols containing the following materials in concentrations up to 50 x OEL or 20 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, copper, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B.), chromium, manganese, nickel platinum, strychnine, metal dust and smoke, viruses and enzymes. Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work cutting and casing of metals, hospital, laboratory and disease control, pharmaceutical industry, Disposal of toxic waste, manufacture of batteries (Ni-Cad)....etc.



SEI 264 FFP1D OV PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. With collapse resistant double shell construction made to withstand hot and humid conditions, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft nose foam and adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance. Loaded with high performance acid-resistant active carbon pre-filter against nuisance organic vapor and acid gas below OEL. For protection against non-toxic harmful solid and liquid in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 260 FFP1D OV/AG PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. With collapse resistant double shell construction made to withstand hot and humid conditions, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft close-cell nose foam and adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance. Loaded with high performance acid-resistant active carbon pre-filter against nuisance organic vapor and acid gas below OEL. For protection against non-toxic harmful solid and liquid in concentrations up to 4 x OEL or 4 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking etc.



SEI 266 FFP1D VALVED OV PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP1 standards. With collapse resistant double shell construction made to withstand hot and humid conditions, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft nose foam and adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL. For protection against non-toxic harmful solid and liquid in concentrations up to 4 x OEL or 4x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, vegetable oils and soft wood. Recommended applications for textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc.



SEI 262 FFP2D VALVED OV/AG PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. With polypropylene (P.P.) outer layers provides smooth lining and avoids loose fibers, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft close-cell nose foam and adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance acid-resistant active carbon pre-filter against nuisance organic vapor and acid gas below OEL. For protection against low-to-average toxicity harmful solid, liquid and smoke containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B.). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease controletc.



SEI 269 FFP2D VALVED OV PARTICULATE RESPIRATOR

Conforms to EN149 2001 FFP2 standards. With polypropylene (P.P.) outer layers provides smooth lining and avoids loose fibers, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap, contour design ensures the compatibility of glasses/goggles and reduces fogging, soft close-cell nose foam and adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance. With exhalation valve for breathing easier and reduce hot air build up, also loaded with high performance active carbon pre-filter against nuisance organic vapor below OEL. For protection against low-to-average toxicity harmful solid, liquid and smoke containing the following materials in concentrations up to 12 x OEL or 10 x APF, such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, ferrous metals, vegetable oils, hardwood, glass fibers, plastic, carbon, mineral oils, quartz, aluminum, bacteria, fungi and mycobacterium tuberculosis (T.B.). Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, welding work, cutting and casing of metals, hospital, laboratory and disease controletc.

Respirators

N95 disposable particulate respirators are approved with filtration 95% effective against particulate aerosols free of oils. Conforms to NIOSH 42 CFR Part 84 standard as N95 class.

Recommended applications : textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, hospital, laboratory, and disease control ...etc.

N95 respirators can provide protection against particulate aerosols free of oils containing the following materials such as : calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, hard wood, coal, iron ore, aluminum, free silicon, bacteria and mycobacterium tuberculosis (T.B.).

OPTIONS OF PRODUCTS

Exhalation Valve : Make breathing easier and reduce hot air build up.

OV Pre-Filter : Loaded with high performance active carbon pre-filter against nuisance organic vapor (OV) below PEL.

OV/AG Pre-Filter : Loaded with high performance acid-resistant active carbon pre-filter against nuisance organic vapor (OV) and acid gas (AG) below PEL. Exhalation Valve : Make breathing easier and reduce hot air build up.



**SEI 272 N95
PARTICULATE RESPIRATOR**



**SEI 273 N95 VALVED
PARTICULATE RESPIRATOR**



**SEI 274 N95 OV/AG
PARTICULATE RESPIRATOR**



**SEI 282 N95 OV
PARTICULATE RESPIRATOR**



**SEI 283 N95 VALVED OV
PARTICULATE RESPIRATOR**

NIOSH N95 APPROVED FOLD-FLAT PARTICULATE RESPIRATOR

Conforms to NIOSH 42 CFR Part 84 standard as N95 class, with filtration 95% effective against particulate aerosols free of oils.

With foldable design sealed edge avoids open layers and eliminates the possibility feel, soft edges fit different facial shapes with minimum leakage, continuous loop allow to hang the mask around the neck when not in use, adjustable nosepiece to provide a custom and comfortable seal.

Protection against particulate areosols free of oils containing the following materials such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, hard wood, coal, iron ore, aluminum, free silica, bacteria and mycobacterium tuberculosis(T.B.).

Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, hospital, laboratory, and disease control...etc.

OPTIONS OF PRODUCTS

Exhalation Valve: Make breathing easier and reduce hot air build up.

OV Pre-Filter: Loaded with high performance active carbon pre-filter against organic vapor below PEL.

OV/AG Pre-Filter: Loaded with high performance acid-resistant active carbon pre-filter against nuisance organic vapor and acid gas below PEL.



SEI 275 N95 PARTICULATE RESPIRATOR



SEI 276 N95 VALVED PARTICULATE RESPIRATOR



SEI 277 N95 OV/AG PARTICULATE RESPIRATOR



SEI 278 N95 OV PARTICULATE RESPIRATOR



SEI 279 N95 VALVED OV PARTICULATE RESPIRATOR



Respirators

NIOSH N95 APPROVED CONE TYPE PARTICULATE RESPIRATOR

Conforms to NIOSH 42 CFR Part 84 standard as N95 class, with filtration 95% effective against particulate aerosols free of oils.

With collapse resistant double shell construction made to withstand hot and humid conditions, fringe seal avoids open layer around the edges, latex-free synthetic rubber headstrap. contour design ensures the compatibility of glasses/goggles and reduces fogging, soft close-cell nose foam and adjustable nosepiece ensures custom shape and increase the worker comfort and acceptance.

Protection against particulate aerosols free of oils containing the following materials such as calcium carbonate, china clay, cement, cellulose, sulfur, cotton, flour, carbon, ferrous metals, hard wood, coal, iron ore, aluminum, free silica, bacteria and mycobacterium tuberculosis(T.B.).

Recommended applications: textile industry, craft work, iron and steel industry, mining, underground civil engineering, woodworking, hospital, laboratory, and disease controletc.

OPTIONS OF PRODUCTS

Exhalation Valve: Make breathing easier and reduce hot air build up.

OV-Pre-Filter: Loaded with high performance active carbon pre-filter against organic vapor below PEL.

OV/AG Pre-Filter: Loaded with high performance acid-resistant active carbon pre-filter against nuisance organic vapor and acid gas below PEL.



SEI285 N95 PARTICULATE RESPIRATOR



SEI285I N95 PARTICULATE RESPIRATOR



SEI286 N95 VALVED PARTICULATE RESPIRATOR



SEI286I N95 VALVED PARTICULATE RESPIRATOR



**SEI287 N95 OV/AG
PARTICULATE RESPIRATOR**




**SEI288 N95 OV
PARTICULATE RESPIRATOR**



**SEI288I N95 OV/AG
PARTICULATE RESPIRATOR**



**SEI289 N95 VALVED OV
PARTICULATE RESPIRATOR**



**SEI289I N95
PARTICULATE RESPIRATOR**



**SEI295I N95
PARTICULATE RESPIRATOR**



**SEI296I N95
PARTICULATE RESPIRATOR**



Respirators



SEI2U00 AS/NZS 1716:2012 FFP1 NR DISPOSABLE PARTICULATE RESPIRATOR

The mask is used for protection against solid and liquid aerosols in wood, cement, glass working, textile, mining and construction environments. It is extremely durable, and has a soft inner surface with an adjustable nose piece and a secured head straps for a proper fit. There is a low breathing resistance for increased working comfort. FFP1 mask is used in situations up to 20 times the Occupational Exposure Level(OEL). It is certified by Australian AS/NZS 1716:2012 standard.



SEI2U02 AS/NZS 1716:2012 FFP2 NR DISPOSABLE PARTICULATE RESPIRATOR

The mask is used for protection against solid and liquid aerosols in wood, cement, glass working, textile, mining and construction environments. It is extremely durable, and has a soft inner surface with an adjustable nose piece and a secured head straps for a proper fit. There is a low breathing resistance for increased working comfort. FFP2 masks are to be used in situations up to 10 times the Occupational Exposure Level (OEL). The exhalation valve device can reduce resistance. It is certified by Australian AS/NZS 1716:2012 standard.



SEI2U01 AS/NZS 1716:2012 FFP1 NR DISPOSABLE PARTICULATE RESPIRATOR WITH EXHALATION VALVE

The mask is used for protection against solid and liquid aerosols in wood, cement, glass working, textile, mining and construction environments. It is extremely durable and has a soft and comfortable inner surface with an adjustable nose piece and secured head straps for a proper fit. There is a low breathing resistance for increased working comfort. FFP1 mask is used in situations up to 20 times the Occupational Exposure Level(OEL). It is certified by Australian AS/NZS 1716:2012 standard.



SEI2U03 AS/NZS 1716:2012 FFP2 NR DISPOSABLE PARTICULATE RESPIRATOR WITH EXHALATION VALVE

The mask is used for protection against solid and liquid aerosols in wood, cement, glass working, textile, mining and construction environments. It is extremely durable and has a soft and comfortable inner surface with an adjustable nose piece and secured head straps for a proper fit. There is a low breathing resistance for increased working comfort. FFP2 mask is used in situations up to 10 times the Occupational Exposure Level(OEL). It is certified by Australian AS/NZS 1716:2012 standard.



**SEI2U04 AS/NZS 1716:2012 FFP2 NR
DISPOSABLE PARTICULATE
RESPIRATOR WITH EXHALATION
VALVE AND NUISANCE ORGANIC
VAPORS**

This mask is a FFP2 approved respirator with an additional layer of activated carbon to absorb nuisance odors. This high quality carbon material provides long lasting relief from nuisance odors and performs well in hot and humid working conditions. The exhalation valve device can reduce resistance, and the exhalation valve for greater comfort in hot & humid working conditions. It is certified by Australian AS/NZS 1716:2012 standard.



**SEI2U11 AS/NZS 1716:2012 FFP2 NR
VERTICAL FOLD
DISPOSABLE PARTICULATE
RESPIRATOR WITH EXHALATION
VALVE**

The mask is used for protection against solid and liquid aerosols in wood, cement, glass working, textile, mining and construction environments. It is extremely durable and has a soft and comfortable inner surface with an adjustable nose piece and secured head straps for a proper fit. There is a low breathing resistance for increased working comfort. FFP2 mask is used in situations up to 10 times the Occupational Exposure Level(OEL). It is certified by Australian AS/NZS 1716:2012 standard.



**SEI2U10 AS/NZS 1716:2012 FFP1 NR
VERTICAL FOLD
DISPOSABLE PARTICULATE
RESPIRATOR**

The mask is used for protection against solid and liquid aerosols in wood, cement, glass working, textile, mining and construction environments. It is extremely durable, and has a soft inner surface with an adjustable nose piece and a secured head straps for a proper fit. There is a low breathing resistance for increased working comfort. FFP1 mask is used in situations up to 20 times the Occupational Exposure Level(OEL). It is certified by Australian AS/NZS 1716:2012 standard.



SEI2U20 JPS RESPIRATOR

These masks are intended to be used for protection against solid, such as, those from minerals, coal, iron ore, flour and certain other substances. They are extremely durable, have a soft and comfortable inner surface, an adjustable nosepiece and secure headstraps to provide proper fit.

Respirators



SEI2U21 JPS RESPIRATOR WITH VALVE

These masks are intended to be used for protection against solid, such as, those from minerals, coal, iron ore, flour and certain other substances. They are extremely durable, have a soft and comfortable inner surface, an adjustable nosepiece and secure headstraps to provide proper fit.



SEI2U31 FFP1 & KS2 DISPOSABLE PARTICULATE RESPIRATOR

These mask are intended to be used for protection against solid and liquid aerosols in wood, cement, glass working, textile, mining and construction environments. These masks have long-lasting durability, soft, comfortable inner surface with an adjustable nosepiece and secured and straps for a proper fit. These masks are designed with low breathing resistance for increased working comfort. ALL FFP1 & KS2 maskd are to be used in situations up to 4 times the Occupational Exposure Level(OEL).



SEI2U30 FFP1 & KS 2 DISPOSABLE PARTICULATE RESPIRATOR WITH EXHALATION VALVE

These masks are intended to be used for protection against solid and liquid aerosols in wood, cement glass working, textile, mining and construction environments. They are extremely durable and they have a soft and comfortable inner surface with an adjustable nose piece and secure head straps for a proper fit. There is a low breathing resistance for increased worker comfort. All FFP1&KS2 masks are to be used in situations up to 4 times the Occupational Exposure Level (OEL).

Exhalation Valve device can reduce resistance.



SEI2U32 FFP1 & KS2 DISPOSABLE PARTICULATE RESPIRATOR WITH EXHALATION VALVE

This respirator is the same as FFP1 & KS2 ,but with an exhalation valve for greater comfort in hot and humid working conductions . These masks are to be used in the same situations and under the same conditions as the standard FFP1 masks with valve.



SEI 2U33 FFP2 & KS1 DISPOSABLE PARTICULATE RESPIRATOR WITH EXHALATION VALVE

This respirator is the same as FP2SLw ,but with an exhalation valve for greater comfort in hot and humid working condictions . These masks are to be used in the same situations and under the same conditions as the standard FFP2 masks with valve.



SEI 2U35 FFP3 &KS DISPOSABLE PARTICULATE RESPIRATOR WITH EXHALATION VALVE

These mask are intended to be used for protection against solid and liquid aerosols in wood, cement, glass working, textile, mining and construction environments. They are extremely durable and have a soft and comfortable inner surface with an adjustable nose piece and secured head straps for a proper fit. There is a low breathing resistance for increased wording comfort. ALL FFP3 masks are to be used in situations up to 20 times the Occupational Exposure Level.(OEL).The exhalation valve device an reduce resistance, and the exhalation valve for greater comfort in hot & humid working connections .



SEI 2U34 FFP2&KS1 DISPOSABLE PARTICULATE RESPIRATOR WITH EXHALATION VALVE

This mask is a FFP2 & KS1 approved respirator with an additional layer of activated activated carbon to absorb nuisance odors . This high quality carbon material provides long lasting relief from nuisance odors and performs well in hot and humid working connections. The exhalation valve device an reduce resistance, and the exhalation valve for greater comfort in hot & humid working connections.

Respirators

	Recommended Respirators	EN149: 2001 FFP1D	EN149: 2001 FFP1D +active carbon	EN149: 2001 FFP1D + OV/AG	NIOSH N95	NIOSH N95 + active carbon	NIOSH N95 + OV/AG	EN149: 2001 FFP2D	EN149: 2001 FFP2D+ active carbon	EN149: 2001 FFP2D + OV/AG	EN149: 2001 FFP3D
	Cone Type	SE1241 SE1251	SE1264 SE1266	SE1260	SE1285 SE1286	SE1288 SE1289	SE1287	SE1242 SE1252	SE1269	SE1262	SE1259
	Foldable Type	SE1200 SE1202	SE1207 SE1208	SE1205	SE1275 SE1276	SE1278 SE1279	SE1277	SE1201 SE1203	SE1209	SE1206	SE1204
Electronics industry	Welding Soldering							✓	✓		✓
Hospitals	Phthisis SARS				✓			✓			✓
Pharmaceutical Factory	Medicinal Powder	✓	✓		✓	✓		✓	✓		✓
Chemical Industry Laboratory	Chemical Solid	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Chemical Liquor		✓	✓		✓	✓		✓	✓	
Timber Industry	Softwood	✓			✓			✓			✓
	Hardwood				✓			✓			✓
Cutting/ Casting	Oxyacetylene Cutting							✓	✓		✓
Sanding Grinding	Metal dust				✓			✓			✓
	Chrome-plating							✓	✓		✓
Agriculture Animal Husbandry	Pesticide		✓			✓			✓		
	Handling Cereals Animal Feed	✓			✓			✓			✓
Mining Quarrying	Quartzite Silicon Granite Sandstone Limestone	✓			✓			✓			✓
Textile Industry	Cotton	✓			✓			✓			✓
Architecture	Brick/tile	✓			✓			✓			✓
Insulating materials	Fiber Glass Asbestos	✓			✓			✓			✓
Automobile Industry	Polishing	✓			✓			✓			✓
	Painting		✓			✓			✓		
	Welding Oxyacetylene Cutting							✓	✓		✓
Shipbuilding Industry	Welding Oxyacetylene Cutting							✓	✓		✓
	Polishing	✓			✓			✓			✓



SE1230 NON-TOXIC PARTICLE MASK

Disposable, lightweight, odorless, fiberglass free, non-irritating to the skin, soft flexible nosebridge for a custom seal. Protection against non-toxic particles and nuisance dusts, such as workshop, cleaning, pollen, gardening, farm work, etc. BFE (Bacteria Filtration Efficiency) up to 99.9% at 3.6 micron particle size.



SEI233 Beard Cover

Soft, airy and lightweight non-woven fabric, with stretchable elastic provides a comfortable fit and ensure the beards won't fall into the work place for safety and cleanliness. One size fits all.
Color: White, Blue and Green



SEI234 ELASTIC FACE MASK

Elasticity, disposable, lightweight, odorless, non-irritating to the skin. Protection against Non-toxic particles and nuisance dust, such as workshop, cleaning, pollen, gardening, farm Work, etc.
Loops around ear for a snug and comfortable fit.



SEI235 EYE SHIELD EAR-LOOP MASK

Disposable, lightweight, odorless, fiberglass free, non-irritating to the skin, fluid resistant. Protection against non-toxic particles and nuisance dust, such as clean room, workshop cleaning, pollen, gardening, farm work, etc. High 98.8% BFE (Bacterial Filtration Efficiency) at 3.1 micron for protection against airborne particles, splashes of blood and saliva for dental procedures and other surgery/operation. With wraparound clear shield offers great protection from splashes.



SEI236 EAR-LOOP MASK

Disposable, lightweight, odorless, fiberglass free, non-irritating to the skin, fluid resistant. Protection against non-toxic particles and nuisance dust, such as clean room, workshop, cleaning, pollen, gardening, farm work, etc. High 98.8% BFE (Bacteria Filtration Efficiency) at 3.1 micron for protection against airborne particles, splashes of blood and saliva for dental procedures and other surgery/operation.
Color: Blue, Pink, Green



SEI237 PLEATED ACTIVE CARBON MASK

Disposable, lightweight, odorless, fiberglass free, non-irritating, fluid resistant, with active carbon for protection against bad odor and organic vapours below the OEL.



SEI238 EYE SHIELD TIE-ON SURGICAL MASK

Disposable, lightweight, odorless, fiberglass free, non-irritating to the skin, fluid resistant. Protection against non-toxic particles and nuisance dust, such as clean room, workshop cleaning, pollen, gardening, farm work, etc.
High 98.8% BFE (Bacterial Filtration Efficiency) at 3.1 micron for protection against airborne particles, splashes of blood and saliva for dental procedures and other surgery/operation.



SEI239 TIE-ON SURGICAL MASK

Disposable, lightweight, odorless, fiberglass free, non-irritating to the skin, fluid resistant. Protection against non-toxic particles and nuisance dust, such as clean room, workshop, cleaning, pollen, gardening, farm work, etc. High 98.8% BFE (Bacteria Filtration Efficiency) at 3.1 micron for protection against airborne particles, splashes of blood and saliva for dental procedures and other surgery/operation.
Color: Blue, Pink, Green

Half-mask Respirators



SEI 510 HALF-MASK RESPIRATOR

Dual cartridges, with soft durable pliable rubber facepiece, durable elastic adjustable headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridges sold separately.



SEI 511 HALF-MASK RESPIRATOR

Dual cartridges, with soft durable pliable rubber facepiece, durable elastic adjustable headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridges sold separately.



SEI 512 HALF-MASK RESPIRATOR

Dual cartridges, with soft durable pliable rubber facepiece, cradle suspension headstrap adjust easily for a secure fit, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridges sold separately.



SEI 520 HALF-MASK RESPIRATOR

Single cartridge, with soft durable pliable rubber facepiece, durable elastic adjustable headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridge sold separately.



SEI 521 HALF-MASK RESPIRATOR

Single cartridge, with soft durable pliable rubber facepiece, durable elastic adjustable headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridge sold separately.



SEI 522 HALF-MASK RESPIRATOR

Single cartridge, with soft durable pliable rubber facepiece, cradle suspension headstrap adjust easily for a secure fit, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridge sold separately.



SEI 540 HALF-MASK RESPIRATOR

Dual cartridges, with soft durable pliable rubber facepiece, durable elastic headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridges sold separately.



SEI 550 HALF-MASK RESPIRATOR

Single cartridge, with soft durable pliable rubber facepiece, durable elastic headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridge sold separately.



SEI 570 HALF-MASK RESPIRATOR

Unique design for economy, single cartridge, with soft durable pliable rubber facepiece, durable elastic adjustable headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridge sold separately.



SEI 542 HALF-MASK RESPIRATOR

Wide flange design, soft nosepiece with rolled edges provide more secure seal around nose and mouth area. Cradle-suspension adjusts easily for a secure and comfortable fit.

Compliance:  EN140



SEI 571 HALF-MASK RESPIRATOR

Single cartridge, with soft durable pliable rubber facepiece, durable elastic adjustable headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridge sold separately.



SEI 552 HALF-MASK RESPIRATOR

Wide flange design, soft nosepiece with rolled edges provide more secure seal around nose and mouth area. Cradle-Suspension adjusts easily for a secure and comfortable fit, and the Bayonet fitting system ensures that the cartridges can be fitted precisely and quickly.

Compliance:  EN140



SEI 572 HALF-MASK RESPIRATOR

Unique design for economy, single cartridge, with soft durable pliable rubber facepiece, durable elastic adjustable headbands, deep chin cup for a roomy, comfortable seal and easy exhaling. Cartridge sold separately.

Half-mask Respirators/ Chemical Cartridge



SEI 545 HALF-MASK RESPIRATOR

Half mask respirator, dual cartridges, with soft double pliable face-piece, Silicon material with headharness, comfortable seal and easy exhaling.
Breathing resistance: $\leq 0.5\text{mbar}$ at 30 l/min;
and $\leq 1.3\text{mbar}$ at 95 l/min

Compliance: **CE EN140**



SEI 57ABEK CARTRIDGE

For organic, inorganic, acid gases and vapors, ammonia.
Used for SE1545 HALF-MASK RESPIRATOR.
Multiple filter level: A1B1E1K1

Compliance: **CE EN14387**



SEI 57ABEKP CARTRIDGE

For organic, inorganic, acid gases and vapors, ammonia, solid and liquid particles, toxic particles. Used for SE1545 Half-face respirator and SE1597 Full-face respirator.

Multiple filter level: ABEK1P3

Compliance: **CE EN14387**



SEI 57P3 CARTRIDGE

For dust, mist, solid and liquid particles, non-toxic and Low-to-average toxicity aerosols.

Used for SE1545 HALF-MASK RESPIRATOR

Filter level: P3R

Compliance: **CE EN143**



SEI 57AI CARTRIDGE

For organic vapors.

Used for SE1545 HALF-MASK RESPIRATOR

Filter level: A1

Compliance: **CE EN14387**



SEI 51A CHEMICAL CARTRIDGE

Anti organic vapors of low toxicity.

Size: $\varnothing 70 \times 47\text{H}(\text{mm})$.

Used for SE1511, SE1512, SE1521, SE1522 and SE1571.



SEI 51B CHEMICAL CARTRIDGE

For paint spray, anti organic vapors of low toxicity.

Size: $\varnothing 70 \times 47\text{H}(\text{mm})$.


Used for SE1511, SE1512, SE1521, SE1522 and SE1571.



SEI 52A CHEMICAL CARTRIDGE

Anti inorganic vapors and acid gas of low toxicity. Size: $78 \times 23\text{H}(\text{mm})$.

Used for SE1510, SE1520 and SE1570.




SEI 52B CHEMICAL CARTRIDGE

Anti acid gas of low toxicity.

Size: $78 \times 23\text{H}(\text{mm})$.

Used for SE1510, SE1520 and SE1570.



SEI52C CHEMICAL CARTRIDGE

Anti ammonia vapors of low toxicity.
Size: 78X23H(mm).
Used for SE1510, 1520 and SE1570.



SEI53A CHEMICAL CARTRIDGE

Anti organic vapors of low toxicity.
Size: Ø 78X23H(mm).
Used for SE1510, SE1520 and SE1570.



SEI53B DUST CARTRIDGE

Anti dust, mist, fumes.
Size: Ø 78X23H(mm).
Used for SE1510, SE1520 and SE1570.



SEI53C CHEMICAL CARTRIDGE

Anti organic vapors and for paint spray
of low toxicity.
Size: Ø 78X23H(mm).
Used for Se1510, SE1520 and SE1570.



SEI53D REFILL FILTER

Non-woven fabric dust pad.
Used for SE1510, SE1520, SE1570 and
SE1572.



SEI53E CHEMICAL CARTRIDGE

Anti organic vapors of low toxicity.
Size: Ø 70 X 34H(mm).
Used for SE1511, SE1512, SE1521,
SE1522 and SE1571.



SEI53F DUST CARTRIDGE

Anti dust, mist and fumes.
Size: Ø 70 X 34H(mm).
Used for SE1511, SE1512, SE1521,
SE1522 and SE1571.



SEI53G CHEMICAL CARTRIDGE

Anti organic and for paint spray of low
toxicity.
Size: Ø 70 X 34H(mm).
Used for SE1511, SE1512, SE1521,
SE1522 and SE1571.



SEI53H CHEMICAL CARTRIDGE

Anti inorganic vapors and acid gas of
low toxicity.
Size: Ø 70 X 34H(mm).
Used for SE1511, SE1512, SE1521,
SE1522 and SE1571.



SEI53J CHEMICAL CARTRIDGE

Anti acid gas of low toxicity.
Size: Ø 70 X 34H(mm).
Used for SE1511, SE1512, SE1521,
SE1522 and SE1571.



SEI53K CHEMICAL CARTRIDGE

Anti ammonia vapors of low toxicity.
Size: Ø 70 X 34H(mm).
Used for SE1511, SE1512, SE1521,
SE1522 and SE1571.



SEI53N REFILL FILTER

Non-woven fabric dust pad, used for
SE1511, SE1512, SE1521, SE1522 and
SE1571.



SEI54A AI CARTRIDGE

For organic vapours and gases.
Compliance: **CE EN14387**



SEI54ABEK AIBIEKI CARTRIDGE

For organic, inorganic, acid gases
and vapors, ammonia. Compliance:
CE EN14387



Chemical Cartridge/ Full-Face Respirator



SEI54AP AIP2 CARTRIDGE



For Organic vapours, gases, dust, mist, fibres and fumes protection against non-toxic and low-to-average toxicity aerosols.

Compliance: EN14387



SEI54B BI CARTRIDGE


For Inorganic gases and vapors.



SEI54E EI CARTRIDGE

For Acid gases and vapors

Compliance: EN14387



SEI54K KI CARTRIDGE

For ammonia and organic ammonia derivatives.



SEI54P P2 CARTRIDGE

For dust, mist, fibres and fumes protection against non-toxic and low-to-average toxicity aerosols.

Compliance: EN143



SEI55A AI CARTRIDGE

For organic vapours and gases used for SE1552 respirator only.

Compliance: EN14387



SEI55B BI CARTRIDGE

For Inorganic gases and vapors used for SE1552 respirator only.



SEI55E EI CARTRIDGE

For Acid gases and vapors used for SE1552 respirator only.



SEI55K KI CARTRIDGE

For ammonia and organic ammonia derivatives used for SE1552 respirator only.



SEI55P P2 CARTRIDGE

For dust, mist, fibres and fumes, protection against non-toxic and low-to-average toxicity aerosols used for SE1552 respirator only.

Compliance: EN143




SEI56A CHEMICAL CARTRIDGE

Against acid gas and inorganic vapors of low toxicity.


Size: Ø 70X30H(mm).

Used for SE1540 and SE1550




SEI 56B CHEMICAL CARTRIDGE

Against paint spray and organic vapors of low toxicity.
Size: Ø 70X30H(mm).
Used for SE1540 and 1550



SEI 56C DUST CARTRIDGE

Against dust, mist, fumes and asbestos.
Size: Ø 70X30H(mm).
Used for SE1540 and SE1550



SEI 56D CHEMICAL CARTRIDGE

Against organic vapours, mists and fumes of low toxicity.
Size: Ø 70X30H(mm).
Used for SE1540 and SE1550



SEI 56E CHEMICAL CARTRIDGE

Against acid gas of low toxicity.
Size: Ø 70X30H(mm).
Used for SE1540 and SE1550



SEI 56F CHEMICAL CARTRIDGE

For agricultural sprays.
Size: Ø 70X30H(mm).
Used for SE1540 and SE1550



SEI 56N REFILL FILTER

Non-woven fabric dust pad.
Used for SE1540 and SE1550



SEI 57B DUST CARTRIDGE

Anti dust, mist and fumes.
Size: Ø 70X15H(mm).
Used for SE1572



SEI 590 POWER HALF-MASK RESPIRATOR

Single cartridge ,light weight with soft durable silicone face piece. Power air supply, with high/low switches and continuous flow of purified air, deep chin cup for a roomy, comfortable seal and easy exhaling. Good for wood working, grinding, welding, paint spray, insecticide spray, etc.

POWER AIR SUPPLY

Easy adjustable headband, deep chin cup and side seal flange.



Motor:DC 3.6-6 Volt,250mA/h, high/low adjustment.
2A batteries 4pcs.

Cartridge for SE1590

High / Low switch with belt clip



SEI 596 FULL-FACE RESPIRATOR

Soft silicon material with head harness, deep chin cup and roomy nose cup, ensure a comfortable fitting and easy breathing, also gives an excellent field of vision.

Compliance: **CE EN140**

Full-Face Respirator/ Filter Masks



SEI597 FULL-FACE RESPIRATOR

Soft silicon material with head harness, deep chin cup and roomy nose cup, ensure a comfortable fitting and easy breathing, also gives an excellent field of vision.

Compliance: **CE EN140**



SEI59ABEK CARTRIDGE

For organic, inorganic, acid gases and vapors, ammonia, solid and multiple gases. Used for SE1596 Full-face respirator.

Multiple filter level: ABEK2

Compliance: **CE EN14387**



SEI59ABEKP CARTRIDGE

For organic, inorganic, acid gases and vapors, ammonia, solid and liquid particles, toxic particles.

Used for SE1596 FULL-FACE RESPIRATOR

Multiple filter level: A2B2E2K2P3

Compliance: **CE EN14387**



SEI59AP CARTRIDGE

For organic gases and vapors, solid and liquid particles, toxic particles.

Used for SE1596 FULL-FACE RESPIRATOR

Filter level: A2P3

Compliance: **CE EN14387**



SEI59K CARTRIDGE

For ammonia and its derivatives.

Used for SE1596 FULL-FACE RESPIRATOR

Filter level: K2

Compliance: **CE EN14387**



SEI210 SPONGE MASK

PE frame, soft sponge, washable and reusable, single layer for protection against dust.



SEI211 ACTIVE CARBON SPONGE MASK

PE frame, soft sponge, washable and reusable, double layers sponge inserted with active carbon filter protection against toxic dust and filter out odors.



SEI212 SPONGE MASK

Soft sponge, washable and reusable, light duty for protection against dust.



SEI220 FILTER MASK

PE frame covered by polyester fiber, for protection against dust and mist. Filter is replaceable.



SEI221 ACTIVE CARBON FILTER MASK

PE frame covered by polyester fiber. With active carbon filter protection against toxic dust and filter out odors. Active carbon filter is replaceable.



SEI270 FILTER MASK

PE frame covered by polyester fiber, for protection against dust and mist. Filter is replaceable.



SEI271 ACTIVE CARBON FILTER MASK

PE frame covered by polyester fiber. With active carbon filter protection against toxic dust and filter out odors. Active carbon filter is replaceable .




SEI280 FILTER MASK

PE frame covered by polyester fiber for protection against dust and mist. Filter is replaceable.



SEI281 ACTIVE CARBON FILTER MASK

PE frame covered by polyester fiber. With active carbon filter protection against toxic dust and filter out odors. Active carbon filter is replaceable.



SEI212A ACTIVE CARBON FILTER

To filter out odors and dust. Used for SEI211.



SEI222A REFILL FILTER

Non-woven fabric, for protection against dust and mist. Used for SEI220.



SEI227A REFILL FILTER

Non-woven fabric, for protection against dust and mist. Used for SEI270 and SEI280



SEI222B ACTIVE CARBON FILTER

To filter out odors, dust and mist. Used for SEI221.




SEI227B ACTIVE CARBON FILTER

To filter out odors, dust and mist. Used for SEI271 and SEI281.




Four product categories we supply:


- **Head & Face protection**




- **Hand & Body protection**



- **Traffic Safety**



- **Workplace Safety & Emergency Equipment**



For further product information, please contact us for complete catalogues or download E-catalogues from our web site <http://safety.pantaiwan.com.tw>



TIANXING TECH INNOVATION CO. PTE LTD

天行健科技創新新加坡有限公司

531A UPPER CROSS STREET #04-95 HONG LIM COMPLEX SINGAPORE 051531
531A上十字街04-95號宏林綜合大樓 新加坡051531/ TEL+65 6444 3130/ UEN 202236869Z

Contact: Mark Liu E-mail: markk_liu@me.com

WhatsApp/Wechat: +886903365221

Traffic Safety

Industrial Safety Equipment



Warning lights/ Strobe lights

The warning signals with continuous flashing beam of light offer high visibility for emergency, danger, warning, caution, etc. Ideal for emergency vehicles, hazardous areas or moving devices to alert the dangerous conditions.



SE5110 REVOLVING WARNING LIGHT

Voltage: DC 12V/24V,
AC 110V/220V
Color: Amber, Blue, Red
Size: Ø184 x 252 (H) mm
Flash rate: 130/min.
Compliance:



SE5111 REVOLVING WARNING LIGHT

Voltage: DC 12V/24V,
AC 110V/220V
Color: Amber, Blue, Red
Size: Ø180 x 206 (H) mm
Flash rate: 120/min.
Compliance:



SE5120 REVOLVING WARNING LIGHT

Voltage: DC 12V/24V,
AC 110V/220V
Color: Amber, Blue, Red
Size: Ø122 x 182 (H) mm
Flash rate: 130/min.
Compliance:



SE5130 REVOLVING WARNING LIGHT

Voltage: DC 12V/24V,
AC 110V/220V
Color: Amber, Blue, Red
Size: Ø102 x 171 (H) mm
Flash rate: 130/min.
Compliance:



SE5140 REVOLVING WARNING LIGHT

Voltage: DC 12V/24V,
AC 110V/220V
Color: Amber, Blue, Red
Size: Ø220 x 257 (H) mm
Flash rate: 130/min.
Compliance:



SE5141 REVOLVING WARNING LIGHT

Voltage: DC 12V/24V
Color: Amber, Blue, Red
Size: Ø224 x 190 (H) mm
Flash rate: 120/min.
Compliance:



SE5142 REVOLVING WARNING LIGHT

Voltage: DC 12V/24V
Color: Amber, Blue, Red
Size: Ø215 x 202 (H) mm
Flash rate: 70/min.
Compliance:




SE5150 REVOLVING WARNING LIGHT

Voltage: DC 12V/24V,
AC 110V/220V
Color: Amber, Blue, Red
Size: Ø148 x 215 (H) mm
Flash rate: 130/min.
Compliance:




SE5161 STROBE LIGHT

Voltage: DC 12V-120V
Size: Ø148 x 120 (H) mm
Flash Rate: 72/min
Flash Pattern: Single
Color: Amber, Blue, Clear, Red
Lens Material: Polycarbonate
Compliance:



**SE5162
STROBE LIGHT**

Voltage: DC 12V-80V
 Size: Ø146 x 116 (H) mm
 Flash Rate: 72/min
 Flash Pattern: Single
 Color: Amber, Blue, Clear, Red
 Lens Material: Polycarbonate
 Compliance:




**SE5172
LED STROBE LIGHT**

Voltage: DC 12V-40V
 Size: Ø162 x 117 (H) mm
 Flash Rate: 180/min
 Flash Pattern: Single
 Bulb: 4 LEDs 1w x 4
 Color: Amber, Blue, Red
 Lens: Polycarbonate
 Compliance:




**SE5163
STROBE LIGHT**

Voltage: DC 12V-48V
 Size: Ø162 x 117 (H) mm
 Flash Rate: Double 120/min,
 Quad 240/min
 Flash Pattern: Double/Quad
 Color: Amber, Blue, Clear, Red
 Lens Material: Polycarbonate
 Compliance:
 SAE J1318




**SE5173
LED ROTATING BEACON**

Voltage: DC 12V-40V
 Size: Ø165 x 125 (H) mm
 LEDs: 2 w x 8 pcs
 Base: ABS
 Lens: Polycarbonate
 Compliance:




**SE5164
STROBE LIGHT**

Voltage: DC 12V-48V
 Size: Ø162 x 160 (H) mm
 Flash Rate: Double 120/min,
 Quad 240/min
 Flash Pattern: Double/Quad
 Color: Amber, Blue, Clear, Red
 Lens Material: Polycarbonate
 Compliance:



**SE5174
LED ROTATING BEACON**

Voltage: DC 12V-40V
 Size: Ø162 x 117 (H) mm
 Flash Rate: 120/min
 LEDs: 2 w x 8 pcs
 Base: Aluminum
 Lens: Polycarbonate
 Compliance:



**SE5165
STROBE LIGHT**

Voltage: DC 12V-48V
 Size: Ø165 x 125 (H) mm
 Flash Rate: Double 120/min,
 Quad 240/min
 Flash Pattern: Double/Quad
 Color: Amber, Blue, Clear, Red
 Lens Material: Polycarbonate
 Compliance:
 SAE J1318



**SE5176
LED ROTATING BEACON**

Voltage: DC 12V-40V,
 AC 110V, 220V
 Size: Ø138.8 x 170 (H) mm
 Flash Rate: 120/min
 LEDs: 1 w x 8 pcs
 Color: Red, Amber, Blue, Green
 Base: ABS
 Lens: Polycarbonate



**SE5171
LED STROBE LIGHT**

Voltage: DC 12V-40V
 Size: Ø148 x 120 (H) mm
 Flash Rate: 180/min
 Flash Pattern: Single
 Bulb: 60 LEDs
 Lens: Polycarbonate
 Color: Amber, Blue, Clear, Red
 Compliance:

Sirens/ Megaphone/ Signal Light/ Traffic Cones

SIRENS

Heavy duty performance, use for emergency warning, Start/Stop alarms, fire and evacuation.

Easy to install. With metal case for high impact resistance.



SE5303 MEGAPHONE

Powerful, lightweight, ideal for high-noise areas and open spaces to communicate clearly to large crowds or direct emergency personnel.

Power: Max 30W

Frequency Response: 450Hz~7KHz

Voltage: 1.5V 8(SUM-2)

Battery Life: Approx. 6hours

Dimension: HORN Ø228 L380mm

Weigh: 1.7kg (not include battery)



SE5304 MEGAPHONE (With Siren, Whistle)

Powerful, lightweight, ideal for high-noise areas and open spaces to communicate clearly to large crowds or direct emergency personnel.

Power: Max 30W

Frequency Response: 450Hz~7KHz

Voltage: 1.5V 8(SUM-2)

Battery Life: Approx. 6hours

Signal sound: Siren, Whistle

Dimension: HORN Ø228 L380mm


Weigh: 1.7kg (not include battery)



SE5310 SIREN

Voltage: DC 12V/24V, AC 110V/220V

SIZE: Ø130X158(H)mm



SE5311 SIREN

Voltage: DC 12V/24V, AC 110V/220V

SIZE: Ø75X82(H)mm



SE5190 HAZARD WARNING LAMP

High impact resistance and durable plastic body with polycarbonate lens offer maximum light output. Loop at top of lens for easy handling or fixing to scaffolding. Automatic on and off.

Use two 4R25 batteries.





SE5320 REFLECTIVE SIGNAL LIGHT


Tough, lightweight, bright and highly visible whenever day or night.
Good for traffic control, emergency use as a hazard light.
Use two D batteries. Batteries not included.



SE5322 LED LIGHTED BATON

High visibility in constant or flashing light, lightweight, shock-proof, spark-proof and weather-resistant.
Use two AA batteries.
Good for police, traffic control, road workers, guards, etc.

TRAFFIC CONE HEIGHT CHART



SE5323 TRAFFIC CONE WITH BLACK BASE

Flexible, durable PVC cone with black plastic square base which won't roll away even knocked down, with/ without reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5323-75	75cm	2.5kg/3.2kg/3.5kg/4.0kg/4.5kg/4.9kg	365x365mm
SE5323-75A	75cm	2.5kg/3.2kg	365x365mm



SE5323E EVA TRAFFIC CONE

EVA(ethylene vinyl acetate) resins are characterized by good flexibility. Extremely weather resistance from -60°C to +80°C. Flexibility and crush resistance, UV resistant stabilizer, Non-fading color. Excellent elasticity, resistant to environmental stress and cracking. Non-porous surface is resistant to dirt and grease. Heavy duty weighted at base for maximum stability, wide bodied design. Withstands winds generated by high speed traffic.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5323E-75	75cm	2.0kg/2.5kg/3.2kg	365x365mm

Traffic Cones



SE5324 TRAFFIC CONE WITH BLACK BASE

Flexible, durable PVC cone with black plastic square base which won't roll away even knocked down, with/ without reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5324-32	32cm	0.7kg	210x210mm
SE5324-45	45cm	1.25kg/1.4kg	270x270mm
SE5324-50	50cm	1.25kg/1.4kg	270x270mm
SE5324-70	70cm	2.3kg/2.5kg/3.0kg/3.2kg	370x370mm
SE5324-75	75cm	2.3kg/2.5kg/3.0kg/3.2kg	370x370mm
SE5324-90	90cm	3.7kg/4.3kg	370x370mm
SE5324-00	100cm	3.7kg/4.3kg	370x370mm



SE5327
SE5328



SE5327 COLLAPSIBLE CONE

Bright orange color with reflective band provides warning and notification to the traffic. It collapses to 5CM (2") H for easy transport and storage, and extend to 70CM H for better visibility.

Height: 70CM Base: 37CM
Base material: Polypropylene
Cone material: Nylon

SE5328 COLLAPSIBLE CONE

Bright orange color with reflective band provides warning and notification to the traffic. It collapses to 5CM (2") H for easy transport and storage, and extend to 45CM H for better visibility.

Height: 45CM Base: 37CM
Base material: Polypropylene
Cone material: Nylon



SE5329 FOUR-SIDED CONE

High visibility PVC four flat sides, yellow color, flexible and durable, the flat side can be used with self adhesive signs, logo, etc. to identify the hazardous area or appropriate actions. Orange color is available.

Height: 75CM
Base: 37CM
Weight: 3.0KGS



SE5330 TRAFFIC CONE

Flexible, durable PVC cone with square base won't roll away even knocked over. The reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5330-10	10cm	0.05kg	100x100mm
SE5330-15	15cm	0.15kg	150x150mm
SE5330-32	32cm	0.45kg/0.5kg/0.7kg/0.9kg	210x210mm
SE5330-45	45cm	0.9kg/1.05kg/1.25kg/1.37kg	270x270mm
SE5330-50	50cm	1.25kg/1.7kg/1.8kg	270x270mm
SE5330-70	70cm	2.5kg/3.0kg/3.2kg/3.5kg/4.0kg	365x365mm
SE5330-71	71cm	1.85kg/2.0kg/2.25kg/2.45kg	365x365mm
SE5330-75	75cm	2.75kg/3.0kg/4.0kg	370x370mm
SE5330-90	90cm	3.35kg/3.67kg/3.95kg/4.3kg/5.03kg/6.0kg	370x370mm
SE5330-00	100cm	4.0kg/5.0kg/6.0kg	370x370mm



SE5331 TRAFFIC CONE WITH BLACK BASE

Flexible, durable PVC cone with heavy duty plastic square base which won't roll away even knocked over, with/ without reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5331-32	32cm	0.7kg	210x210mm
SE5331-45	45cm	1.1kg/1.25kg/1.37kg/1.75kg	270x270mm
SE5331-50	50cm	1.15kg/1.3kg/1.4kg/1.8kg	270x270mm
SE5331-70	70cm	2.0kg/2.3kg/2.5kg/3.0kg/3.2kg/3.5kg/4.0kg/4.5kg	365x365mm
SE5331-90	90cm	3.7kg/4.0kg/4.3kg/5.0kg	370x370mm
SE5331-00	100cm	3.75kg/4.05kg/4.35kg/5.05kg	370x370mm



SE5332 PE TRAFFIC CONE

Durable PE cone with square base won't roll away even knocked over. The reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5332-32	32cm	0.5kg	210x210mm
SE5332-45	45cm	0.7kg	270x270mm
SE5332-46	45cm	0.7kg	280x280mm
SE5332-50	50cm	0.75kg	270x270mm
SE5332-70	70cm	0.95kg/1.03kg/1.3kg	365x365mm
SE5332-75	75cm	1.97kg	370x370mm
SE5332-90	90cm	2.1kg	370x370mm
SE5332-00	100cm	2.26kg	370x370mm

Traffic Cones



SE5333 TRAFFIC CONE WITH BLACK BASE

Flexible, durable PVC cone with heavy duty plastic square base which won't roll away even knocked over, with/ without reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5333-45	45cm	1.25kg/1.75kg	270x270mm
SE5333-70	70cm	2.5kg/3.0kg/3.2kg/3.95kg/4.5kg	365x365mm
SE5333-90	90cm	4.3kg/5.0kg/6.0kg	370x370mm



SE5335 TRAFFIC CONE WITH BLACK BASE

Flexible, durable, PVC cone with heavy duty plastic square base which won't roll away even knocked over, with/ without reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5335-32	32cm	0.7kg	210x210mm
SE5335-45	45cm	1.1kg/1.25kg/1.37kg/1.75kg	270x270mm
SE5335-50	50cm	1.15kg/1.3kg/1.45kg/1.8kg	270x270mm
SE5335-70	70cm	2.0kg/2.5kg/3.0kg/3.2kg/3.5kg/4.0kg/4.5kg	365x365mm
SE5335-90	90cm	3.7kg/4.0kg/4.3kg/5.0kg	370x370mm
SE5335-00	100cm	3.75kg/4.05kg/4.35kg/5.05kg	370x370mm



SE5336 SLIM TRAFFIC CONE

Flexible, durable PVC cone, slim type with square base won't roll away even knocked over. The reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5336-70	70cm	2.35kg/2.5kg	360x360mm
SE5336-75	75cm	2.4kg/2.55kg	360x360mm
SE5336-90	90cm	3.8kg/4.2kg/4.8kg/6.0kg/6.2kg	370x370mm



SE5337 SLIMLINE TRAFFIC CONE WITH BLACK BASE

Flexible, durable PVC cone with heavy duty plastic square base which won't roll away even knocked over, with/without reflective collar increases visibility. New shape with black base. The state-of-the-art technique of injection makes the cone more solid and has Utility patent. Streamline design of the main body can reduce the impact of wind-resistance and lower tipping over.

ITEM NO.	HEIGHT	WEIGHT AVAILABILITY	BASE
SE5337-70	70cm	2.3kg/2.5kg/3.0kg	360x360mm
SE5337-75	75cm	2.35kg/2.55kg/3.05kg	360x360mm




SE5340 RETRACTABLE CONE BAR

Retractable from 135cm to 210cm, black and yellow stripes for visual intensity. Ideal for controlling crowds, warning of road hazards and



SE533A CONE WEIGHT

Tough and solid rubber material provides a heavy and sturdy platform, keep cones upright and prevent the cones blowing over in high winds. Size: 37CM x 37CM x 3CM Weight: 2 KGS



SE533G CONE SLEEVE

High Intensity Grade, honeycomb pattern, silver color. Highly visible, superior reflectivity at long distance, prevent the accidents and set up safe traffic lanes. Size: 10 CM (for 70CM cone)


Traffic Cones

REFLECTIVE SHEETING FOR TRAFFIC CONE

Pvc Reflective Sheeting




High Intensityl Grade Reflective Sheeting



Commercial Grade Reflective Sheeting



30cm TYPE



45cm TYPE



70cm / 75cm TYPE:



● 8.5 CM



● 9 CM



● 10 CM



● 15 CM



● 25 CM



● 35 CM



● 8.5 CM
● 8.5 CM



● 10 CM
● 10 CM



● 15 CM
● 10 CM

90cm / 100cm TYPE



● 8.5 CM



● 9 CM



● 10 CM



● 15 CM



● 8.5 CM
● 8.5 CM



● 15 CM
● 10 CM

Traffic Cones/ Barricade



SE5341 SLOW SIGN

Orange color rectangular shape with silkscreen printing. A new sign system can quickly barricade dangerous sites and directing traffic safety through the area. Easy fasten onto the top of the cone.
Size: 9" x 11" x 2mm



SE5342 STOP SIGN

Orange color rectangular shape with silkscreen printing. A new sign system can quickly barricade dangerous sites and directing traffic safety through the area. Easy fasten onto the top of the cone.
Size: 9" x 11" x 2mm



SE5343 ARROW SIGN

Orange color rectangular shape with silkscreen printing. A new sign system can quickly barricade dangerous sites and directing traffic safety through the area. Easy fasten onto the top of the cone.
Size: 9" x 11" x 2mm



SE5344 TRAFFIC BARREL

High density durable polyethylene retains its shape after impacts, with high visible reflective sheeting and anti-roll design, ideal for channeling traffic and barricading dangerous construction area.
Height: 113CM
Base: 48CM
Rubber Base Weight: 54cm



SE5345 TRAFFIC BARREL

High density durable polyethylene retains its shape after impacts, with high visible reflective sheeting and anti-roll design, ideal for channeling traffic and barricading dangerous construction area.
Height: 106CM
Base: 51.5CM



SE5346 TRAFFIC BARRICADE

High density durable polyethylene retains its shape after impacts, with high visible reflective sheeting and anti-roll design, ideal for channeling traffic and barricading dangerous construction area.
Height: 83CM
Base: 99.5CM x 48.5CM



SE5390
SE5391

SE5390 TRAFFIC BARRICADE

A-Frame type galvanized steel legs with reflective sheet on top panel and reflective stripping on bottom panel.
Size: 90CM x 90CM
Panel: Galvanized steel, Aluminum sheet.

SE5391 TRAFFIC BARRICADE

A-Frame type galvanized steel legs with reflective sheet on top panel and reflective stripping on bottom panel.
Size: 120CM x 120CM
Panel: Galvanized steel, Aluminum sheet.



SE5392
SE5393

SE5392 RETRACTABLE TRAFFIC BARRICADE

A-Frame type, galvanized retractable steel legs can be closed flat for easy storage and transport, with reflective sheet on top panel and direction sign on bottom panel.
Size: 90CM x 90CM
Panel: Galvanized steel, Aluminum sheet.

SE5393 RETRACTABLE TRAFFIC BARRICADE

A-Frame type, galvanized retractable steel legs can be closed flat for easy storage and transport, with reflective sheet on top panel and direction sign on bottom panel.
Size: 120CM x 120CM
Panel: Galvanized steel, Aluminum sheet.



SE5461 EXPANDABLE BARRIER

Durable polypropylene, lightweight, comes in dual color combination – yellow/black or red /white, with a carrying handle and braking system castor wheel. Expands to 3.5 meters in length., good for workplace or traffic control.



SE5462 EXPANDABLE BARRIER

Durable aluminum material, lightweight, comes in dual color combination – yellow/black or red /white, with a carrying handle and braking system castor wheel. Expands to 2.5 meters in length., good for workplace or traffic control.

Barricade/ Plastic Lead Hook/ Cone light



NEW

SE5463



NEW

SE5464




NEW

SE5465



SE5463 / SE5464 / SE5465 BARRIER FENCE

Sturdy one-piece system blow-moulded HDPE barrier 2 meter in length. With swivel feet to limit risk of trips to walking pedestrians, the reflective sheets for additional visibility. Quick and easy joining facility can be set straight, curved or in a circle. Can be safely stacked for transportation and storage. Good for workplace, crowd control and guide traffic around dangerous areas, construction sites, or sporting events.



NEW

SE5466 PORTABLE METAL FENCE BARRIER

Yellow/Black powder coated mid steel, lightweight yet sturdy, good for crowd control, workplace, construction site, sporting events and dangerous areas.
Size: 150cm x 100cm



NEW

SE5467 PORTABLE METAL FENCE BARRIER

Welded galvanized steel construction flat legs with hook-and-eye connections link two or more barriers. Good for crowd control; workplace construction site, sporting events and dangerous areas.
Length: 2180mm
Height: 995mm
Diameter: 25.4mm



NEW

SE5471 CABLE CEILING HOOK

Being essential on all construction sites. The hooks can be hung from overhead supports and allow up to 9 cables to be suspended out of the harm's way.



NEW

SE5472 CABLE CEILING HOOK ('S' Shaped)

Suspend and retain low and high voltage cables in the offshore, marine, petrochemical, mining, rail, chemical and electrical power industries.



SE5401
COLLAPSIBLE SIGN AND STAND

High visibility red-orange fluorescent woven fabric, stable steel sign stand, built-in flag holders draw more attention by adding a bright red-orange warning flag, with roll up design for easy transport. Sign's size: 36"x 36"



SE5405
WARNING FLAG

Highly visible used on warning signs, barricades, oversized loads and moving vehicles for enhanced safety.
Size: 34 x 30 x 60cm



SE5406
STOP/SLOW PADDLE

Use for traffic control in construction site, work, school zones and pedestrian crossings, STOP on one side, SLOW on the other.
Dim.: 450mm Dia, Thickness 2mm
Letter: 6" H



SE5347
CONE LIGHT

Mount on the top of the cone with 8 LEDs solar light, gives high visibility to the traffic cone and draws attention at night or in dark area. Ideal for use in plants, parking lots or garages.
Flash Rate: 115 times/min.
Color: Red, Yellow, Blue



SE5348
CONE LIGHT


Mount on the top of the cone, 4 LEDs with two C batteries, gives high visibility to the traffic cone and draws attention at night or in dark area. Ideal for use in plants, parking lots or garages.
Flash Rate: 105 times/min.
Color: Red, Yellow, Blue



SE5349
RETRACTABLE CONE BARRIER


Create cordons around the workplace for a safer environment, four sided connection.
Tape width: 50mm
Tape length: 3 meters
Tape color: yellow/black; red/white

Fence/ Convex Mirrors




SE5380 BARRIER FENCE

Tough, durable polyethylene, strong, lightweight, reusable and high visibility. Ideal for temporary construction sites, road working, recreation areas, etc. Provides maximum protection, color orange, available in rolls.
Length: 1M x 50M
Mesh size: 120mm x 40mm



SE5381 SNOW AND SAND FENCE

High visible orange color polyethylene, lightweight and durable. Used to control drifting snow and sand.
Length: 1M x 50M
Mesh size: 65mm x 35mm



SE5382 SNOW AND SAND FENCE

High visible orange color polyethylene, lightweight and durable. Used to control drifting snow and sand.
Length: 1M x 50M
Mesh size: 58mm x 40mm

Lightweight, high impact and scratch resistance mirror one-piece compound backboard and moisture resistance to increase mirror life and durability. Provides excellent safety view to avoid collision with transportation vehicles, reduce accidents and injuries. Good for use on cross-roads, intersections, corners, etc.

Mirror Size	Item No	Viewing Angle	Application Spot
Ø45CM (18")	SE5361	380°	Cross intersection
	SE5362	180°	"T"intersection
	SE5363	90°	Corner
Ø66CM (26")	SE5361	380°	Cross intersection
	SE5362	180°	"T"intersection
	SE5363	90°	Corner



SE5350
SE5351

SE5350 TRAFFIC SAFETY CONVEX MIRROR

Polycarbonate mirror surface
Size: 66cm, 80cm, 100cm

SE5351 TRAFFIC SAFETY CONVEX MIRROR

Stainless Steel mirror surface
Size: 80cm, 100cm



SE5352
TRAFFIC SAFETY CONVEX MIRROR

SUS 304 stainless steel mirror surface
 Size: 60cm x 45cm / 80cm x 60cm
 Convex radius: R2200 / R3000
 Backboard material: Galvanized steel
 Mounting method: Pole mount Ø2.5"(76mm)/ Wall mount



SE5361
SE5362

SE5361
FULL-DOME MIRROR

Acrylic mirror surface, suspends from ceiling, provides 360° views from any angles. Steel construction resists heat and abrasion, lightweight, durable. Ideal for highhazard and vandalism-prone area.
 Mirror size: 45CM, 66CM

SE5362
HALF-DOME MIRROR

Acrylic mirror surface, hang on the wall for 180° viewing area. Steel construction resists heat and abrasion, lightweight, durable. Ideal for high-hazard and vandalism-prone area.
 Mirror size: 45CM, 66CM



SE5360
INDOOR CONVEX MIRROR

Glass or Acrylic mirror surface Provides excellent view on blind corners, intersections, corners, inside or outside plants, school, hospitals, retail shops, supermarkets, etc. reduce accidents, injuries and keep an eye on the things too.
 Size: 30cm, 45cm, 60cm, 75cm,



SE5363
QUARTER-DOME MIRROR

Acrylic mirror surface, suspends from a corner wall for 90° viewing area. Steel construction resists heat and abrasion, lightweight, durable. Ideal for high-hazard and vandalism-prone area.
 Mirror size: 45CM, 66CM

Inspection Mirrors/ Measuring Wheel/ Reflectors



SE5367 INSPECTION MIRROR

Convex acrylic mirror, provides a clear and accurate vision. Good for inspection under vehicles, machines, equipment and hard-to-see areas. Extruded ABS mirror rim and back, with adjustable lightweight aluminum pole handle adjust from 37" to 48" and slip-resistant PVC finger grip handle, PU caster wheels on bottom for easy use and the new designed flashlight holder for easy angle adjustment without tools. Mirror size: 30CM



SE5368 INSPECTION MIRROR

Convex acrylic mirror, provides a clear and accurate vision. Good for inspection under vehicles, machines, equipment and hard-to-see areas. Extruded ABS mirror rim and back, with adjustable lightweight aluminum pole handle adjust from 37" to 48" and slip-resistant PVC finger grip handle, PU caster wheels on bottom for easy use. Mirror size: 30CM



SE5369 INSPECTION MIRROR

Convex acrylic mirror, provides a clear and accurate vision. Good for inspection under vehicles, machines, equipment and hard-to-see areas. Extruded ABS mirror rim and back, with adjustable lightweight aluminum pole handle adjust from 37" to 48" and slip-resistant PVC finger grip handle. Mirror size: 30CM



SE5358 MEASURING WHEEL

The accurate measuring wheel designed for a wide range of application from the construction site, accident investigation and professional survey. Folding handle for easy carrying. Push button release handle and zero reset, adjustable aluminum expansion handle measuring distance 10000 meters.
 Wheel Dia.: 190mm
 Thread width: 25mm
 Folded length: 520mm
 Extended length: 1000mm



SE5359 MEASURING WHEEL

The accurate measuring wheel designed for a wide range of application from the construction site, accident investigation and professional survey. Folding handle for easy carrying. Push button release clip, measuring distance 10000 meters.
 Wheel Dia: 318mm
 Thread width: 25mm
 Folded length: 550mm
 Extended length: 1000mm




SE5370 TRAFFIC GLASS REFLECTOR

Hardened, scratch-proof, strength, durable, 360 full dome glass with 100% reflective, enhance the reflection of road marking lines, guiding traffic and providing safer visual environment.
 Bump action warns the drivers when changing lines.
 No blind spot in any curve.
 Minimum compression resistance 25 metric tons.
 Color yellow for yellow line.



SE5371 TRAFFIC GLASS REFLECTOR

Hardened, scratch-proof, strength, durable, 360 full dome glass with 100% reflective, enhance the reflection of road marking lines, guiding traffic and providing safer visual environment. Bump action warns the drivers when changing lines.
 No blind spot in any curve.
 Minimum compression resistance 25 metric tons.
 Color white for white line.



SE5460 REFLECTIVE PANEL

Diamond grade reflective sheet on aluminum plate with 3 pre-drilled mounting holes, wavy design, adds reflective visibility, draw attention, enhance safety and help prevent accidents.
 Easy and quickly secured in placed with screws on barriers, guard rails and walls, good for highway, construction site, corners, curves, delineators.
 Color: Fluorescent Green, Fluorescent Yellow, Fluorescent Yellow/ Black
 Size: 6" x 34"

Pavement Marker/ Reflectors




SE5372 RAISED PAVEMENT MARKER

High impact resistance plastic base with one or two reflectors, enhance the reflection of road marking lines, guiding traffic and providing safer visual environment. Bump action warns the drivers when changing lines.
Size: 100mmX100mmX17.8mm
Base color: White
Reflectors color: White, Yellow, Red, White/White, Yellow/Yellow, White/Yellow, Yellow/Red, etc.



SE5373 RAISED PAVEMENT MARKER

High impact resistance plastic base with one or two reflectors, enhance the reflection of road marking lines, guiding traffic and providing safer visual environment. Bump action warns the drivers when changing lines.
Size: 100mmX100mmX17.8mm
Base color: Yellow, blue.
Reflectors color: White, Yellow, Red, White/White, Yellow/Yellow, White/Yellow, Yellow/Red, etc.



SE5374 RAISED PAVEMENT MARKER

High impact resistance plastic base with one or two reflectors, enhance the reflection of road marking lines, guiding traffic and providing safer visual environment. Bump action warns the drivers when changing lines.
Size: 100mmX100mmX17.8mm
Base color: Green.
Reflectors color: White, Yellow, Red, White/White, Yellow/Yellow, White/Yellow, Yellow/Red, etc.



SE5375 SOLAR LIGHT RAISED PAVEMENT MARKER

LED solar light gives high visibility in flashing mode during the night, provides year-round highway guidance. The hardened cast iron housing, high impact resistance and two way reflective.
Material: Aluminum alloy
Size: 115x100x22mm
Flash Rate: 90-100 times/min
LED: 5mm, 6pcs(dual side)
Luminous Color: Red/Yellow/Blue/Green/White
Power Supply: 1.2v 600mah NI-MH battery
Working Time: Over 60 hours after full charged



SE5420 CHANNELIZING REFLECTOR

Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.
Color: red/yellow, red/white, yellow/white




SE5430 CHANNELIZING REFLECTOR

Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.
Color: red/yellow, red/white, yellow/white



SE5440 CHANNELIZING REFLECTOR

Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.
SE5440 Color: red/yellow, red/white, yellow/white



SE5450 REFLECTORS

Size: 84mm in diameter , Color: yellow
Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.




SE5451 REFLECTORS

Size: 84mm in diameter , Color: white
Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.



SE5452 REFLECTORS

Size: 84mm in diameter , Color: red
Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.



SE5455 REFLECTORS

Size: 100mm in diameter , Color: yellow
Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.



SE5456 REFLECTORS

Size: 100mm in diameter , Color: white
Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.



SE5457 REFLECTORS

Size: 100mm in diameter , Color: red
Excellent reflection, for guiding traffic and providing safety sight. Ideal for curved roads, road sides, corners, bridges and safety island, etc.

Reflective Triangles/ Corner Protector

REFLECTIVE TRIANGLES

Durable impact resistance, high visibility reflective panels warn the drivers for occurs ahead from a distance.

Weighted base ensures steady, easy to erect and set up, fold for storage in handy case.



SE5610 REFLECTIVE TRIANGLE

Iron Cross Legs Stand,
heavy duty.
Size: 60mm x 600mm
Weight:1600g



SE5611 REFLECTIVE TRIANGLE

Iron Cross Legs Stand,
heavy duty.
Size: 50mm x 500mm
Weight: 1300g



SE5612 REFLECTIVE TRIANGLE

Iron Cross Legs Stand
Size: 50mm x 450 mm
Weight: 1100g



SE5613 REFLECTIVE TRIANGLE

Iron Cross Legs Stand
Size: 50mm x 450mm
Weight: 1000g
Compliance: ECE Regulation
No. 27 E11 Mark



SE5614 REFLECTIVE TRIANGLE

Spider Legs Stand
Visible Reflective
Distance:300m
Size:398mm
Compliance: ECE Regulation
No. 27 E11 Mark



SE5615 REFLECTIVE TRIANGLE

Spider Legs Stand
Visible Reflective
Distance:300m
Size:385mm
Compliance: ECE Regulation
No.27 E11 Mark



SE5616 REFLECTIVE TRIANGLE

Cross Stand
Visible Reflective
Distance:300m
Size:385mm
Compliance: SAE DOT
FMVSS 125

CORNER PROTECTORS

Flexible plastic for impact and breakage resistance.

Hollowed buffering design for optimal impact absorption, to protect the corner as well as automobiles from scratches and dents.

Easy installation in heights of 30, 60, 90, 120, 150 cm or more to meet various demands.

Good for parking lots, schools, public venues, plants, warehouse, distribution center with access to vehicles and forklifts.

Length: 30cm with screws and wall plugs.



SEI 930 CORNER PROTECTOR

Color: Yellow base with yellow/black zebra tape.



SEI 931 CORNER PROTECTOR

Color: Yellow base with red/white zebra tape.



SEI 932 CORNER PROTECTOR

Color: Black base with yellow/black zebra tape.



SEI 933 CORNER PROTECTOR

Color: Black base with red/white zebra tape.



SEI 934 CORNER PROTECTOR

Flexible rubber construction for impact and breakage resistance, to protect the corner as well as automobiles from scratches and dents. Easy to install. Color: Black base with yellow/black tape. Height: 55cm



SEI 935 CORNER PROTECTOR

Flexible rubber construction for impact and breakage resistance, to protect the corner as well as automobiles from scratches and dents. Easy to install. Color: Yellow base with yellow/green tape. Height: 55cm



SEI 936 CORNER PROTECTOR

Flexible rubber construction for impact and breakage resistance, to protect the corner as well as automobiles from scratches and dents. Easy to install. Color: White base with red/white tape. Height: 55cm

Corner Protector



SE1937 CORNER PROTECTOR

Flexible PVC construction for impact and breakage resistance, with reflective lines helps the drivers to avoid the scratches and dents.

Size: 9CM x 9CM x 90CM

Color: Yellow base, Yellow/Black



SE1938 CORNER PROTECTOR

Flexible PVC construction for impact and breakage resistance, with reflective lines helps the drivers to avoid the scratches and dents.

Size: 9CM x 9CM x 90CM


Color: Black base, Yellow/Black



SE1939 CORNER AND WALL GUARD

Made of high impact resistant rubber, high intensity reflective tape increases visibility, provides the guidance and protects against damages, good for parking lots, warehouse, and loading docks.

Size: 1000x170x50mm



**SE19391-SE19396
PU FOAM CORNER/EDGE PROTECTOR**

PU(Polyurethane) foam with black /yellow strips; provides high visibility and reduces on-the-job injuries from bumping into sharp corners or edges. It can be cut to the length fit for easy installation.
Length: 1000mm

Item	Description	Size
SE19391	CORNER TYPE, SELF-ADHESIVE	
SE19392	CORNER TYPE, SELF-ADHESIVE	
SE19393	EDGE TYPE, PUSH ON	

Item	Description	Size
SE19394	SURFACE TYPE, SELF-ADHESIVE	
SE19395	SURFACE TYPE, SELF-ADHESIVE	
SE19396	CORNER TYPE, SELF-ADHESIVE	



SE1942 WALL GUARD

Black natural rubber, heavy duty, with yellow reflective strips for high visibility, durable and abrasion resistance, excellent protection for freight docks, cargo terminal, service areas and parking garages.
Size: 130 x 130 x 505mm



SE1943 PARKING STOP

Polyethylene construction high visible yellow color, UV and weather resistance, organize the parking lot for better traffic flow and reduce the accident.
Size: 140 x 570mm

Speed Bump/ Wheel Chock




SEI944 SPEED BUMP

Rubber construction, designed to reduce speed.
Durable and maintenance free, yellow/black sections conspicuously visible in daytime, and the built-in reflectors for night time visibility.
Size: body 50 cmx50 cm
Height: 5 cm
Reflection: 25 beads reflective sheet
Color: yellow,black



SEI94A ENDING

Size: 50 cmx25 cm
Height: 5 cm



SEI946 SPEED BUMP

Rubber construction, designed to reduce speed.
Durable and maintenance free, yellow/black sections conspicuously visible in daytime, and the built-in reflectors for night time visibility.
Size: body 50 cmx35 cm
Height: 5 cm
Reflection: high intensity sheet
Color: yellow,black



SEI94B ENDING

Size: 25 cmx35 cm
Height: 5 cm
Color: silver



SEI945 WHEEL CHOCK

Molded, durable rubber resists erosion by sunshine, water, moisture, and oil. Holding vehicles, trailers, and other heavy equipment firmly in position.
Dimensions: 270x120x180mm



SEI9452 WHEEL CHOCK

Molded, durable rubber resists erosion by sunshine, water, moisture, and oil. Holding vehicles, trailers, and other heavy equipment firmly in position.
Material: PVC
Dimensions: L 235 x W 120 x H 170mm
Weight: 2.75kg



SEI9451 WHEEL CHOCK

Molded, durable rubber resists erosion by sunshine, water, moisture, and oil. Holding vehicles, trailers, and other heavy equipment firmly in position.
Material: PVC
Dimensions: L 270 x W 265 x H 200mm
Weight: 6.2kg



SEI9453 WHEEL CHOCK

Molded, durable rubber resists erosion by sunshine, water, moisture, and oil. Holding vehicles, trailers, and other heavy equipment firmly in position.
Material: PVC
Dimensions: L 170 x W 100 x H 145mm
Weight: 1.45kg

Cable Protector/ Delineator



SEI947 PORTABLE SPEED BUMP

Made from durable PU material, foldable and portable design can be moved from location to location in seconds. Design for traffic flow and vehicle speed control, enhancing safety in work zones.

Length: 3M
 Fold Length: 36cm
 Width: 25cm
 Height: 2.5cm



SEI948 PORTABLE SPEED BUMP

PP material, backed with rubber matting, designed for temporary traffic flow and speed control, enhancing safety in work zones. With a soft zippered carry bag for easy transport and storage.

Max Length: 3M
 Fold Length: 54cm
 Width: 25cm
 Height: 5cm



SEI9492 CABLE PROTECTOR

Made from tough, high impact resistant, non-conductive polyurethane; with hinged lid to protect cables and hoses; provides a safe crossing for vehicles and pedestrian traffic

Channels: 2
 Channel Size: W 95mm x H 70mm
 Size: 900mm x 580mm x 90mm



SEI9493 CABLE PROTECTOR

Made from tough, high impact resistant, non-conductive polyurethane; with hinged lid to protect cables and hoses; provides a safe crossing for vehicles and pedestrian traffic

Channels: 3
 Channel Size: W 40mm x H 30mm
 Size: 1000mm x 300mm x 45mm



SEI9494 CABLE PROTECTOR

Made from tough, high impact resistant, non-conductive polyurethane; with hinged lid to protect cables and hoses; provides a safe crossing for vehicles and pedestrian traffic

Channels: 4
 Channel Size: W 45mm x H 40mm
 Size: 900mm x 500mm x 60mm

DELINEATOR

Provides maximum 360 degree high visibility, durable EVA/ TPU construction, high elasticity, easy to install into most road surfaces. Used as road dividers, also for variety of applications, such as construction hazards, parking lots, pedestrian area, etc.



SEI 954 YELLOW DELINEATOR

Dia: 9CM Height: 75.5CM Base: 23CM



SEI 953 ORANGE DELINEATOR

Dia: 9CM Height: 75.5CM Base: 23CM



SEI 955 DELINEATOR POST

Low density polyethylene post, octagonal recycled solid rubber base, tough, sturdy and stability, control crowds and direct traffic around dangerous area, constructions sites, sporting events, etc. With 24cm reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes. Two pieces design, base and post by slip over, is simple and convenient.

Height: 115CM

Base: 42CM

Post Dia: 8CM

Delineator/ Anti-Slip Tape



SEI956 CHANNELIZER CONE

Low density polyethylene telescopic design for easy stacking. Octagonal recycled solid rubber base, tough, sturdy and stability. With two 10cm reflective collars increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes, the handle makes it easy to carry and string caution tape through.

Two pieces design, base and post by slip over, is simple and convenient. Good for control crowds and direct traffic around dangerous area, construction sites, sporting events, etc.

Height: 125CM
Base: 42CM




SEI957 ORANGE DELINEATOR

Dia: 11CM Height: 75.5CM Base: 24.5CM



SEI958 YELLOW DELINEATOR

Dia: 11CM Height: 75.5CM Base: 24.5CM



SEI959 DELINEATOR POST

The post made from PVC plastic, excellent impact resistance. Micro prismatic reflectors make its reflective lightness equal to diamond grade. Plastic part adds the UV resistance, can ensure service life of the product. Reflectors are firmly connected on the bracket by rivet.

Height: 1250mm
Width: 120mm


ANTI-SLIP TAPE

Durable self-adhesive tape, good for slippery areas, such as ramps, walkways, lobbies, stairs, docks, boats, bathroom, bathtub, etc., can endure temperature from 120°C to -5°C without change any effect of the shape.

Chemical and water resistance.

Grit No.: #40, #60, #80.

Color: Assorted



SE2609 PVC ANTI-SLIP TAPE

Thick PVC tape, rough surface to prevent slip and falls.
Width: 1", 2"




SE2610 ANTI-SLIP TAPE

Width: 2", other sizes available.



SE2611 ANTI-SLIP TAPE

Width: 1"



SE2612 ANTI-SLIP TAPE

Width: 2"



SE2613 ANTI-SLIP TAPE

Size: 60CM X 2CM X 6 pieces/ set



SE2614 ANTI-SLIP STAIR TAPE

Printed style increases visibility on stairways and helps to prevent dangerous slips and trips. Select from illustrations "CAUTION" or "WATCH YOUR STEP".
Size: 60CM X 15CM



SE2615 REFLECTIVE ANTI-SLIP TAPE

Self-adhesive anti-slip reflective tape with high visibility. Provides maximum visibility for safety, special design for a greater surface, such as walkways, stairs, basement, etc.

Color: Black with green fluorescent reflective tape
Size: 60CM X 15CM



SE2616 REFLECTIVE ANTI-SLIP TAPE

Self-adhesive anti-slip reflective tape with high visibility. Provides maximum visibility for safety, special design for a greater surface, such as walkways, stairs, basement, etc.

Color: Black with yellow fluorescent reflective tape
Size: 60CM X 15CM

Anti-Slip Tape/ Reflective Vehicle Tapes/ Reflective Tapes



SE2617 REFLECTIVE ANTI-SLIP TAPE

Self-adhesive anti-slip reflective tape with high visibility. Provides maximum visibility for safety, special design for a greater surface, such as walkways, stairs, basement, etc.

Color: Black with green fluorescent reflective and zebra red / white tape.

Size: 60CM X 15CM



SE2618 REFLECTIVE TAPE

Self-adhesive anti-slip reflective tape with high visibility. Provides maximum visibility for safety, special design for a greater surface, such as walkways, stairs, basement, etc.

Color: Black with green fluorescent reflective and zebra yellow / black tape.

Size: 60CM X 15CM




SE2650 REFLECTIVE VEHICLE TAPE

High intensity grade, great visibility, highlights the vehicles with a continuous line of alternating red and silver strips for easy identification and safer night driving. Width: 2"



SE2654 VEHICLE REFLECTOR

Convenient pre-cut length 1"x12", easy installation, high visibility for increased awareness in cross traffic, turning and parking. Good for reflective markings on trucks, trailers.



SE2657 REFLECTIVE VEHICLE SHEET

High intensity grade, great visibility, highlights the vehicles with a continuous line of alternating red and yellow strips for easy identification and safer night driving. Width: 15cm




SE2021 REFLECTIVE BELT

With fluorescent reflective tape both front and back, retains its color under toughest weather. Good for construction workers, street workers, traffic control, public utilities, safety patrols, etc.




SE2022 REFLECTIVE BRACE

With fluorescent reflective tape both front and back, retains its color under toughest weather. Good for construction workers, street workers, traffic control, public utilities and safety patrols, etc.
Color: Fluorescent Yellow




SE2050 REFLECTIVE TAPE

Excellent fluorescent reflection, strong bright and shiny, retains its color under toughest weather.
Softness, suitable for heat sealing or sewing.
Good for construction, street working, traffic control, safety patrols, public utilities, sporting, riding, etc. for safety purpose.
Width: 50 mm
Length: 50 Yards/Roll
Color: Yellow, Red, Silver
Surface: Checked, Flat



SE2023 REFLECTIVE BRACE

With fluorescent reflective tape both front and back, retains its color under toughest weather.
Good for construction workers, street workers, traffic control, public utilities and safety patrols, etc.
Color: Fluorescent Orange



SE2055 REFLECTIVE TAPE

Excellent fluorescent reflection, strong bright and shiny, retains its color under toughest weather.
Softness, suitable for heat sealing or sewing.
Good for construction, street working, traffic control, safety patrols, public utilities, sporting, riding, etc. for safety purpose.
Width: 25 mm
Length: 50 Yards/Roll
Color: Yellow, Red, Silver
Surface: Checked, Flat



SE2024 REFLECTIVE BRACE

Fluorescent orange elastic fabric with fluorescent silver tape both front and back, retains its color under toughest weather.
Buckles adjusts easily for a secure and comfortable fit.

Reflective Vests



SE2030 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front and elastic straps at both sides. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2032 REFLECTIVE VEST

Polyester mesh with reflective tapes, high visible, lightweight and durable, adjustable hook-and-loop closure in front and elastic straps at both sides. Good for street workers, public utilities and safety patrols, etc.
Color: Fluorescent Yellow, Fluorescent Orange



SE2031 REFLECTIVE VEST WITH LED

Nylon mesh with fluorescent blaze reflective tapes. Each tape with LED light in position to enhance the visibility while wearing. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc in high traffic area.



SE2033 REFLECTIVE VEST

Polyester mesh fabric with reflective tapes, high visible, lightweight and durable, adjustable hook-and-loop closure in front. Good for street workers, public utilities and safety patrols, etc.
Color: Fluorescent Yellow, Fluorescent Orange



SE2035 REFLECTIVE VEST

With 2"width silver high visibility refleccive tape horizontal bands around the torso, provides maximum visibility for safety. Light weight and durable, retains its color under toughest weather. Fluorescent yellow or fluorescent red waistcoat with adjustable hook-and-loop closure. Good for construction workers,street workers,public utilities,policeman,etc. Compliance: **CE EN20471**



SE2037 REFLECTIVE VEST

With 2" width silver high visibility reflective tape across the chest and over shoulders, provides maximum visibility for safety. Light weight and durable, retains its color under toughest weather. Fluorescent yellow or fluorescent red waistcoat with adjustable hook-and-loop closure. Good for construction workers, street workers, public utilities, policeman, etc. Compliance: **CE EN20471**



SE2036 REFLECTIVE VEST

With 2" width silver high visibility reflective tape across the chest and over shoulders, provides maximum visibility for safety. Light weight and durable,retains its color under toughest weather. Fluorescent yellow or fluorescent red waistcoat with adjustable hook-and-loop closure.Good for construction workers,street workers,public utilities,policeman,etc. Compliance: **CE EN20471**



SE2038 REFLECTIVE VEST

Fluorescent orange polyester fabric with 2" width fluorescent yellow reflective tape across the chest and over shoulders, provides maximum visibility for safety. Zipper closure, two pockets with flaps and velcro closures. Good for construction workers, Street workers, public utilities, policeman, etc. Compliance: **CE EN20471**

Reflective Vests



SE2040 REFLECTIVE VEST

Fluorescent yellow mesh with reflective tapes, high visible. Lightweight and durable, zipper in front. Good for street workers, public utilities, safety patrols, etc.



SE2042 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2041 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2043 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front and both sizes. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2044 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front and both sides. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2045 REFLECTIVE VEST

Polyester mesh with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, zipper and adjustable hook-and-loop closure in front and both sides. With pockets and pen holders for more convenient. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2046 REFLECTIVE VEST WITH LED

Polyester mesh with fluorescent blaze reflective tapes. Each tape with LED light in position to enhance the visibility while wearing. Lightweight and durable, retains its color under toughest weather, with adjustable hook-and-loop closure in front and both sides. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



SE2047 HIGH-VISIBILITY VEST

Fluorescent orange vest offers daytime visibility. Adjustable hook-and-loop closure in front and elastic straps at both sides. Good for street workers, public utilities, safety patrols, construction, etc.



SE2048 REFLECTIVE VEST

Fluorescent orange with fluorescent blaze reflective tapes both front and back, provides maximum visibility for safety. Lightweight and durable, retains its color under toughest weather, zipper and adjustable hook-and-loop closure in front and both sides. With pockets and pen holders for more convenient. Good for construction workers, street workers, public utilities, safety patrols, policeman, etc. in high traffic area.



TIANXING TECH INNOVATION CO. PTE LTD

天行健科技創新新加坡有限公司

531A UPPER CROSS STREET #04-95 HONG LIM COMPLEX SINGAPORE 051531
531A上十字街04-95號宏林綜合大樓 新加坡051531/ TEL+65 6444 3130/ UEN 202236869Z

Contact: Mark Liu E-mail: markk_liu@me.com

WhatsApp/Wechat: +886903365221